

Data Path : Z:\SVOASRV\HPCHEM1\BNA_E\DATA\BE032619\
 Data File : BE099229.D
 Acq On : 26 Mar 2019 23:53
 Operator : JU/SJ
 Sample : K2073-14
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 P022-TW001-01

Quant Time: Mar 27 08:52:15 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_E\METHODS\8270-SIM-BE032519.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 26 07:02:06 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.83	152	3452	0.40	ng	-0.01
7) Naphthalene-d8	10.63	136	15249	0.40	ng	0.00
13) Acenaphthene-d10	14.47	164	12102	0.40	ng	-0.01
19) Phenanthrene-d10	17.20	188	33865	0.40	ng	-0.01
27) Chrysene-d12	21.38	240	37120	0.40	ng	-0.01
34) Perylene-d12	23.89	264	30664	0.40	ng	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
4) 2-Fluorophenol	5.41	112	1604	0.16	ng	0.00
5) Phenol-d6	6.99	99	1480	0.09	ng	0.00
8) Nitrobenzene-d5	8.99	82	4490	0.36	ng	0.00
11) 2-Methylnaphthalene-d10	12.22	152	12204	0.42	ng	0.00
14) 2,4,6-Tribromophenol	15.96	330	1615	0.46	ng	0.00
15) 2-Fluorobiphenyl	13.10	172	20860	0.42	ng	0.00
25) Fluoranthene-d10	19.24	212	174369	0.42	ng	0.00
29) Terphenyl-d14	19.83	244	34809	0.43	ng	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
3) n-Nitrosodimethylamine	3.65	42	71	0.028	ng	# 1
22) Pentachlorophenol	16.92	266	23	0.246	ng	84
32) Bis(2-ethylhexyl)phthalate	21.28	149	5874	0.040	ng	# 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_E\DATA\BE032619\
Data File : BE099229.D
Acq On : 26 Mar 2019 23:53
Operator : JU/SJ
Sample : K2073-14
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
P022-TW001-01

Quant Time: Mar 27 08:52:15 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_E\METHODS\8270-SIM-BE032519.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 26 07:02:06 2019
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 7.83 min Scan# 431

Delta R.T. -0.01 min

Lab File: BE099229.D

Acq: 26 Mar 2019 23:53

Instrument :

BNA_E

ClientSampleId :

P022-TW001-01


Tgt Ion: 152 Resp: 3452

Ion Ratio Lower Upper

152 100

150 146.5 112.8 169.2

115 67.7 45.1 67.7






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#3

n-Nitrosodimethylamine

Concen: 0.028 ng

RT: 3.65 min Scan# 68

Delta R.T. -0.02 min

Lab File: BE099229.D

Acq: 26 Mar 2019 23:53


Tgt Ion: 42 Resp: 71

Ion Ratio Lower Upper

42 100

74 28.2 138.6 207.8#

44 0.0 15.0 22.6#






Abundance

Ion 42.00 (41.70 to 42.70): BE0

Ion 74.00 (73.70 to 74.70): BE0

Ion 44.00 (43.70 to 44.70): BE0





#4

2-Fluorophenol

Concen: 0.156 ng

RT: 5.41 min Scan# 221

Delta R.T. -0.00 min

Lab File: BE099229.D

Acq: 26 Mar 2019 23:53

Instrument :

BNA_E

ClientSampleId :

P022-TW001-01


Tgt Ion: 112 Resp: 1604

Ion Ratio Lower Upper

112 100

64 57.5 46.2 69.2




63 114.3 89.9 134.9



Abundance Ion 112.00 (111.70 to 112.70): BE099229.D (-349) (-)

Ion 64.00 (63.70 to 64.70): BE099229.D (-349) (-)

Ion 63.00 (62.70 to 63.70): BE099229.D (-349) (-)



#5

Phenol-d6

Concen: 0.094 ng

RT: 6.99 min Scan# 358

Delta R.T. -0.00 min

Lab File: BE099229.D

Acq: 26 Mar 2019 23:53


Tgt Ion: 99 Resp: 1480

Ion Ratio Lower Upper

99 100

42 16.4 12.4 18.6



71 34.5 28.4 42.6




Abundance Ion 99.00 (98.70 to 99.70): BE099229.D (-349) (-)

Ion 42.00 (41.70 to 42.70): BE099229.D (-349) (-)

Ion 71.00 (70.70 to 71.70): BE099229.D (-349) (-)





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.63 min Scan# 651

Delta R.T. 0.00 min

Lab File: BE099229.D

Acq: 26 Mar 2019 23:53

Instrument :

BNA_E

ClientSampleId :

P022-TW001-01

Tgt Ion:136 Resp: 15249


Ion Ratio Lower Upper

136 100

137 10.4 8.7 13.1

54 19.2 18.7 28.1

68 5.2 5.2 7.8






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0



#8

Nitrobenzene-d5

Concen: 0.361 ng

RT: 8.99 min Scan# 525

Delta R.T. 0.00 min

Lab File: BE099229.D

Acq: 26 Mar 2019 23:53


Tgt Ion: 82 Resp: 4490

Ion Ratio Lower Upper

82 100

128 146.8 107.5 161.3



54 129.8 106.3 159.5




Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BE0





#11

2-Methylnaphthalene-d10

Concen: 0.415 ng

RT: 12.22 min Scan# 764

Delta R.T. 0.00 min

Lab File: BE099229.D

Acq: 26 Mar 2019 23:53

Instrument :

BNA_E

ClientSampleId :


P022-TW001-01

Tgt Ion:152 Resp: 12204

Ion Ratio Lower Upper




152 100

151 19.3 15.0 22.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E



#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.47 min Scan# 920

Delta R.T. -0.01 min

Lab File: BE099229.D

Acq: 26 Mar 2019 23:53


Tgt Ion:164 Resp: 12102

Ion Ratio Lower Upper

164 100

162 94.9 79.2 118.8



160 45.9 36.7 55.1




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#14
 2,4,6-Tribromophenol
 Concen: 0.463 ng
 RT: 15.96 min Scan# 1025
 Delta R.T. 0.00 min
 Lab File: BE099229.D
 Acq: 26 Mar 2019 23:53

Instrument :
 BNA_E
 ClientSampleId :
 P022-TW001-01

Tgt Ion: 330 Resp: 1615
 Ion Ratio Lower Upper
 330 100
 332 99.1 71.3 106.9
 141 33.0 21.7 32.5#




Abundance Ion 330.00 (329.70 to 330.70): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#15
 2-Fluorobiphenyl
 Concen: 0.423 ng
 RT: 13.10 min Scan# 825
 Delta R.T. 0.00 min
 Lab File: BE099229.D
 Acq: 26 Mar 2019 23:53

Tgt Ion: 172 Resp: 20860
 Ion Ratio Lower Upper
 172 100
 171 34.2 27.4 41.0
 170 23.2 19.1 28.7



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.20 min Scan# 1118

Delta R.T. -0.01 min

Lab File: BE099229.D

Acq: 26 Mar 2019 23:53

Instrument :

BNA_E

ClientSampleId :

P022-TW001-01


Tgt Ion:188 Resp: 33865

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0




80 10.2 4.5 6.7#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#22

Pentachlorophenol

Concen: 0.246 ng

RT: 16.92 min Scan# 1097

Delta R.T. 0.06 min

Lab File: BE099229.D

Acq: 26 Mar 2019 23:53


Tgt Ion:266 Resp: 23

Ion Ratio Lower Upper

266 100

264 81.3 54.4 81.6



268 90.6 61.3 91.9




Abundance Ion 266.00 (265.70 to 266.70): E

Ion 264.00 (263.70 to 264.70): E

Ion 268.00 (267.70 to 268.70): E





#25

Fluoranthene-d10

Concen: 0.425 ng

RT: 19.24 min Scan# 1387

Delta R.T. -0.01 min

Lab File: BE099229.D

Acq: 26 Mar 2019 23:53

Instrument :

BNA_E

ClientSampleId :

P022-TW001-01


Tgt Ion:212 Resp: 174369

Ion Ratio Lower Upper

212 100

106 2.3 1.8 2.8




104 1.3 1.1 1.7



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.38 min Scan# 1631

Delta R.T. -0.01 min

Lab File: BE099229.D

Acq: 26 Mar 2019 23:53


Tgt Ion:240 Resp: 37120

Ion Ratio Lower Upper

240 100

120 6.8 2.6 3.8#



236 27.6 20.9 31.3




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.431 ng

RT: 19.83 min Scan# 1491

Delta R.T. 0.00 min

Lab File: BE099229.D

Acq: 26 Mar 2019 23:53

Instrument :

BNA_E

ClientSampleId :

P022-TW001-01


Tgt Ion:244 Resp: 34809

Ion Ratio Lower Upper

244 100

212 29.6 22.7 34.1




122 6.3 5.8 8.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.040 ng

RT: 21.28 min Scan# 1623

Delta R.T. -0.01 min

Lab File: BE099229.D

Acq: 26 Mar 2019 23:53


Tgt Ion:149 Resp: 5874

Ion Ratio Lower Upper

149 100

167 8.1 5.9 8.9



279 2.8 1.0 1.6#




Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#34
Perylene-d12
Concen: 0.400 ng
RT: 23.89 min Scan# 2206
Delta R.T. -0.00 min
Lab File: BE099229.D
Acq: 26 Mar 2019 23:53

Instrument :
BNA_E
ClientSampleId :
P022-TW001-01

Tgt Ion: 264 Resp: 30664
Ion Ratio Lower Upper
264 100
260 24.6 18.2 27.2
265 28.5 21.8 32.8

