

Data Path : Z:\svoasrv\HPCHEM1\BNA_E\Data\BE040721\
 Data File : BE101236.D
 Acq On : 7 Apr 2021 19:50
 Operator : CG/JU
 Sample : M1951-04
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 SW-2

Quant Time: Apr 08 03:23:54 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_E\Methods\8270-SIM-BE040621.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 07 10:22:45 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.838	152	3502	0.40	ng	0.00
7) Naphthalene-d8	10.615	136	16641	0.40	ng	0.00
13) Acenaphthene-d10	14.443	164	13021	0.40	ng	0.00
19) Phenanthrene-d10	17.197	188	40431	0.40	ng	#-0.01
29) Chrysene-d12	21.354	240	39156	0.40	ng	# 0.00
36) Perylene-d12	23.834	264	30198	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.420	112	1970	0.24	ng	0.00
5) Phenol-d6	6.998	99	2140	0.17	ng	0.00
8) Nitrobenzene-d5	8.978	82	4529	0.37	ng	0.00
11) 2-Methylnaphthalene-d10	12.196	152	9662	0.25	ng	0.00
14) 2,4,6-Tribromophenol	15.957	330	2169	0.62	ng	0.00
15) 2-Fluorobiphenyl	13.074	172	14980	0.32	ng	0.00
27) Fluoranthene-d10	19.214	212	231261	0.33	ng	0.00
31) Terphenyl-d14	19.817	244	55557	0.53	ng	0.00
Target Compounds						Qvalue
9) Naphthalene	10.667	128	5057	0.03	ng	# 95
25) Phenanthrene	17.242	178	4911	0.04	ng	# 88
28) Fluoranthene	19.243	202	6910	0.04	ng	# 93
30) Pyrene	19.605	202	6264	0.04	ng	# 92
37) Benzo(b)fluoranthene	23.075	252	2368	0.02	ng	# 48


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_E\Data\BE040721\
Data File : BE101236.D
Acq On : 7 Apr 2021 19:50
Operator : CG/JU
Sample : M1951-04
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
SW-2

Quant Time: Apr 08 03:23:54 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_E\Methods\8270-SIM-BE040621.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Apr 07 10:22:45 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.40 ng
RT: 7.838 min Scan# 432
Delta R.T. 0.008 min
Lab File: BE101236.D
Acq: 7 Apr 2021 19:50




Instrument :
BNA_E
ClientSampled :
SW-2


Tgt Ion:152 Resp: 3502
Ion Ratio Lower Upper
152 100
150 149.9 116.9 175.3
115 56.6 44.5 66.7



#4
2-Fluorophenol
Concen: 0.24 ng
RT: 5.420 min Scan# 222
Delta R.T. -0.003 min
Lab File: BE101236.D
Acq: 7 Apr 2021 19:50

Tgt Ion:112 Resp: 1970
Ion Ratio Lower Upper
112 100
64 80.5 62.3 93.5
63 158.3 117.3 175.9









#5
Phenol-d6
Concen: 0.17 ng
RT: 6.998 min Scan# 359
Delta R.T. 0.009 min
Lab File: BE101236.D
Acq: 7 Apr 2021 19:50




Instrument :
BNA_E
ClientSampled :
SW-2


Tgt Ion: 99 Resp: 2140
Ion Ratio Lower Upper
99 100
42 67.3 18.5 27.7#
71 0.0 26.5 39.7#



#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.615 min Scan# 650
Delta R.T. 0.001 min
Lab File: BE101236.D
Acq: 7 Apr 2021 19:50

Tgt Ion: 136 Resp: 16641
Ion Ratio Lower Upper
136 100
137 11.3 8.6 13.0
54 40.3 34.7 52.1
68 8.5 7.0 10.4









#8
Nitrobenzene-d5
Concen: 0.37 ng
RT: 8.978 min Scan# 524
Delta R.T. 0.001 min
Lab File: BE101236.D
Acq: 7 Apr 2021 19:50




Instrument :
BNA_E
ClientSampled :
SW-2


Tgt Ion: 82 Resp: 4529
Ion Ratio Lower Upper
82 100
128 154.8 118.7 178.1
54 209.7 164.4 246.6



#9
Naphthalene
Concen: 0.03 ng
RT: 10.667 min Scan# 654
Delta R.T. 0.001 min
Lab File: BE101236.D
Acq: 7 Apr 2021 19:50

Tgt Ion: 128 Resp: 5057
Ion Ratio Lower Upper
128 100
129 4.6 2.2 3.4#
127 4.8 2.6 3.8#









#11
2-Methylnaphthalene-d10
Concen: 0.25 ng
RT: 12.196 min Scan# 763
Delta R.T. -0.001 min
Lab File: BE101236.D
Acq: 7 Apr 2021 19:50




Instrument :
BNA_E
ClientSampled :
SW-2


Tgt Ion:152 Resp: 9662
Ion Ratio Lower Upper
152 100
151 20.9 16.5 24.7



#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.443 min Scan# 919
Delta R.T. -0.000 min
Lab File: BE101236.D
Acq: 7 Apr 2021 19:50

Tgt Ion:164 Resp: 13021
Ion Ratio Lower Upper
164 100
162 106.1 85.3 127.9
160 46.8 39.1 58.7









#14
2,4,6-Tribromophenol
Concen: 0.62 ng
RT: 15.957 min Scan# 1016
Delta R.T. 0.002 min
Lab File: BE101236.D
Acq: 7 Apr 2021 19:50




Instrument :
BNA_E
ClientSampled :
SW-2


Tgt Ion:330 Resp: 2169
Ion Ratio Lower Upper
330 100
332 94.4 77.8 116.6
141 47.7 30.4 45.6#



#15
2-Fluorobiphenyl
Concen: 0.32 ng
RT: 13.074 min Scan# 824
Delta R.T. -0.001 min
Lab File: BE101236.D
Acq: 7 Apr 2021 19:50

Tgt Ion:172 Resp: 14980
Ion Ratio Lower Upper
172 100
171 35.5 28.7 43.1
170 22.9 19.3 28.9









#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 17.197 min Scan# 1098
Delta R.T. -0.013 min
Lab File: BE101236.D
Acq: 7 Apr 2021 19:50




Instrument :
BNA_E
ClientSampled :
SW-2


Tgt Ion:188 Resp: 40431
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 14.7 4.6 6.8#



#25
Phenanthrene
Concen: 0.04 ng
RT: 17.242 min Scan# 1101
Delta R.T. 0.002 min
Lab File: BE101236.D
Acq: 7 Apr 2021 19:50

Tgt Ion:178 Resp: 4911
Ion Ratio Lower Upper
178 100
176 18.9 15.0 22.6
179 26.8 12.2 18.4#









#27
Fluoranthene-d10
Concen: 0.33 ng
RT: 19.214 min Scan# 1358
Delta R.T. -0.000 min
Lab File: BE101236.D
Acq: 7 Apr 2021 19:50




Instrument :
BNA_E
ClientSampled :
SW-2


Tgt Ion:212 Resp: 231261
Ion Ratio Lower Upper
212 100
106 3.5 2.6 4.0
104 2.0 1.4 2.2



#28
Fluoranthene
Concen: 0.04 ng
RT: 19.243 min Scan# 1363
Delta R.T. -0.000 min
Lab File: BE101236.D
Acq: 7 Apr 2021 19:50

Tgt Ion:202 Resp: 6910
Ion Ratio Lower Upper
202 100
101 17.3 9.1 13.7#
203 17.7 13.6 20.4









#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.354 min Scan# 1604
Delta R.T. 0.000 min
Lab File: BE101236.D
Acq: 7 Apr 2021 19:50




Instrument :
BNA_E
ClientSampled :
SW-2


Tgt Ion:240 Resp: 39156
Ion Ratio Lower Upper
240 100
120 9.6 10.2 15.4#
236 26.7 21.7 32.5



#30
Pyrene
Concen: 0.04 ng
RT: 19.605 min Scan# 1426
Delta R.T. -0.000 min
Lab File: BE101236.D
Acq: 7 Apr 2021 19:50

Tgt Ion:202 Resp: 6264
Ion Ratio Lower Upper
202 100
200 22.4 16.6 24.8
203 22.8 13.8 20.8#









#31
Terphenyl-d14
Concen: 0.53 ng
RT: 19.817 min Scan# 1463
Delta R.T. 0.005 min
Lab File: BE101236.D
Acq: 7 Apr 2021 19:50




Instrument :
BNA_E
ClientSampled :
SW-2

Tgt Ion:244 Resp: 55557
Ion Ratio Lower Upper
244 100
212 27.2 21.9 32.9
122 9.0 7.3 10.9






#36
Perylene-d12
Concen: 0.40 ng
RT: 23.834 min Scan# 2165
Delta R.T. -0.001 min
Lab File: BE101236.D
Acq: 7 Apr 2021 19:50

Tgt Ion:264 Resp: 30198
Ion Ratio Lower Upper
264 100
260 25.0 19.3 28.9
265 26.3 22.4 33.6




Abundance Scan 1951 (23.075 min): BE101213.D\data.ms (-



#37
Benzo(b)fluoranthene
Concen: 0.02 ng
RT: 23.075 min Scan# 1952
Delta R.T. -0.001 min
Lab File: BE101236.D
Acq: 7 Apr 2021 19:50

Tgt Ion:252	Resp:	2368
Ion	Ratio	Lower Upper
252	100	
253	42.7	18.1 27.1#
125	37.9	7.6 11.4#



Instrument :
BNA_E
ClientSampleId :
SW-2