

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE051619\
 Data File : BE099624.D
 Acq On : 16 May 2019 15:54
 Operator : JU/SJ
 Sample : K2551-13DL 5X
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 PT-PAH-SOILDL

Quant Time: May 17 07:16:12 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE051419.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 14 19:30:50 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.83	152	1641	0.40	ng	0.00
7) Naphthalene-d8	10.63	136	5836	0.40	ng	0.01
13) Acenaphthene-d10	14.50	164	4213	0.40	ng	0.02
19) Phenanthrene-d10	17.24	188	12748	0.40	ng	0.01
27) Chrysene-d12	21.43	240	17112	0.40	ng	0.01
34) Perylene-d12	23.97	264	19902	0.40	ng	0.00

System Monitoring Compounds						
4) 2-Fluorophenol	5.40	112	432	0.09	ng	0.02
5) Phenol-d6	6.99	99	677	0.11	ng	0.00
8) Nitrobenzene-d5	8.99	82	379	0.07	ng	0.01
11) 2-Methylnaphthalene-d10	12.24	152	779	0.08	ng	0.02
14) 2,4,6-Tribromophenol	16.00	330	207	0.07	ng	0.01
15) 2-Fluorobiphenyl	13.12	172	1240	0.08	ng	0.02
25) Fluoranthene-d10	19.27	212	13532	0.08	ng	0.00
29) Terphenyl-d14	19.87	244	3020	0.10	ng	0.00


Target Compounds				Qvalue		
9) Naphthalene	10.68	128	119344	1.922	ng	98
12) 2-Methylnaphthalene	12.31	142	4619	0.450	ng	99
16) Acenaphthylene	14.21	152	43690	2.196	ng	100
17) Acenaphthene	14.56	154	14764	1.315	ng	99
18) Fluorene	15.54	166	5396	0.335	ng	99
23) Phenanthrene	17.28	178	50567	1.598	ng	99
24) Anthracene	17.37	178	93148	3.191	ng	100
26) Fluoranthene	19.30	202	48057	1.004	ng	99
28) Pyrene	19.67	202	31309	0.718	ng	100
30) Benzo(a)anthracene	21.40	228	109038	2.109	ng	99
31) Chrysene	21.46	228	52964	0.994	ng	99
32) Bis(2-ethylhexyl)phthalate	21.32	149	5280	0.066	ng	# 99
33) Indeno(1,2,3-cd)pyrene	26.66	276	94184	1.421	ng	98
35) Benzo(b)fluoranthene	23.18	252	77868	1.399	ng	# 95
36) Benzo(k)fluoranthene	23.23	252	89562	1.630	ng	97
37) Benzo(a)pyrene	23.85	252	69059	1.281	ng	# 95
38) Dibenzo(a,h)anthracene	26.69	278	28881	0.517	ng	99
39) Benzo(a,h,i)perylene	27.50	276	52391	0.932	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE051619\
Data File : BE099624.D
Acq On : 16 May 2019 15:54
Operator : JU/SJ
Sample : K2551-13DL 5X
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
PT-PAH-SOILDL

Quant Time: May 17 07:16:12 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE051419.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 14 19:30:50 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.83 min Scan# 431
Delta R.T. 0.01 min
Lab File: BE099624.D
Acq: 16 May 2019 15:54

Instrument :
BNA_E
ClientSampleId :
PT-PAH-SOILDL

Tot Ion:152 Resp: 1641
Ion Ratio Lower Upper
152 100
150 137.6 110.1 165.1
115 60.9 46.2 69.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#4


2-Fluorophenol
Concen: 0.093 ng
RT: 5.40 min Scan# 220
Delta R.T. 0.02 min
Lab File: BE099624.D
Acq: 16 May 2019 15:54

Tgt Ion:112 Resp: 432
Ion Ratio Lower Upper
112 100
64 52.5 43.7 65.5
63 149.1 94.0 141.0#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BE0
Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.115 ng

RT: 6.99 min Scan# 358

Delta R.T. 0.01 min

Lab File: BE099624.D

Acq: 16 May 2019 15:54

Instrument :

BNA_E

ClientSampleId :

PT-PAH-SOILDL


Tot Ion: 99 Resp: 677

Ion Ratio Lower Upper




99 100

42 16.5 14.3 21.5

71 32.9 33.1 49.7#



Abundance Ion 99.00 (98.70 to 99.70): BE0
Ion 42.00 (41.70 to 42.70): BE0
Ion 71.00 (70.70 to 71.70): BE0



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.63 min Scan# 651

Delta R.T. 0.01 min

Lab File: BE099624.D

Acq: 16 May 2019 15:54

Tgt Ion: 136 Resp: 5836


Ion Ratio Lower Upper

136 100



137 12.0 9.7 14.5


54 35.7 23.8 35.8

68 9.3 6.2 9.2#



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BE0
Ion 68.00 (67.70 to 68.70): BE0





#8

Nitrobenzene-d5

Concen: 0.067 ng

RT: 8.99 min Scan# 525

Delta R.T. 0.01 min

Lab File: BE099624.D

Acq: 16 May 2019 15:54

Instrument :

BNA_E

ClientSampleId :

PT-PAH-SOILD


Tot Ion: 82 Resp: 379

Ion Ratio Lower Upper

82 100

128 182.7 131.4 197.2

54 222.4 113.9 170.9#



Abundance Ion 82.00 (81.70 to 82.70): BE099607.D (-520) (-)

Ion 128.00 (127.70 to 128.70): BE099607.D (-520) (-)

Ion 54.00 (53.70 to 54.70): BE099607.D (-520) (-)

Time-->

8.99

400

300



200

100

0

8.90 8.95 9.00 9.05

Time-->



#9

Naphthalene

Concen: 1.922 ng

RT: 10.68 min Scan# 655

Delta R.T. 0.01 min

Lab File: BE099624.D

Acq: 16 May 2019 15:54


Tgt Ion:128 Resp: 119344

Ion Ratio Lower Upper

128 100

129 2.8 2.6 4.0

127 3.3 3.0 4.6



Abundance Ion 128.00 (127.70 to 128.70): BE099607.D (-649) (-)

Ion 129.00 (128.70 to 129.70): BE099607.D (-649) (-)

Ion 127.00 (126.70 to 127.70): BE099607.D (-649) (-)

Time-->

10.68

80000

60000


40000


20000

0

10.60 10.70 10.80

Time-->









#11
2-Methylnaphthalene-d10
Concen: 0.079 ng
RT: 12.24 min Scan# 765
Delta R.T. 0.02 min
Lab File: BE099624.D
Acq: 16 May 2019 15:54




Instrument :
BNA_E
ClientSampleId :
PT-PAH-SOILDL


Tot Ion:152 Resp: 779
Ion Ratio Lower Upper
152 100
151 21.7 15.3 22.9



#12
2-Methylnaphthalene
Concen: 0.450 ng
RT: 12.31 min Scan# 770
Delta R.T. 0.02 min
Lab File: BE099624.D
Acq: 16 May 2019 15:54

Tgt Ion:142 Resp: 4619
Ion Ratio Lower Upper
142 100
141 89.2 70.4 105.6
115 39.8 32.2 48.4





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.50 min Scan# 922

Delta R.T. 0.02 min

Lab File: BE099624.D

Acq: 16 May 2019 15:54

Instrument :

BNA_E

ClientSampleId :

PT-PAH-SOILDL


Tot Ion:164 Resp: 4213

Ion Ratio Lower Upper

164 100

162 95.4 81.4 122.0




160 43.7 37.4 56.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.072 ng

RT: 16.00 min Scan# 1028

Delta R.T. 0.01 min

Lab File: BE099624.D

Acq: 16 May 2019 15:54


Tgt Ion:330 Resp: 207

Ion Ratio Lower Upper

330 100

332 107.2 73.8 110.8



141 43.5 21.0 31.6#




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.076 ng
RT: 13.12 min Scan# 826
Delta R.T. 0.02 min
Lab File: BE099624.D
Acq: 16 May 2019 15:54

Instrument :
BNA_E
ClientSampleId :
PT-PAH-SOILDL

Tot Ion:172 Resp: 1240
Ion Ratio Lower Upper
172 100
171 39.2 29.4 44.2
170 28.8 21.5 32.3




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#16
Acenaphthylene
Concen: 2.196 ng
RT: 14.21 min Scan# 902
Delta R.T. 0.00 min
Lab File: BE099624.D
Acq: 16 May 2019 15:54

Tgt Ion:152 Resp: 43690
Ion Ratio Lower Upper
152 100
151 19.8 15.6 23.4
153 13.0 10.4 15.6



Abundance Ion 152.00 (151.70 to 152.70): E
Ion 151.00 (150.70 to 151.70): E
Ion 153.00 (152.70 to 153.70): E





#17

Acenaphthene

Concen: 1.315 ng

RT: 14.56 min Scan# 926

Delta R.T. 0.00 min

Lab File: BE099624.D

Acq: 16 May 2019 15:54

Instrument :

BNA_E

ClientSampleId :

PT-PAH-SOILDL


Tot Ion:154 Resp: 14764

Ion Ratio Lower Upper

154 100

153 116.2 94.1 141.1




152 57.2 46.5 69.7



Abundance Ion 154.00 (153.70 to 154.70): E

Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E



#18

Fluorene

Concen: 0.335 ng

RT: 15.54 min Scan# 994

Delta R.T. 0.01 min

Lab File: BE099624.D

Acq: 16 May 2019 15:54


Tgt Ion:166 Resp: 5396

Ion Ratio Lower Upper

166 100

165 99.4 79.8 119.8



167 13.4 11.2 16.8




Abundance Ion 166.00 (165.70 to 166.70): E

Ion 165.00 (164.70 to 165.70): E

Ion 167.00 (166.70 to 167.70): E





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.24 min Scan# 1121

Delta R.T. 0.01 min

Lab File: BE099624.D

Acq: 16 May 2019 15:54

Instrument :

BNA_E

ClientSampleId :

PT-PAH-SOILDL


Tot Ion:188 Resp: 12748

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0




80 5.9 6.4 9.6#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#23

Phenanthrene

Concen: 1.598 ng

RT: 17.28 min Scan# 1124

Delta R.T. 0.01 min

Lab File: BE099624.D

Acq: 16 May 2019 15:54


Tgt Ion:178 Resp: 50567

Ion Ratio Lower Upper

178 100

176 19.1 15.7 23.5



179 15.6 12.2 18.2




Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E





#24

Anthracene

Concen: 3.191 ng

RT: 17.37 min Scan# 1131

Delta R.T. 0.01 min

Lab File: BE099624.D

Acq: 16 May 2019 15:54

Instrument :

BNA_E

ClientSampleId :

PT-PAH-SOILDL


Tot Ion:178 Resp: 93148

Ion Ratio Lower Upper

178 100

176 19.0 15.2 22.8

179 15.2 12.1 18.1






Abundance

Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E



#25

Fluoranthene-d10

Concen: 0.080 ng

RT: 19.27 min Scan# 1393

Delta R.T. 0.00 min

Lab File: BE099624.D

Acq: 16 May 2019 15:54


Tgt Ion:212 Resp: 13532

Ion Ratio Lower Upper

212 100

106 1.8 1.4 2.2

104 1.2 0.9 1.3






Abundance

Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E









#26
 Fluoranthene
 Concen: 1.004 ng
 RT: 19.30 min Scan# 1399
 Delta R.T. 0.01 min
 Lab File: BE099624.D
 Acq: 16 May 2019 15:54




Instrument :
 BNA_E
 ClientSampleId :
 PT-PAH-SOILD


Tot Ion:202 Resp: 48057
 Ion Ratio Lower Upper
 202 100
 101 6.5 5.0 7.6
 203 17.3 13.7 20.5



#27
 Chrysene-d12
 Concen: 0.400 ng
 RT: 21.43 min Scan# 1635
 Delta R.T. 0.01 min
 Lab File: BE099624.D
 Acq: 16 May 2019 15:54

Tgt Ion:240 Resp: 17112
 Ion Ratio Lower Upper
 240 100
 120 3.2 5.7 8.5#
 236 26.9 22.8 34.2









#28
Pvrene
Concen: 0.718 ng
RT: 19.67 min Scan# 1462
Delta R.T. 0.00 min
Lab File: BE099624.D
Acq: 16 May 2019 15:54




Instrument :
BNA_E
ClientSampleId :
PT-PAH-SOILDL


Tot Ion:202 Resp: 31309
Ion Ratio Lower Upper
202 100
200 19.6 15.8 23.6
203 17.7 14.1 21.1



#29
Terphenyl-d14
Concen: 0.098 ng
RT: 19.87 min Scan# 1497
Delta R.T. 0.00 min
Lab File: BE099624.D
Acq: 16 May 2019 15:54

Tgt Ion:244 Resp: 3020
Ion Ratio Lower Upper
244 100
212 38.0 23.8 35.6#
122 8.8 5.0 7.6#





#30

Benzo(a)anthracene

Concen: 2.109 ng

RT: 21.40 min Scan# 1633

Delta R.T. 0.00 min

Lab File: BE099624.D

Acq: 16 May 2019 15:54

Instrument :

BNA_E

ClientSampleId :

PT-PAH-SOILDL


Tot Ion:228 Resp: 109038

Ion Ratio Lower Upper

228 100

226 27.5 21.4 32.2

229 19.7 15.8 23.8






Abundance

Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E



#31

Chrysene

Concen: 0.994 ng

RT: 21.46 min Scan# 1638

Delta R.T. 0.00 min

Lab File: BE099624.D

Acq: 16 May 2019 15:54


Tgt Ion:228 Resp: 52964

Ion Ratio Lower Upper

228 100

226 29.3 23.0 34.4

229 19.7 16.4 24.6






Abundance

Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E









#32
 Bis(2-ethylhexyl)phthalate
 Concen: 0.066 ng
 RT: 21.32 min Scan# 1626
 Delta R.T. 0.00 min
 Lab File: BE099624.D
 Acq: 16 May 2019 15:54




Instrument :
 BNA_E
 ClientSampleId :
 PT-PAH-SOILDL


Tot Ion:149 Resp: 5280
 Ion Ratio Lower Upper
 149 100
 167 7.7 6.0 9.0
 279 1.9 1.1 1.7#



#33
 Indeno(1,2,3-cd)pyrene
 Concen: 1.421 ng
 RT: 26.66 min Scan# 2979
 Delta R.T. 0.01 min
 Lab File: BE099624.D
 Acq: 16 May 2019 15:54

Tgt Ion:276 Resp: 94184
 Ion Ratio Lower Upper
 276 100
 138 10.5 10.0 15.0
 277 23.9 19.1 28.7









#34
Pervlene-d12
Concen: 0.400 ng
RT: 23.97 min Scan# 2227
Delta R.T. 0.01 min
Lab File: BE099624.D
Acq: 16 May 2019 15:54




Instrument :
BNA_E
ClientSampleId :
PT-PAH-SOILDL


Tot Ion:264 Resp: 19902
Ion Ratio Lower Upper
264 100
260 24.8 19.7 29.5
265 25.0 21.2 31.8



#35
Benzo(b)fluoranthene
Concen: 1.399 ng
RT: 23.18 min Scan# 2007
Delta R.T. 0.01 min
Lab File: BE099624.D
Acq: 16 May 2019 15:54

Tgt Ion:252 Resp: 77868
Ion Ratio Lower Upper
252 100
253 22.3 19.1 28.7
125 6.7 7.8 11.8#









#36
Benzo(k)fluoranthene
Concen: 1.630 ng
RT: 23.23 min Scan# 2021
Delta R.T. 0.00 min
Lab File: BE099624.D
Acq: 16 May 2019 15:54




Instrument :
BNA_E
ClientSampleId :
PT-PAH-SOILD


Tot Ion:252 Resp: 89562
Ion Ratio Lower Upper
252 100
253 22.1 18.6 28.0
125 5.4 5.2 7.8



#37
Benzo(a)pyrene
Concen: 1.281 ng
RT: 23.85 min Scan# 2195
Delta R.T. 0.01 min
Lab File: BE099624.D
Acq: 16 May 2019 15:54

Tgt Ion:252 Resp: 69059
Ion Ratio Lower Upper
252 100
253 22.8 19.0 28.6
125 6.7 8.8 13.2#





#38

Dibenzo(a,h)anthracene

Concen: 0.517 ng

RT: 26.69 min Scan# 2988

Delta R.T. 0.01 min

Lab File: BE099624.D

Acq: 16 May 2019 15:54

Instrument :

BNA_E

ClientSampleId :

PT-PAH-SOILD


Tot Ion:278 Resp: 28881

Ion Ratio Lower Upper




278 100

139 9.9 7.9 11.9

279 25.1 19.5 29.3



Abundance Ion 278.00 (277.70 to 278.70): E
Ion 139.00 (138.70 to 139.70): E
Ion 279.00 (278.70 to 279.70): E



#39

Benzo(g,h,i)perylene

Concen: 0.932 ng

RT: 27.50 min Scan# 3213

Delta R.T. 0.01 min

Lab File: BE099624.D

Acq: 16 May 2019 15:54


Tgt Ion:276 Resp: 52391

Ion Ratio Lower Upper

276 100

277 23.8 19.3 28.9

138 10.6 9.1 13.7



Abundance Ion 276.00 (275.70 to 276.70): E
Ion 277.00 (276.70 to 277.70): E
Ion 138.00 (137.70 to 138.70): E

