

Data File : BE096608.D
Acq On : 17 May 2018 14:11
Operator : SJ/JU
Sample : J2923-03
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
LOQ-SCM-Precision-Bias-3

Quant Time: May 18 05:13:16 2018
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE051518.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 15 13:02:03 2018
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.34	152	629	0.40	ng	0.00
7) Naphthalene-d8	11.18	136	2576	0.40	ng	0.00
13) Acenaphthene-d10	14.92	164	1543	0.40	ng	0.00
19) Phenanthrene-d10	17.64	188	3549	0.40	ng	0.00
27) Chrysene-d12	21.74	240	3318	0.40	ng	0.01
34) Perylene-d12	24.33	264	3018	0.40	ng	0.00

System Monitoring Compounds						
4) 2-Fluorophenol	5.86	112	561	0.32	ng	0.00
5) Phenol-d6	7.50	99	759	0.31	ng	0.00
8) Nitrobenzene-d5	9.53	82	945	0.34	ng	0.00
11) 2-Methylnaphthalene-d10	12.72	152	1589	0.38	ng	0.00
14) 2,4,6-Tribromophenol	16.40	330	152	0.25	ng	0.00
15) 2-Fluorobiphenyl	13.56	172	2345	0.35	ng	0.00
25) Fluoranthene-d10	19.62	212	15802	0.36	ng	0.00
29) Terphenyl-d14	20.18	244	2440	0.33	ng	0.00

Target Compounds					Qvalue	
2) 1,4-Dioxane	3.59	88	90	0.10	ng	92
3) n-Nitrosodimethylamine	3.97	42	90	0.08	ng	# 59
6) bis(2-Chloroethyl)ether	7.75	93	210	0.09	ng	79
9) Naphthalene	11.22	128	2483	0.09	ng	# 93
10) Hexachlorobutadiene	11.49	225	144	0.10	ng	91
12) 2-Methylnaphthalene	12.79	142	409	0.09	ng	# 89
16) Acenaphthylene	14.66	152	661	0.08	ng	99
17) Acenaphthene	14.99	154	445	0.09	ng	97
18) Fluorene	15.96	166	648	0.11	ng	# 76
20) 4-Bromophenyl-phenylether	16.82	248	181	0.08	ng	# 71
21) Hexachlorobenzene	16.95	284	199	0.09	ng	# 76
22) Pentachlorophenol	17.32	266	16	0.20	ng	98
23) Phenanthrene	17.67	178	852	0.09	ng	99
24) Anthracene	17.77	178	733	0.08	ng	# 95
26) Fluoranthene	19.65	202	991	0.08	ng	97
28) Pyrene	20.00	202	452	0.08	ng	95
30) Benzo(a)anthracene	21.72	228	847	0.08	ng	# 92
31) Chrysene	21.78	228	950	0.09	ng	# 90
32) Bis(2-ethylhexyl)phthalate	21.58	149	1697	0.08	ng	# 99
33) Indeno(1,2,3-cd)pyrene	27.11	276	785	0.08	ng	# 81
35) Benzo(b)fluoranthene	23.53	252	780	0.08	ng	# 89
36) Benzo(k)fluoranthene	23.58	252	807	0.08	ng	# 70
37) Benzo(a)pyrene	24.22	252	734	0.08	ng	# 69
38) Dibenzo(a,h)anthracene	27.12	278	613	0.08	ng	# 64
39) Benzo(g,h,i)perylene	27.97	276	705	0.08	ng	# 72

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : BE096608.D

Acq On : 17 May 2018 14:11

Operator : SJ/JU

Sample : J2923-03

Misc :

ALS Vial : 10 Sample Multiplier: 1

Instrument :

BNA_E

ClientSampleId :

LOQ-SCM-Precision-Bias-3


Quant Time: May 18 05:13:16 2018


Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE051518.M

Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

QLast Update : Tue May 15 13:02:03 2018

Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.40 ng

RT: 8.34 min Scan# 560

Delta R.T. 0.00 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11

Instrument :

BNA_E

ClientSampleId :

LOQ-SCM-Precision-Bias-3


Tgt Ion: 152 Resp: 629

Ion Ratio Lower Upper

152 100

150 138.4 117.2 175.8



115 69.6 57.0 85.6




Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



Time-->



#2

1,4-Dioxane

Concen: 0.10 ng

RT: 3.59 min Scan# 74

Delta R.T. 0.00 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11


Tgt Ion: 88 Resp: 90

Ion Ratio Lower Upper

88 100

58 87.8 63.2 94.8



43 54.4 41.2 61.8




Abundance Ion 88.00 (87.70 to 88.70): BE0

Ion 58.00 (57.70 to 58.70): BE0

Ion 43.00 (42.70 to 43.70): BE0



Time-->



#3

n-Nitrosodimethylamine

Concen: 0.08 ng

RT: 3.97 min Scan# 113

Delta R.T. 0.02 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11

Instrument :

BNA_E

ClientSampleId :

LOQ-SCM-Precision-Bias-3


Tgt Ion: 42 Resp: 90

Ion Ratio Lower Upper

42 100

74 74.4 96.0 144.0#




44 31.1 12.0 18.0#



Abundance Ion 42.00 (41.70 to 42.70): BE0

Ion 74.00 (73.70 to 74.70): BE0

Ion 44.00 (43.70 to 44.70): BE0



#4

2-Fluorophenol

Concen: 0.32 ng

RT: 5.86 min Scan# 306

Delta R.T. 0.00 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11


Tgt Ion: 112 Resp: 561

Ion Ratio Lower Upper

112 100

64 79.9 60.1 90.1



63 171.7 116.8 175.2




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.31 ng

RT: 7.50 min Scan# 474

Delta R.T. 0.00 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11

Instrument :

BNA_E

ClientSampleId :

LOQ-SCM-Precision-Bias-3


Tgt Ion: 99 Resp: 759

Ion Ratio Lower Upper

99 100

42 26.9 20.2 30.2




71 45.2 28.4 42.6#



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#6

bis(2-Chloroethyl)ether

Concen: 0.09 ng

RT: 7.75 min Scan# 500

Delta R.T. 0.00 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11


Tgt Ion: 93 Resp: 210

Ion Ratio Lower Upper

93 100

63 296.2 275.3 412.9



95 32.9 25.2 37.8




Abundance Ion 93.00 (92.70 to 93.70): BE0

Ion 63.00 (62.70 to 63.70): BE0

Ion 95.00 (94.70 to 95.70): BE0





#7

Naphthalene-d8

Concen: 0.40 ng

RT: 11.18 min Scan# 778

Delta R.T. 0.00 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11

Instrument :

BNA_E

ClientSampleId :

LOQ-SCM-Precision-Bias-3

Tgt Ion: 136 Resp: 2576


Ion Ratio Lower Upper

136 100

137 14.3 9.5 14.3#

54 37.2 29.1 43.7

68 6.9 6.2 9.2






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0



#8

Nitrobenzene-d5

Concen: 0.34 ng

RT: 9.53 min Scan# 651

Delta R.T. 0.00 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11


Tgt Ion: 82 Resp: 945

Ion Ratio Lower Upper

82 100

128 136.1 150.0 225.0#



54 256.7 154.2 231.4#




Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BE0





#9

Naphthalene

Concen: 0.09 ng

RT: 11.22 min Scan# 781

Delta R.T. 0.00 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11

Instrument :

BNA_E

ClientSampleId :

LOQ-SCM-Precision-Bias-3


Tgt Ion:128 Resp: 2483

Ion Ratio Lower Upper

128 100

129 5.4 2.6 3.8#




127 5.9 2.8 4.2#



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E



#10

Hexachlorobutadiene

Concen: 0.10 ng

RT: 11.49 min Scan# 802

Delta R.T. 0.00 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11


Tgt Ion:225 Resp: 144

Ion Ratio Lower Upper

225 100

223 54.9 53.0 79.6



227 61.8 51.4 77.2




Abundance Ion 225.00 (224.70 to 225.70): E

Ion 223.00 (222.70 to 223.70): E

Ion 227.00 (226.70 to 227.70): E









#11
 2-Methylnaphthalene-d10
 Concen: 0.38 ng
 RT: 12.72 min Scan# 1056
 Delta R.T. -0.00 min
 Lab File: BE096608.D
 Acq: 17 May 2018 14:11




Instrument :
 BNA_E
 ClientSampleId :
 LOQ-SCM-Precision-Bias-3


Tgt Ion:152 Resp: 1589
 Ion Ratio Lower Upper
 152 100
 151 19.3 15.4 23.0



#12
 2-Methylnaphthalene
 Concen: 0.09 ng
 RT: 12.79 min Scan# 1071
 Delta R.T. -0.00 min
 Lab File: BE096608.D
 Acq: 17 May 2018 14:11

Tgt Ion:142 Resp: 409
 Ion Ratio Lower Upper
 142 100
 141 93.2 70.4 105.6
 115 53.6 31.7 47.5#





#13

Acenaphthene-d10

Concen: 0.40 ng

RT: 14.92 min Scan# 1279

Delta R.T. -0.00 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11

Instrument :

BNA_E

ClientSampleId :

LOQ-SCM-Precision-Bias-3


Tgt Ion:164 Resp: 1543

Ion Ratio Lower Upper

164 100

162 111.4 83.1 124.7

160 53.1 37.1 55.7



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



14.92

1000

500

0

Time-->



#14

2,4,6-Tribromophenol

Concen: 0.25 ng

RT: 16.40 min Scan# 1403

Delta R.T. -0.00 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11


Tgt Ion:330 Resp: 152

Ion Ratio Lower Upper

330 100

332 97.4 152.7 229.1#

141 52.0 33.7 50.5#



Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E

16.40


150


100

50

0

Time-->









#15
2-Fluorobiphenyl
Concen: 0.35 ng
RT: 13.56 min Scan# 1161
Delta R.T. -0.00 min
Lab File: BE096608.D
Acq: 17 May 2018 14:11




Instrument :
BNA_E
ClientSampleId :
LOQ-SCM-Precision-Bias-3


Tgt Ion:172 Resp: 2345
Ion Ratio Lower Upper
172 100
171 37.8 29.9 44.9
170 24.0 21.8 32.8



#16
Acenaphthylene
Concen: 0.08 ng
RT: 14.66 min Scan# 1256
Delta R.T. -0.00 min
Lab File: BE096608.D
Acq: 17 May 2018 14:11

Tgt Ion:152 Resp: 661
Ion Ratio Lower Upper
152 100
151 20.4 15.7 23.5
153 13.2 10.5 15.7





#17

Acenaphthene

Concen: 0.09 ng

RT: 14.99 min Scan# 1285

Delta R.T. -0.00 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11

Instrument :

BNA_E

ClientSampleId :

LOQ-SCM-Precision-Bias-3


Tgt Ion:154 Resp: 445

Ion Ratio Lower Upper

154 100

153 110.6 89.2 133.8


152 58.0 42.0 63.0





Abundance Ion 154.00 (153.70 to 154.70): E

Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E



Time--> 14.90 14.95 15.00 15.05



#18

Fluorene

Concen: 0.11 ng

RT: 15.96 min Scan# 1365

Delta R.T. -0.00 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11


Tgt Ion:166 Resp: 648

Ion Ratio Lower Upper

166 100

165 100.9 77.8 116.6


167 9.9 42.4 63.6#




Abundance Ion 166.00 (165.70 to 166.70): E


Ion 165.00 (164.70 to 165.70): E

Ion 167.00 (166.70 to 167.70): E



Time--> 15.80 16.00





#19

Phenanthrene-d10

Concen: 0.40 ng

RT: 17.64 min Scan# 1509

Delta R.T. -0.00 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11

Instrument :

BNA_E

ClientSampleId :

LOQ-SCM-Precision-Bias-3


Tgt Ion:188 Resp: 3549

Ion Ratio Lower Upper

188 100

94 0.0 3.9 5.9#




80 10.8 3.6 5.4#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#20

4-Bromophenyl-phenylether

Concen: 0.08 ng

RT: 16.82 min Scan# 1439

Delta R.T. -0.00 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11


Tgt Ion:248 Resp: 181

Ion Ratio Lower Upper

248 100

250 89.6 62.7 94.1



141 98.7 48.2 72.2#




Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E









#21
Hexachlorobenzene
Concen: 0.09 ng
RT: 16.95 min Scan# 1450
Delta R.T. -0.00 min
Lab File: BE096608.D
Acq: 17 May 2018 14:11

Instrument :
BNA_E
ClientSampleId :
LOQ-SCM-Precision-Bias-3

Tgt Ion: 284 Resp: 199
Ion Ratio Lower Upper
284 100
142 49.7 22.1 33.1#
249 35.2 34.8 52.2




Abundance Ion 283.80 (283.50 to 284.50): E
Ion 142.00 (141.70 to 142.70): E
Ion 249.00 (248.70 to 249.70): E






#22
Pentachlorophenol
Concen: 0.20 ng
RT: 17.32 min Scan# 1482
Delta R.T. 0.01 min
Lab File: BE096608.D
Acq: 17 May 2018 14:11

Tgt Ion: 266 Resp: 16
Ion Ratio Lower Upper
266 100
264 91.7 72.5 108.7
268 95.8 73.8 110.6



Abundance Ion 266.00 (265.70 to 266.70): E
Ion 264.00 (263.70 to 264.70): E
Ion 268.00 (267.70 to 268.70): E





#23

Phenanthrene

Concen: 0.09 ng

RT: 17.67 min Scan# 1512

Delta R.T. -0.00 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11

Instrument :

BNA_E

ClientSampleId :

LOQ-SCM-Precision-Bias-3


Tgt Ion:178 Resp: 852

Ion Ratio Lower Upper

178 100

176 18.9 15.1 22.7


179 15.5 11.8 17.6





Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E



Time-->



#24

Anthracene

Concen: 0.08 ng

RT: 17.77 min Scan# 1520

Delta R.T. -0.00 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11


Tgt Ion:178 Resp: 733

Ion Ratio Lower Upper

178 100

176 19.8 12.8 19.2#


179 16.9 13.0 19.6




Abundance Ion 178.00 (177.70 to 178.70): E


Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E



Time-->





#25

Fluoranthene-d10

Concen: 0.36 ng

RT: 19.62 min Scan# 1817

Delta R.T. 0.00 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11

Instrument :

BNA_E

ClientSampleId :

LOQ-SCM-Precision-Bias-3


Tgt Ion:212 Resp: 15802

Ion Ratio Lower Upper

212 100

106 2.7 2.8 4.2#




104 1.6 1.6 2.4



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#26

Fluoranthene

Concen: 0.08 ng

RT: 19.65 min Scan# 1822

Delta R.T. 0.00 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11


Tgt Ion:202 Resp: 991

Ion Ratio Lower Upper

202 100

101 10.7 9.8 14.8



203 18.2 13.7 20.5




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E





#27

Chrysene-d12

Concen: 0.40 ng

RT: 21.74 min Scan# 2024

Delta R.T. 0.01 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11

Instrument :

BNA_E

ClientSampleId :

LOQ-SCM-Precision-Bias-3


Tgt Ion:240 Resp: 3318

Ion Ratio Lower Upper

240 100

120 7.0 5.5 8.3




236 27.9 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#28

Pyrene

Concen: 0.08 ng

RT: 20.00 min Scan# 1883

Delta R.T. 0.00 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11


Tgt Ion:202 Resp: 452

Ion Ratio Lower Upper

202 100

200 23.5 16.6 25.0



203 19.5 13.8 20.8




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 200.00 (199.70 to 200.70): E

Ion 203.00 (202.70 to 203.70): E





#29

Terphenyl-d14

Concen: 0.33 ng

RT: 20.18 min Scan# 1895

Delta R.T. 0.00 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11

Instrument :

BNA_E

ClientSampleId :

LOQ-SCM-Precision-Bias-3


Tgt Ion:244 Resp: 2440

Ion Ratio Lower Upper

244 100

212 12.1 25.4 38.0#




122 9.7 8.1 12.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#30

Benzo(a)anthracene

Concen: 0.08 ng

RT: 21.72 min Scan# 222

Delta R.T. 0.00 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11


Tgt Ion:228 Resp: 847

Ion Ratio Lower Upper

228 100

226 32.8 24.0 36.0



229 25.5 16.0 24.0#




Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E





#31

Chrysene

Concen: 0.09 ng

RT: 21.78 min Scan# 2027

Delta R.T. 0.00 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11

Instrument :

BNA_E

ClientSampleId :

LOQ-SCM-Precision-Bias-3


Tgt Ion:228 Resp: 950

Ion Ratio Lower Upper

228 100

226 35.3 24.0 36.0




229 24.4 16.0 24.0#



Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.08 ng

RT: 21.58 min Scan# 2011

Delta R.T. 0.00 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11


Tgt Ion:149 Resp: 1697

Ion Ratio Lower Upper

149 100

167 6.3 5.4 8.0



279 0.0 0.7 1.1#




Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#33

Indeno(1,2,3-cd)pyrene

Concen: 0.08 ng

RT: 27.11 min Scan# 3468

Delta R.T. 0.01 min

Lab File: BE096608.D


Acq: 17 May 2018 14:11

Instrument :

BNA_E

ClientSampleId :

LOQ-SCM-Precision-Bias-3






Tgt Ion:276 Resp: 785

Ion Ratio Lower Upper

276 100

138 9.9 22.5 33.7#

277 24.3 19.9 29.9



#34

Perylene-d12

Concen: 0.40 ng

RT: 24.33 min Scan# 2692

Delta R.T. 0.00 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11




Tgt Ion:264 Resp: 3018


Ion Ratio Lower Upper

264 100

260 27.6 20.5 30.7

265 30.0 22.8 34.2





#35

Benzo(b)fluoranthene

Concen: 0.08 ng

RT: 23.53 min Scan# 2468

Delta R.T. 0.00 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11

Instrument :

BNA_E

ClientSampleId :

LOQ-SCM-Precision-Bias-3


Tgt Ion:252 Resp: 780

Ion Ratio Lower Upper

252 100

253 33.6 20.0 30.0#




125 21.7 16.0 24.0



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#36

Benzo(k)fluoranthene

Concen: 0.08 ng

RT: 23.58 min Scan# 2482

Delta R.T. 0.01 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11


Tgt Ion:252 Resp: 807

Ion Ratio Lower Upper

252 100

253 34.2 16.0 24.0#



125 19.9 8.0 12.0#




Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E





#37

Benzo(a)pyrene

Concen: 0.08 ng

RT: 24.22 min Scan# 2661

Delta R.T. 0.01 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11

Instrument :

BNA_E

ClientSampleId :

LOQ-SCM-Precision-Bias-3


Tgt Ion: 252 Resp: 734

Ion Ratio Lower Upper

252 100

253 37.7 16.0 24.0#


125 24.0 12.0 18.0#





Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



Time--> 24.10 24.20 24.30



#38

Dibenzo(a,h)anthracene

Concen: 0.08 ng

RT: 27.12 min Scan# 3469

Delta R.T. 0.00 min

Lab File: BE096608.D

Acq: 17 May 2018 14:11


Tgt Ion: 278 Resp: 613

Ion Ratio Lower Upper

278 100

139 34.2 16.0 24.0#


279 44.7 20.0 30.0#




Abundance Ion 278.00 (277.70 to 278.70): E


Ion 139.00 (138.70 to 139.70): E

Ion 279.00 (278.70 to 279.70): E



Time--> 27.00 27.10 27.20 27.30





#39

Benzo(g,h,i)perylene

Concen: 0.08 ng

RT: 27.97 min Scan# 3708

Delta R.T. 0.00 min

Lab File: BE096608.D


Acq: 17 May 2018 14:11

Instrument :

BNA_E

ClientSampleId :

LOQ-SCM-Precision-Bias-3




Tgt Ion: 276 Resp: 705

Ion Ratio Lower Upper

276 100

277 38.8 16.0 24.0#

138 33.5 20.0 30.0#



Abundance Ion 276.00 (275.70 to 276.70): E

Ion 277.00 (276.70 to 277.70): E

Ion 138.00 (137.70 to 138.70): E

