

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE052119\
 Data File : BE099701.D
 Acq On : 21 May 2019 22:21
 Operator : JU/SJ
 Sample : K2944-03
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 FESB-3(4.5-5)

Quant Time: May 22 08:39:44 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE052019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon May 20 19:29:40 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.81	152	1403	0.40	ng	0.00
7) Naphthalene-d8	10.61	136	4989	0.40	ng	0.00
13) Acenaphthene-d10	14.49	164	3616	0.40	ng	0.00
19) Phenanthrene-d10	17.23	188	10936	0.40	ng	0.00
27) Chrysene-d12	21.41	240	15484	0.40	ng	0.00
34) Perylene-d12	23.96	264	18697	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.38	112	1372	0.39	ng	0.00
5) Phenol-d6	6.97	99	1894	0.40	ng	0.00
8) Nitrobenzene-d5	8.98	82	1483	0.34	ng	0.00
11) 2-Methylnaphthalene-d10	12.22	152	3004	0.35	ng	0.00
14) 2,4,6-Tribromophenol	15.97	330	761	0.41	ng	-0.01
15) 2-Fluorobiphenyl	13.10	172	4588	0.33	ng	0.00
25) Fluoranthene-d10	19.26	212	47345	0.32	ng	0.00
29) Terphenyl-d14	19.86	244	9554	0.35	ng	0.00
Target Compounds						Qvalue
32) Bis(2-ethylhexyl)phthalate	21.32	149	43693	0.862	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE052119\
Data File : BE099701.D
Acq On : 21 May 2019 22:21
Operator : JU/SJ
Sample : K2944-03
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
FESB-3(4.5-5)

Quant Time: May 22 08:39:44 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE052019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon May 20 19:29:40 2019
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 7.81 min Scan# 429

Delta R.T. -0.01 min

Lab File: BE099701.D

Acq: 21 May 2019 22:21

Instrument :

BNA_E

ClientSampleId :

FESB-3(4.5-5)


Tot Ion:152 Resp: 1403

Ion Ratio Lower Upper

152 100

150 150.2 109.2 163.8




115 68.6 43.7 65.5#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 0.387 ng

RT: 5.38 min Scan# 218

Delta R.T. 0.00 min

Lab File: BE099701.D

Acq: 21 May 2019 22:21


Tgt Ion:112 Resp: 1372

Ion Ratio Lower Upper

112 100

64 53.9 43.4 65.2



63 120.6 96.9 145.3




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.404 ng

RT: 6.97 min Scan# 356

Delta R.T. -0.01 min

Lab File: BE099701.D

Acq: 21 May 2019 22:21

Instrument :

BNA_E

ClientSampleId :

FESB-3(4.5-5)


Tot Ion: 99 Resp: 1894

Ion Ratio Lower Upper

99 100

42 22.1 12.2 18.2#




71 38.2 28.9 43.3



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.61 min Scan# 650

Delta R.T. 0.00 min

Lab File: BE099701.D

Acq: 21 May 2019 22:21

Tgt Ion: 136 Resp: 4989


Ion Ratio Lower Upper

136 100

137 12.8 9.0 13.6

54 29.7 22.3 33.5

68 8.3 6.0 9.0





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0









#8
 Nitrobenzene-d5
 Concen: 0.343 ng
 RT: 8.98 min Scan# 524
 Delta R.T. 0.00 min
 Lab File: BE099701.D
 Acq: 21 May 2019 22:21

Instrument :
 BNA_E
 ClientSampleId :
 FESB-3(4.5-5)

Tot Ion: 82 Resp: 1483
 Ion Ratio Lower Upper
 82 100
 128 165.2 117.7 176.5
 54 147.1 106.6 160.0




Abundance Ion 82.00 (81.70 to 82.70): BE0
 Ion 128.00 (127.70 to 128.70): BE0
 Ion 54.00 (53.70 to 54.70): BE0






#11
 2-Methylnaphthalene-d10
 Concen: 0.349 ng
 RT: 12.22 min Scan# 764
 Delta R.T. -0.00 min
 Lab File: BE099701.D
 Acq: 21 May 2019 22:21

Tgt Ion: 152 Resp: 3004
 Ion Ratio Lower Upper
 152 100
 151 20.0 15.0 22.4



Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 151.00 (150.70 to 151.70): E





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.49 min Scan# 921

Delta R.T. -0.00 min

Lab File: BE099701.D

Acq: 21 May 2019 22:21

Instrument :

BNA_E

ClientSampleId :

FESB-3(4.5-5)


Tot Ion:164 Resp: 3616

Ion Ratio Lower Upper

164 100

162 96.1 76.5 114.7




160 45.2 37.4 56.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.407 ng

RT: 15.97 min Scan# 1026

Delta R.T. -0.01 min

Lab File: BE099701.D

Acq: 21 May 2019 22:21


Tgt Ion:330 Resp: 761

Ion Ratio Lower Upper

330 100

332 101.7 77.3 115.9



141 28.4 18.9 28.3#




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#15
 2-Fluorobiphenyl
 Concen: 0.334 ng
 RT: 13.10 min Scan# 825
 Delta R.T. -0.00 min
 Lab File: BE099701.D
 Acq: 21 May 2019 22:21

Instrument :
 BNA_E
 ClientSampleId :
 FESB-3(4.5-5)

Tot Ion:172 Resp: 4588
 Ion Ratio Lower Upper
 172 100
 171 36.2 28.7 43.1
 170 24.4 20.9 31.3




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#19
 Phenanthrene-d10
 Concen: 0.400 ng
 RT: 17.23 min Scan# 1120
 Delta R.T. 0.00 min
 Lab File: BE099701.D
 Acq: 21 May 2019 22:21

Tgt Ion:188 Resp: 10936
 Ion Ratio Lower Upper
 188 100
 94 0.0 0.0 0.0
 80 6.9 6.7 10.1



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BE0
 Ion 80.00 (79.70 to 80.70): BE0









#25
 Fluoranthene-d10
 Concen: 0.317 ng
 RT: 19.26 min Scan# 1392
 Delta R.T. 0.00 min
 Lab File: BE099701.D
 Acq: 21 May 2019 22:21




Instrument :
 BNA_E
 ClientSampleId :
 FESB-3(4.5-5)


Tot Ion:212 Resp: 47345
 Ion Ratio Lower Upper
 212 100
 106 1.8 1.4 2.2
 104 1.1 0.8 1.2



#27
 Chrysene-d12
 Concen: 0.400 ng
 RT: 21.41 min Scan# 1634
 Delta R.T. -0.00 min
 Lab File: BE099701.D
 Acq: 21 May 2019 22:21

Tgt Ion:240 Resp: 15484
 Ion Ratio Lower Upper
 240 100
 120 4.5 5.4 8.0#
 236 26.7 21.7 32.5





#29

Terphenyl-d14

Concen: 0.346 ng

RT: 19.86 min Scan# 1496

Delta R.T. -0.01 min

Lab File: BE099701.D

Acq: 21 May 2019 22:21

Instrument :

BNA_E

ClientSampleId :

FESB-3(4.5-5)


Tot Ion:244 Resp: 9554

Ion Ratio Lower Upper

244 100

212 29.1 22.5 33.7




122 5.6 4.3 6.5



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.862 ng

RT: 21.32 min Scan# 1626

Delta R.T. -0.00 min

Lab File: BE099701.D

Acq: 21 May 2019 22:21


Tgt Ion:149 Resp: 43693

Ion Ratio Lower Upper

149 100

167 7.8 6.2 9.4



279 1.4 1.2 1.8






Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#34
 Pervlene-d12
 Concen: 0.400 ng
 RT: 23.96 min Scan# 2224
 Delta R.T. -0.01 min
 Lab File: BE099701.D
 Acq: 21 May 2019 22:21

Instrument :
 BNA_E
 ClientSampleId :
 FESB-3(4.5-5)

Tot Ion: 264 Resp: 18697
 Ion Ratio Lower Upper
 264 100
 260 24.8 19.6 29.4
 265 25.1 19.1 28.7

