

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE052919\
 Data File : BE099775.D
 Acq On : 29 May 2019 14:21
 Operator : JU/SJ
 Sample : K3076-02
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 FESB-08(6.5-7)

Quant Time: May 29 17:30:01 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE052019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon May 20 19:29:40 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.81	152	1311	0.40	ng	0.00
7) Naphthalene-d8	10.61	136	4339	0.40	ng	0.00
13) Acenaphthene-d10	14.47	164	3016	0.40	ng	-0.02
19) Phenanthrene-d10	17.23	188	9269	0.40	ng	0.00
27) Chrysene-d12	21.41	240	12955	0.40	ng	0.00
34) Perylene-d12	23.94	264	15289	0.40	ng	-0.02
System Monitoring Compounds						
4) 2-Fluorophenol	5.38	112	1441	0.43	ng	0.00
5) Phenol-d6	6.97	99	1846	0.42	ng	0.00
8) Nitrobenzene-d5	8.96	82	1450	0.39	ng	-0.01
11) 2-Methylnaphthalene-d10	12.21	152	2763	0.37	ng	-0.02
14) 2,4,6-Tribromophenol	15.97	330	676	0.42	ng	-0.01
15) 2-Fluorobiphenyl	13.10	172	4114	0.36	ng	0.00
25) Fluoranthene-d10	19.25	212	49737	0.39	ng	-0.01
29) Terphenyl-d14	19.85	244	10572	0.46	ng	-0.02
Target Compounds						Qvalue
32) Bis(2-ethylhexyl)phthalate	21.30	149	16985	0.400	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE052919\
Data File : BE099775.D
Acq On : 29 May 2019 14:21
Operator : JU/SJ
Sample : K3076-02
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
FESB-08(6.5-7)

Quant Time: May 29 17:30:01 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE052019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon May 20 19:29:40 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.81 min Scan# 429
Delta R.T. -0.01 min
Lab File: BE099775.D
Acq: 29 May 2019 14:21

Instrument :
BNA_E
ClientSampleId :
FESB-08(6.5-7)

Tot Ion:152 Resp: 1311
Ion Ratio Lower Upper
152 100
150 133.7 109.2 163.8
115 57.7 43.7 65.5




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#4


2-Fluorophenol
Concen: 0.435 ng
RT: 5.38 min Scan# 218
Delta R.T. 0.00 min
Lab File: BE099775.D
Acq: 29 May 2019 14:21

Tgt Ion:112 Resp: 1441
Ion Ratio Lower Upper
112 100
64 53.9 43.4 65.2
63 121.2 96.9 145.3



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BE0
Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.421 ng

RT: 6.97 min Scan# 356

Delta R.T. -0.01 min

Lab File: BE099775.D

Acq: 29 May 2019 14:21

Instrument :

BNA_E

ClientSampleId :

FESB-08(6.5-7)


Tot Ion: 99 Resp: 1846

Ion Ratio Lower Upper

99 100

42 19.2 12.2 18.2#




71 38.8 28.9 43.3



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.61 min Scan# 650

Delta R.T. 0.00 min

Lab File: BE099775.D

Acq: 29 May 2019 14:21

Tgt Ion: 136 Resp: 4339


Ion Ratio Lower Upper

136 100

137 13.3 9.0 13.6

54 26.1 22.3 33.5

68 7.4 6.0 9.0






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0






#8
 Nitrobenzene-d5
 Concen: 0.386 ng
 RT: 8.96 min Scan# 523
 Delta R.T. -0.01 min
 Lab File: BE099775.D
 Acq: 29 May 2019 14:21

Instrument :
 BNA_E
 ClientSampleId :
 FESB-08(6.5-7)

Tot Ion	82	Resp	1450
Ion Ratio	Lower	Upper	
82	100		
128	132.9	117.7	176.5
54	154.7	106.6	160.0






Abundance

Ion 82.00 (81.70 to 82.70): BE0


Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BE0



#11
 2-Methylnaphthalene-d10
 Concen: 0.369 ng
 RT: 12.21 min Scan# 763
 Delta R.T. -0.02 min
 Lab File: BE099775.D
 Acq: 29 May 2019 14:21



Tgt Ion	152	Resp	2763
Ion Ratio	Lower	Upper	
152	100		
151	19.8	15.0	22.4




Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.47 min Scan# 920

Delta R.T. -0.02 min

Lab File: BE099775.D

Acq: 29 May 2019 14:21

Instrument :

BNA_E

ClientSampleId :

FESB-08(6.5-7)


Tot Ion:164 Resp: 3016

Ion Ratio Lower Upper

164 100

162 105.6 76.5 114.7




160 53.1 37.4 56.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.424 ng

RT: 15.97 min Scan# 1026

Delta R.T. -0.01 min

Lab File: BE099775.D

Acq: 29 May 2019 14:21


Tgt Ion:330 Resp: 676

Ion Ratio Lower Upper

330 100

332 97.0 77.3 115.9



141 26.3 18.9 28.3




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.359 ng
RT: 13.10 min Scan# 825
Delta R.T. -0.00 min
Lab File: BE099775.D
Acq: 29 May 2019 14:21

Instrument :
BNA_E
ClientSampleId :
FESB-08(6.5-7)

Tot Ion:172 Resp: 4114
Ion Ratio Lower Upper
172 100
171 35.0 28.7 43.1
170 25.0 20.9 31.3




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.23 min Scan# 1120
Delta R.T. 0.00 min
Lab File: BE099775.D
Acq: 29 May 2019 14:21

Tgt Ion:188 Resp: 9269
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 6.3 6.7 10.1#



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BE0
Ion 80.00 (79.70 to 80.70): BE0





#25

Fluoranthene-d10

Concen: 0.393 ng

RT: 19.25 min Scan# 1390

Delta R.T. -0.01 min

Lab File: BE099775.D

Acq: 29 May 2019 14:21

Instrument :

BNA_E

ClientSampleId :

FESB-08(6.5-7)


Tot Ion:212 Resp: 49737

Ion Ratio Lower Upper

212 100

106 1.8 1.4 2.2




104 1.1 0.8 1.2



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.41 min Scan# 1633

Delta R.T. -0.00 min

Lab File: BE099775.D

Acq: 29 May 2019 14:21


Tgt Ion:240 Resp: 12955

Ion Ratio Lower Upper

240 100

120 4.0 5.4 8.0#



236 27.7 21.7 32.5




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.457 ng

RT: 19.85 min Scan# 1494

Delta R.T. -0.02 min

Lab File: BE099775.D

Acq: 29 May 2019 14:21

Instrument :

BNA_E

ClientSampleId :

FESB-08(6.5-7)


Tot Ion:244 Resp: 10572

Ion Ratio Lower Upper

244 100

212 29.2 22.5 33.7




122 6.9 4.3 6.5#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.400 ng

RT: 21.30 min Scan# 1624

Delta R.T. -0.01 min

Lab File: BE099775.D

Acq: 29 May 2019 14:21


Tgt Ion:149 Resp: 16985

Ion Ratio Lower Upper

149 100

167 7.9 6.2 9.4



279 1.4 1.2 1.8






Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#34

Pervlene-d12

Concen: 0.400 ng

RT: 23.94 min Scan# 2220

Delta R.T. -0.02 min

Lab File: BE099775.D

Acq: 29 May 2019 14:21

Instrument :

BNA_E

ClientSampleId :

FESB-08(6.5-7)

Tot Ion:264 Resp: 15289

Ion Ratio Lower Upper

264 100

260 25.5 19.6 29.4

265 28.5 19.1 28.7

