

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE060719\
 Data File : BE099874.D
 Acq On : 8 Jun 2019 7:22
 Operator : JU/SJ
 Sample : K3249-08
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 BPS1-TT-MW305I-20190606

Quant Time: Jun 08 16:53:04 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE060719.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 07 15:25:21 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.80	152	610	0.40	ng	0.00
7) Naphthalene-d8	10.63	136	2232	0.40	ng	0.01
13) Acenaphthene-d10	14.48	164	1703	0.40	ng	0.01
19) Phenanthrene-d10	17.23	188	5804	0.40	ng	0.00
27) Chrysene-d12	21.40	240	10035	0.40	ng	-0.01
34) Perylene-d12	23.94	264	11691	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.37	112	249	0.12	ng	0.01
5) Phenol-d6	7.00	99	200	0.08	ng	0.04
8) Nitrobenzene-d5	8.99	82	787	0.35	ng	0.03
11) 2-Methylnaphthalene-d10	12.24	152	1320	0.33	ng	0.03
14) 2,4,6-Tribromophenol	15.98	330	443	0.26	ng	0.00
15) 2-Fluorobiphenyl	13.12	172	2721	0.44	ng	0.01
25) Fluoranthene-d10	19.25	212	34435	0.38	ng	0.00
29) Terphenyl-d14	19.85	244	9949	0.53	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.27	88	4005	4.920	ng	97
3) n-Nitrosodimethylamine	3.65	42	15	0.026	ng	# 1
22) Pentachlorophenol	16.91	266	51	0.272	ng	93
32) Bis(2-ethylhexyl)phthalate	21.31	149	4193	0.081	ng	# 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE060719\
Data File : BE099874.D
Acq On : 8 Jun 2019 7:22
Operator : JU/SJ
Sample : K3249-08
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
BPS1-TT-MW305I-20190606

Quant Time: Jun 08 16:53:04 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE060719.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 07 15:25:21 2019
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 7.80 min Scan# 429

Delta R.T. 0.00 min

Lab File: BE099874.D

Acq: 8 Jun 2019 7:22

Instrument :

BNA_E

ClientSampleId :

BPS1-TT-MW305I-20190606


Tot Ion:152 Resp: 610

Ion Ratio Lower Upper

152 100

150 138.7 112.8 169.2




115 66.0 47.6 71.4



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#2

1,4-Dioxane

Concen: 4.920 ng

RT: 3.27 min Scan# 35

Delta R.T. -0.01 min

Lab File: BE099874.D

Acq: 8 Jun 2019 7:22


Tgt Ion: 88 Resp: 4005

Ion Ratio Lower Upper

88 100

58 57.9 47.3 70.9



43 25.7 18.2 27.4




Abundance Ion 88.00 (87.70 to 88.70): BE0

Ion 58.00 (57.70 to 58.70): BE0

Ion 43.00 (42.70 to 43.70): BE0





#3

n-Nitrosodimethylamine

Concen: 0.026 ng

RT: 3.65 min Scan# 68

Delta R.T. 0.04 min

Lab File: BE099874.D

Acq: 8 Jun 2019 7:22


Instrument :

BNA_E




ClientSampleId :

BPS1-TT-MW305I-20190606

Tot Ion:	42	Resp:	15
Ion	Ratio	Lower	Upper
42	100		
74	66.7	132.6	198.8#
44	353.3	13.4	20.0#



Abundance Ion 42.00 (41.70 to 42.70): BE0
Ion 74.00 (73.70 to 74.70): BE0
Ion 44.00 (43.70 to 44.70): BE0



#4

2-Fluorophenol

Concen: 0.122 ng


RT: 5.37 min Scan# 218

Delta R.T. 0.01 min



Lab File: BE099874.D


Acq: 8 Jun 2019 7:22

Tgt Ion:	112	Resp:	249
Ion	Ratio	Lower	Upper
112	100		
64	51.8	47.2	70.8
63	144.2	90.7	136.1#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BE0
Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.079 ng

RT: 7.00 min Scan# 359

Delta R.T. 0.04 min

Lab File: BE099874.D

Acq: 8 Jun 2019 7:22

Instrument :

BNA_E

ClientSampleId :

BPS1-TT-MW305I-20190606


Tot Ion: 99 Resp: 200

Ion Ratio Lower Upper




99 100

42 3.0 11.0 16.4#

71 42.5 26.1 39.1#



Abundance Ion 99.00 (98.70 to 99.70): BE0
Ion 42.00 (41.70 to 42.70): BE0
Ion 71.00 (70.70 to 71.70): BE0



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.63 min Scan# 651

Delta R.T. 0.01 min

Lab File: BE099874.D

Acq: 8 Jun 2019 7:22

Tgt Ion: 136 Resp: 2232


Ion Ratio Lower Upper

136 100



137 16.6 11.1 16.7


54 40.5 17.9 26.9#

68 11.5 5.4 8.0#



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BE0
Ion 68.00 (67.70 to 68.70): BE0









#8
 Nitrobenzene-d5
 Concen: 0.350 ng
 RT: 8.99 min Scan# 525
 Delta R.T. 0.03 min
 Lab File: BE099874.D
 Acq: 8 Jun 2019 7:22




Instrument :
 BNA_E
 ClientSampleId :
 BPS1-TT-MW305I-20190606


Tot Ion	Ratio	Lower	Upper
82	100		
128	194.0	116.6	175.0
54	197.4	136.2	204.4



#11
 2-Methylnaphthalene-d10
 Concen: 0.327 ng
 RT: 12.24 min Scan# 765
 Delta R.T. 0.03 min
 Lab File: BE099874.D
 Acq: 8 Jun 2019 7:22

Tgt Ion	Ratio	Lower	Upper
152	100		
151	20.2	15.8	23.8





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.48 min Scan# 921

Delta R.T. 0.01 min

Lab File: BE099874.D

Acq: 8 Jun 2019 7:22

Instrument :

BNA_E

ClientSampleId :

BPS1-TT-MW305I-20190606


Tot Ion:164 Resp: 1703

Ion Ratio Lower Upper

164 100

162 97.5 77.2 115.8




160 47.7 39.4 59.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.263 ng

RT: 15.98 min Scan# 1027

Delta R.T. 0.00 min

Lab File: BE099874.D

Acq: 8 Jun 2019 7:22


Tgt Ion:330 Resp: 443

Ion Ratio Lower Upper

330 100

332 99.1 74.9 112.3



141 20.1 16.0 24.0




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E







#15
2-Fluorobiphenyl
Concen: 0.442 ng
RT: 13.12 min Scan# 826
Delta R.T. 0.01 min
Lab File: BE099874.D
Acq: 8 Jun 2019 7:22

Instrument :
BNA_E
ClientSampleId :
BPS1-TT-MW305I-20190606



Tot Ion:172 Resp: 2721
Ion Ratio Lower Upper
172 100
171 37.0 30.2 45.4
170 26.1 20.1 30.1



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E




Time-->




#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.23 min Scan# 1120
Delta R.T. 0.00 min
Lab File: BE099874.D
Acq: 8 Jun 2019 7:22


Tgt Ion:188 Resp: 5804
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 6.6 5.2 7.8




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BE0
Ion 80.00 (79.70 to 80.70): BE0



Time-->









#22
 Pentachlorophenol
 Concen: 0.272 ng
 RT: 16.91 min Scan# 1096
 Delta R.T. -0.01 min
 Lab File: BE099874.D
 Acq: 8 Jun 2019 7:22




Instrument :
 BNA_E
 ClientSampleId :
 BPS1-TT-MW305I-20190606


Tot Ion:266 Resp: 51
 Ion Ratio Lower Upper
 266 100
 264 83.9 64.9 97.3
 268 90.3 64.0 96.0



#25
 Fluoranthene-d10
 Concen: 0.383 ng
 RT: 19.25 min Scan# 1390
 Delta R.T. -0.01 min
 Lab File: BE099874.D
 Acq: 8 Jun 2019 7:22

Tgt Ion:212 Resp: 34435
 Ion Ratio Lower Upper
 212 100
 106 1.8 1.4 2.0
 104 1.0 0.8 1.2









#27
 Chrysene-d12
 Concen: 0.400 ng
 RT: 21.40 min Scan# 1632
 Delta R.T. -0.01 min
 Lab File: BE099874.D
 Acq: 8 Jun 2019 7:22

Instrument :
 BNA_E
 ClientSampleId :
 BPS1-TT-MW305I-20190606

Tot Ion:240 Resp: 10035
 Ion Ratio Lower Upper
 240 100
 120 6.2 2.8 4.2#
 236 27.4 20.9 31.3




Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E






#29
 Terphenyl-d14
 Concen: 0.532 ng
 RT: 19.85 min Scan# 1494
 Delta R.T. -0.01 min
 Lab File: BE099874.D
 Acq: 8 Jun 2019 7:22

Tgt Ion:244 Resp: 9949
 Ion Ratio Lower Upper
 244 100
 212 29.6 23.7 35.5
 122 6.1 4.8 7.2



Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E





#32

Bis(2-ethylhexyl)phthalate

Concen: 0.081 ng

RT: 21.31 min Scan# 1624

Delta R.T. -0.00 min

Lab File: BE099874.D

Acq: 8 Jun 2019 7:22

Instrument :

BNA_E

ClientSampleId :

BPS1-TT-MW305I-20190606


Tot Ion:149 Resp: 4193

Ion Ratio Lower Upper




149 100

167 8.1 6.0 9.0

279 1.9 1.2 1.8#



Abundance Ion 149.00 (148.70 to 149.70): E
Ion 167.00 (166.70 to 167.70): E
Ion 279.00 (278.70 to 279.70): E



#34

Perylene-d12

Concen: 0.400 ng

RT: 23.94 min Scan# 2218

Delta R.T. -0.00 min

Lab File: BE099874.D

Acq: 8 Jun 2019 7:22


Tgt Ion:264 Resp: 11691

Ion Ratio Lower Upper

264 100

260 25.4 20.0 30.0

265 26.5 20.7 31.1



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

