

Data Path : Z:\SVOASRV\HPCHEM1\BNA_E\DATA\BE061219\
 Data File : BE099961.D
 Acq On : 12 Jun 2019 18:01
 Operator : JU/SJ
 Sample : K3280-03
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 BP-FW-MW02-20190608

Quant Time: Jun 13 04:10:15 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_E\METHODS\8270-SIM-BE061019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 10 14:57:20 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.79	152	853	0.40	ng	0.00
7) Naphthalene-d8	10.60	136	3019	0.40	ng	0.00
13) Acenaphthene-d10	14.47	164	2343	0.40	ng	0.00
19) Phenanthrene-d10	17.21	188	6703	0.40	ng	0.00
27) Chrysene-d12	21.40	240	9606	0.40	ng	0.00
34) Perylene-d12	23.93	264	10851	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.36	112	319	0.14	ng	0.00
5) Phenol-d6	6.97	99	258	0.09	ng	0.00
8) Nitrobenzene-d5	8.99	82	1030	0.36	ng	0.03
11) 2-Methylnaphthalene-d10	12.21	152	1850	0.35	ng	0.00
14) 2,4,6-Tribromophenol	15.97	330	463	0.27	ng	0.00
15) 2-Fluorobiphenyl	13.09	172	3813	0.43	ng	-0.01
25) Fluoranthene-d10	19.25	212	36457	0.37	ng	0.00
29) Terphenyl-d14	19.84	244	10099	0.58	ng	-0.01
Target Compounds						
9) Naphthalene	10.65	128	2217	0.068	ng	# 88
12) 2-Methylnaphthalene	12.28	142	156	0.029	ng	# 82
22) Pentachlorophenol	16.89	266	69	0.337	ng	93
32) Bis(2-ethylhexyl)phthalate	21.29	149	2597	0.063	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_E\DATA\BE061219\
Data File : BE099961.D
Acq On : 12 Jun 2019 18:01
Operator : JU/SJ
Sample : K3280-03
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
BP-FW-MW02-20190608

Quant Time: Jun 13 04:10:15 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_E\METHODS\8270-SIM-BE061019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 10 14:57:20 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.79 min Scan# 428
Delta R.T. -0.00 min
Lab File: BE099961.D
Acq: 12 Jun 2019 18:01

Instrument :
BNA_E
ClientSampleId :
BP-FW-MW02-20190608

Tgt Ion:152 Resp: 853
Ion Ratio Lower Upper
152 100
150 133.9 111.0 166.6
115 63.0 50.7 76.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#4


2-Fluorophenol
Concen: 0.139 ng
RT: 5.36 min Scan# 217
Delta R.T. 0.01 min
Lab File: BE099961.D
Acq: 12 Jun 2019 18:01

Tgt Ion:112 Resp: 319
Ion Ratio Lower Upper
112 100
64 55.5 44.1 66.1
63 113.5 87.8 131.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BE0
Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.087 ng

RT: 6.97 min Scan# 357

Delta R.T. 0.01 min

Lab File: BE099961.D

Acq: 12 Jun 2019 18:01

Instrument :

BNA_E

ClientSampleId :

BP-FW-MW02-20190608


Tgt Ion: 99 Resp: 258

Ion Ratio Lower Upper

99 100

42 9.3 15.9 23.9#

71 40.3 34.6 52.0



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0

6.97

100

80

60



40

20

0

6.80 6.90 7.00 7.10 7.20

Time-->



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.60 min Scan# 650

Delta R.T. 0.00 min

Lab File: BE099961.D

Acq: 12 Jun 2019 18:01

Tgt Ion: 136 Resp: 3019


Ion Ratio Lower Upper

136 100

137 15.4 12.3 18.5

54 41.7 28.2 42.4

68 10.3 7.8 11.8



Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0

10.60

1500


1000


500

0

10.60 10.80

Time-->





#8

Nitrobenzene-d5

Concen: 0.360 ng

RT: 8.99 min Scan# 526

Delta R.T. 0.03 min

Lab File: BE099961.D

Acq: 12 Jun 2019 18:01

Instrument :

BNA_E

ClientSampleId :

BP-FW-MW02-20190608


Tgt Ion: 82 Resp: 1030

Ion Ratio Lower Upper

82 100

128 178.3 137.3 205.9




54 172.5 129.7 194.5



Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BE0



#9

Naphthalene

Concen: 0.068 ng

RT: 10.65 min Scan# 654

Delta R.T. 0.00 min

Lab File: BE099961.D

Acq: 12 Jun 2019 18:01


Tgt Ion: 128 Resp: 2217

Ion Ratio Lower Upper

128 100

129 7.8 3.0 4.6#



127 7.8 3.4 5.0#




Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E





#11

2-Methylnaphthalene-d10

Concen: 0.351 ng

RT: 12.21 min Scan# 764

Delta R.T. 0.00 min

Lab File: BE099961.D

Acq: 12 Jun 2019 18:01

Instrument :

BNA_E

ClientSampleId :


BP-FW-MW02-20190608

Tgt Ion:152 Resp: 1850

Ion Ratio Lower Upper




152 100

151 19.2 15.2 22.8



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E



#12

2-Methylnaphthalene

Concen: 0.029 ng

RT: 12.28 min Scan# 769

Delta R.T. 0.00 min

Lab File: BE099961.D

Acq: 12 Jun 2019 18:01


Tgt Ion:142 Resp: 156

Ion Ratio Lower Upper

142 100

141 86.5 72.3 108.5



115 76.0 36.4 54.6#




Abundance Ion 142.00 (141.70 to 142.70): E

Ion 141.00 (140.70 to 141.70): E

Ion 115.00 (114.70 to 115.70): E









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.47 min Scan# 921
Delta R.T. 0.00 min
Lab File: BE099961.D
Acq: 12 Jun 2019 18:01

Instrument :
BNA_E
ClientSampleId :
BP-FW-MW02-20190608

Tgt Ion:164 Resp: 2343
Ion Ratio Lower Upper
164 100
162 93.0 77.8 116.8
160 48.5 38.2 57.4




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#14
2,4,6-Tribromophenol
Concen: 0.267 ng
RT: 15.97 min Scan# 1027
Delta R.T. -0.00 min
Lab File: BE099961.D
Acq: 12 Jun 2019 18:01

Tgt Ion:330 Resp: 463
Ion Ratio Lower Upper
330 100
332 97.4 76.7 115.1
141 22.9 21.0 31.6



Abundance Ion 330.00 (329.70 to 330.70): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.429 ng
RT: 13.09 min Scan# 825
Delta R.T. -0.01 min
Lab File: BE099961.D
Acq: 12 Jun 2019 18:01

Instrument :
BNA_E
ClientSampleId :
BP-FW-MW02-20190608

Tgt Ion:172 Resp: 3813
Ion Ratio Lower Upper
172 100
171 35.0 29.2 43.8
170 27.4 21.2 31.8




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.21 min Scan# 1120
Delta R.T. -0.00 min
Lab File: BE099961.D
Acq: 12 Jun 2019 18:01

Tgt Ion:188 Resp: 6703
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 7.5 6.4 9.6



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BE0
Ion 80.00 (79.70 to 80.70): BE0









#22
 Pentachlorophenol
 Concen: 0.337 ng
 RT: 16.89 min Scan# 1096
 Delta R.T. -0.01 min
 Lab File: BE099961.D
 Acq: 12 Jun 2019 18:01




Instrument :
 BNA_E
 ClientSampleId :
 BP-FW-MW02-20190608


Tgt Ion: 266 Resp: 69
 Ion Ratio Lower Upper
 266 100
 264 82.6 62.2 93.2
 268 89.9 65.5 98.3



#25
 Fluoranthene-d10
 Concen: 0.373 ng
 RT: 19.25 min Scan# 1390
 Delta R.T. -0.00 min
 Lab File: BE099961.D
 Acq: 12 Jun 2019 18:01

Tgt Ion: 212 Resp: 36457
 Ion Ratio Lower Upper
 212 100
 106 1.9 1.4 2.2
 104 1.1 0.9 1.3









#27
 Chrysene-d12
 Concen: 0.400 ng
 RT: 21.40 min Scan# 1634
 Delta R.T. 0.00 min
 Lab File: BE099961.D
 Acq: 12 Jun 2019 18:01




Instrument :
 BNA_E
 ClientSampleId :
 BP-FW-MW02-20190608


Tgt Ion:240 Resp: 9606
 Ion Ratio Lower Upper
 240 100
 120 5.2 3.8 5.6
 236 27.0 22.0 33.0



#29
 Terphenyl-d14
 Concen: 0.584 ng
 RT: 19.84 min Scan# 1493
 Delta R.T. -0.01 min
 Lab File: BE099961.D
 Acq: 12 Jun 2019 18:01

Tgt Ion:244 Resp: 10099
 Ion Ratio Lower Upper
 244 100
 212 32.3 25.7 38.5
 122 7.3 5.5 8.3









#32
 Bis(2-ethylhexyl)phthalate
 Concen: 0.063 ng
 RT: 21.29 min Scan# 1625
 Delta R.T. 0.00 min
 Lab File: BE099961.D
 Acq: 12 Jun 2019 18:01

Instrument :
 BNA_E
 ClientSampleId :
 BP-FW-MW02-20190608

Tgt Ion:149 Resp: 2597
 Ion Ratio Lower Upper
 149 100
 167 7.9 5.9 8.9
 279 1.8 1.2 1.8




Abundance Ion 149.00 (148.70 to 149.70): E
 Ion 167.00 (166.70 to 167.70): E
 Ion 279.00 (278.70 to 279.70): E



#34
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.93 min Scan# 2217
 Delta R.T. -0.00 min
 Lab File: BE099961.D
 Acq: 12 Jun 2019 18:01

Tgt Ion:264 Resp: 10851
 Ion Ratio Lower Upper
 264 100
 260 25.5 20.2 30.2
 265 30.0 22.0 33.0



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

