

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE061219\
 Data File : BE099972.D
 Acq On : 13 Jun 2019 00:38
 Operator : JU/SJ
 Sample : K3255-20
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 RE109D3-20190605

Quant Time: Jun 13 05:46:16 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE061019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 10 14:57:20 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.79	152	1010	0.40	ng	0.00
7) Naphthalene-d8	10.60	136	3402	0.40	ng	0.00
13) Acenaphthene-d10	14.47	164	2659	0.40	ng	0.00
19) Phenanthrene-d10	17.21	188	8171	0.40	ng	0.00
27) Chrysene-d12	21.40	240	10613	0.40	ng	0.00
34) Perylene-d12	23.92	264	12230	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.36	112	356	0.13	ng	0.00
5) Phenol-d6	6.96	99	254	0.07	ng	0.00
8) Nitrobenzene-d5	8.98	82	1181	0.37	ng	0.01
11) 2-Methylnaphthalene-d10	12.21	152	2144	0.36	ng	0.00
14) 2,4,6-Tribromophenol	15.97	330	489	0.25	ng	0.00
15) 2-Fluorobiphenyl	13.09	172	4232	0.42	ng	-0.01
25) Fluoranthene-d10	19.24	212	41029	0.34	ng	-0.01
29) Terphenyl-d14	19.84	244	10736	0.56	ng	-0.01
Target Compounds						
2) 1,4-Dioxane	3.27	88	4582	3.065	ng	Qvalue 96
6) bis(2-Chloroethyl)ether	7.23	93	75	0.026	ng	# 65
32) Bis(2-ethylhexyl)phthalate	21.29	149	3050	0.067	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE061219\
Data File : BE099972.D
Acq On : 13 Jun 2019 00:38
Operator : JU/SJ
Sample : K3255-20
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
RE109D3-20190605

Quant Time: Jun 13 05:46:16 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE061019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 10 14:57:20 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.79 min Scan# 428
Delta R.T. -0.00 min
Lab File: BE099972.D
Acq: 13 Jun 2019 00:38

Instrument :
BNA_E
ClientSampleId :
RE109D3-20190605

Tot Ion:152 Resp: 1010
Ion Ratio Lower Upper
152 100
150 128.0 111.0 166.6
115 60.6 50.7 76.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#2


1,4-Dioxane
Concen: 3.065 ng
RT: 3.27 min Scan# 35
Delta R.T. -0.00 min
Lab File: BE099972.D
Acq: 13 Jun 2019 00:38

Tgt Ion: 88 Resp: 4582
Ion Ratio Lower Upper
88 100
58 56.7 48.8 73.2
43 24.3 19.0 28.6



Abundance Ion 88.00 (87.70 to 88.70): BE0
Ion 58.00 (57.70 to 58.70): BE0
Ion 43.00 (42.70 to 43.70): BE0





#4

2-Fluorophenol

Concen: 0.131 ng

RT: 5.36 min Scan# 217

Delta R.T. 0.01 min

Lab File: BE099972.D

Acq: 13 Jun 2019 00:38

Instrument :

BNA_E

ClientSampleId :

RE109D3-20190605


Tot Ion:112 Resp: 356

Ion Ratio Lower Upper

112 100

64 53.4 44.1 66.1

63 112.6 87.8 131.6



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0

500

400

300

200



100

0

5.36

5.30 5.40 5.50

Time-->



#5

Phenol-d6

Concen: 0.072 ng

RT: 6.96 min Scan# 356

Delta R.T. -0.00 min

Lab File: BE099972.D

Acq: 13 Jun 2019 00:38


Tgt Ion: 99 Resp: 254

Ion Ratio Lower Upper

99 100

42 12.6 15.9 23.9#

71 39.8 34.6 52.0



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0

150

100


50


0

6.96

6.80 6.90 7.00 7.10 7.20

Time-->





#6

bis(2-Chloroethyl)ether

Concen: 0.026 ng

RT: 7.23 min Scan# 379

Delta R.T. 0.01 min

Lab File: BE099972.D

Acq: 13 Jun 2019 00:38

Instrument :

BNA_E

ClientSampleId :

RE109D3-20190605


Tot Ion: 93 Resp: 75

Ion Ratio Lower Upper

93 100

63 186.7 202.8 304.2#




95 25.3 23.7 35.5



Abundance Ion 93.00 (92.70 to 93.70): BE0

Ion 63.00 (62.70 to 63.70): BE0

Ion 95.00 (94.70 to 95.70): BE0



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.60 min Scan# 650

Delta R.T. 0.00 min

Lab File: BE099972.D

Acq: 13 Jun 2019 00:38

Tgt Ion: 136 Resp: 3402


Ion Ratio Lower Upper

136 100

137 14.2 12.3 18.5

54 33.0 28.2 42.4

68 8.1 7.8 11.8






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0





#8

Nitrobenzene-d5

Concen: 0.367 ng

RT: 8.98 min Scan# 525

Delta R.T. 0.01 min

Lab File: BE099972.D

Acq: 13 Jun 2019 00:38

Instrument :

BNA_E

ClientSampleId :

RE109D3-20190605


Tot Ion: 82 Resp: 1181

Ion Ratio Lower Upper

82 100

128 175.9 137.3 205.9




54 167.5 129.7 194.5



Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): BE0

Ion 54.00 (53.70 to 54.70): BE0



#11

2-Methylnaphthalene-d10

Concen: 0.361 ng

RT: 12.21 min Scan# 764

Delta R.T. 0.00 min

Lab File: BE099972.D


Acq: 13 Jun 2019 00:38

Tgt Ion: 152 Resp: 2144

Ion Ratio Lower Upper



152 100


151 19.4 15.2 22.8



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E









#13
 Acenaphthene-d10
 Concen: 0.400 ng
 RT: 14.47 min Scan# 921
 Delta R.T. 0.00 min
 Lab File: BE099972.D
 Acq: 13 Jun 2019 00:38

Instrument :
 BNA_E
 ClientSampleId :
 RE109D3-20190605

Tot Ion:164 Resp: 2659
 Ion Ratio Lower Upper
 164 100
 162 92.7 77.8 116.8
 160 45.8 38.2 57.4




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#14
 2,4,6-Tribromophenol
 Concen: 0.249 ng
 RT: 15.97 min Scan# 1027
 Delta R.T. -0.00 min
 Lab File: BE099972.D
 Acq: 13 Jun 2019 00:38

Tgt Ion:330 Resp: 489
 Ion Ratio Lower Upper
 330 100
 332 99.8 76.7 115.1
 141 26.8 21.0 31.6



Abundance Ion 330.00 (329.70 to 330.70): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.420 ng
RT: 13.09 min Scan# 825
Delta R.T. -0.01 min
Lab File: BE099972.D
Acq: 13 Jun 2019 00:38




Instrument :
BNA_E
ClientSampleId :
RE109D3-20190605


Tot Ion:172 Resp: 4232
Ion Ratio Lower Upper
172 100
171 35.8 29.2 43.8
170 27.0 21.2 31.8



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.21 min Scan# 1120
Delta R.T. -0.00 min
Lab File: BE099972.D
Acq: 13 Jun 2019 00:38

Tgt Ion:188 Resp: 8171
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 7.1 6.4 9.6





#25

Fluoranthene-d10

Concen: 0.345 ng

RT: 19.24 min Scan# 1389

Delta R.T. -0.01 min

Lab File: BE099972.D

Acq: 13 Jun 2019 00:38

Instrument :

BNA_E

ClientSampleId :

RE109D3-20190605


Tot Ion:212 Resp: 41029

Ion Ratio Lower Upper

212 100

106 1.9 1.4 2.2




104 1.2 0.9 1.3



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.40 min Scan# 1634

Delta R.T. 0.00 min

Lab File: BE099972.D

Acq: 13 Jun 2019 00:38


Tgt Ion:240 Resp: 10613

Ion Ratio Lower Upper

240 100

120 4.4 3.8 5.6



236 27.2 22.0 33.0




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.562 ng

RT: 19.84 min Scan# 1493

Delta R.T. -0.01 min

Lab File: BE099972.D

Acq: 13 Jun 2019 00:38

Instrument :

BNA_E

ClientSampleId :

RE109D3-20190605


Tot Ion:244 Resp: 10736

Ion Ratio Lower Upper

244 100

212 33.8 25.7 38.5




122 6.6 5.5 8.3



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.067 ng

RT: 21.29 min Scan# 1625

Delta R.T. 0.00 min

Lab File: BE099972.D

Acq: 13 Jun 2019 00:38


Tgt Ion:149 Resp: 3050

Ion Ratio Lower Upper

149 100

167 7.5 5.9 8.9



279 1.5 1.2 1.8






Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#34

Pervlene-d12

Concen: 0.400 ng

RT: 23.92 min Scan# 2215

Delta R.T. -0.01 min

Lab File: BE099972.D

Acq: 13 Jun 2019 00:38

Instrument :

BNA_E

ClientSampleId :

RE109D3-20190605

Tot Ion:264 Resp: 12230

Ion Ratio Lower Upper

264 100

260 25.9 20.2 30.2

265 29.6 22.0 33.0

