

Data Path : Z:\SVOASRV\HPCHEM1\BNA_E\DATA\BE061319\
 Data File : BE099984.D
 Acq On : 13 Jun 2019 11:45
 Operator : JU/SJ
 Sample : K3270-03
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 GW-02

Quant Time: Jun 14 03:23:26 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_E\METHODS\8270-SIM-BE061019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 10 14:57:20 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.79	152	735	0.40	ng	0.00
7) Naphthalene-d8	10.60	136	2697	0.40	ng	0.00
13) Acenaphthene-d10	14.47	164	2202	0.40	ng	0.00
19) Phenanthrene-d10	17.22	188	7507	0.40	ng	0.00
27) Chrysene-d12	21.40	240	10271	0.40	ng	0.00
34) Perylene-d12	23.93	264	11727	0.40	ng	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
4) 2-Fluorophenol	5.36	112	285	0.14	ng	0.00
5) Phenol-d6	6.96	99	227	0.09	ng	0.00
8) Nitrobenzene-d5	8.99	82	823	0.32	ng	0.03
11) 2-Methylnaphthalene-d10	12.22	152	1491	0.32	ng	0.01
14) 2,4,6-Tribromophenol	15.97	330	500	0.31	ng	0.00
15) 2-Fluorobiphenyl	13.10	172	3184	0.38	ng	0.00
25) Fluoranthene-d10	19.25	212	39028	0.36	ng	0.00
29) Terphenyl-d14	19.84	244	10910	0.59	ng	-0.01


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
3) n-Nitrosodimethylamine	3.60	42	24	0.038	ng	# 100
9) Naphthalene	10.65	128	25717	0.883	ng	98
12) 2-Methylnaphthalene	12.30	142	468	0.099	ng	# 89
17) Acenaphthene	14.53	154	202	0.034	ng	92
22) Pentachlorophenol	16.88	266	15	0.307	ng	87
32) Bis(2-ethylhexyl)phthalate	21.29	149	1241	0.028	ng	# 95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_E\DATA\BE061319\
Data File : BE099984.D
Acq On : 13 Jun 2019 11:45
Operator : JU/SJ
Sample : K3270-03
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
GW-02

Quant Time: Jun 14 03:23:26 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_E\METHODS\8270-SIM-BE061019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 10 14:57:20 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.79 min Scan# 428
Delta R.T. -0.00 min
Lab File: BE099984.D
Acq: 13 Jun 2019 11:45

Instrument :
BNA_E
ClientSampleId :
GW-02

Tgt Ion: 152 Resp: 735
Ion Ratio Lower Upper
152 100
150 135.1 111.0 166.6
115 60.1 50.7 76.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#3

n-Nitrosodimethylamine
Concen: 0.038 ng
RT: 3.60 min Scan# 64
Delta R.T. -0.00 min
Lab File: BE099984.D
Acq: 13 Jun 2019 11:45

Tgt Ion: 42 Resp: 24
Ion Ratio Lower Upper
42 100
74 0.0 0.0 0.0
44 270.8 0.0 0.0#



Abundance Ion 42.00 (41.70 to 42.70): BE0
Ion 74.00 (73.70 to 74.70): BE0
Ion 44.00 (43.70 to 44.70): BE0





#4

2-Fluorophenol

Concen: 0.144 ng

RT: 5.36 min Scan# 217

Delta R.T. 0.01 min

Lab File: BE099984.D

Acq: 13 Jun 2019 11:45

Instrument :

BNA_E

ClientSampleId :

GW-02


Tgt Ion: 112 Resp: 285

Ion Ratio Lower Upper

112 100

64 49.1 44.1 66.1

63 153.7 87.8 131.6#



Abundance Ion 112.00 (111.70 to 112.70): BE0

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0

500

400

300

200



100

0

5.30 5.40 5.50

5.36

Time-->



#5

Phenol-d6

Concen: 0.089 ng

RT: 6.96 min Scan# 356

Delta R.T. -0.00 min

Lab File: BE099984.D

Acq: 13 Jun 2019 11:45


Tgt Ion: 99 Resp: 227

Ion Ratio Lower Upper

99 100

42 18.9 15.9 23.9

71 40.1 34.6 52.0



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0

120

100

80

60

40


20

0

6.80 6.90 7.00 7.10 7.20

6.96

Time-->





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.60 min Scan# 649

Delta R.T. 0.00 min

Lab File: BE099984.D

Acq: 13 Jun 2019 11:45

Instrument :

BNA_E

ClientSampleId :

GW-02

Tgt Ion: 136 Resp: 2697


Ion Ratio Lower Upper

136 100

137 15.1 12.3 18.5

54 37.6 28.2 42.4

68 9.3 7.8 11.8





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0



#8

Nitrobenzene-d5

Concen: 0.322 ng

RT: 8.99 min Scan# 525

Delta R.T. 0.03 min

Lab File: BE099984.D

Acq: 13 Jun 2019 11:45


Tgt Ion: 82 Resp: 823

Ion Ratio Lower Upper

82 100

128 178.5 137.3 205.9



54 175.2 129.7 194.5




Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BE0





#9

Naphthalene

Concen: 0.883 ng

RT: 10.65 min Scan# 653

Delta R.T. 0.00 min

Lab File: BE099984.D

Acq: 13 Jun 2019 11:45

Instrument :

BNA_E

ClientSampleId :

GW-02


Tgt Ion:128 Resp: 25717

Ion Ratio Lower Upper

128 100

129 3.1 3.0 4.6




127 3.8 3.4 5.0



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E



#11

2-Methylnaphthalene-d10

Concen: 0.317 ng

RT: 12.22 min Scan# 764

Delta R.T. 0.01 min

Lab File: BE099984.D


Acq: 13 Jun 2019 11:45

Tgt Ion:152 Resp: 1491

Ion Ratio Lower Upper



152 100


151 18.3 15.2 22.8



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E





#12

2-Methylnaphthalene

Concen: 0.099 ng

RT: 12.30 min Scan# 769

Delta R.T. 0.01 min

Lab File: BE099984.D

Acq: 13 Jun 2019 11:45

Instrument :

BNA_E

ClientSampleID :

GW-02


Tgt Ion:142 Resp: 468

Ion Ratio Lower Upper

142 100

141 96.4 72.3 108.5




115 59.6 36.4 54.6#



Abundance Ion 142.00 (141.70 to 142.70): E

Ion 141.00 (140.70 to 141.70): E

Ion 115.00 (114.70 to 115.70): E



#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.47 min Scan# 920

Delta R.T. 0.00 min

Lab File: BE099984.D

Acq: 13 Jun 2019 11:45


Tgt Ion:164 Resp: 2202

Ion Ratio Lower Upper

164 100

162 97.2 77.8 116.8



160 51.4 38.2 57.4




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#14
 2,4,6-Tribromophenol
 Concen: 0.307 ng
 RT: 15.97 min Scan# 1026
 Delta R.T. 0.00 min
 Lab File: BE099984.D
 Acq: 13 Jun 2019 11:45




Instrument :
 BNA_E
 ClientSampled :
 GW-02


Tgt Ion: 330 Resp: 500
 Ion Ratio Lower Upper
 330 100
 332 94.0 76.7 115.1
 141 24.0 21.0 31.6



#15
 2-Fluorobiphenyl
 Concen: 0.381 ng
 RT: 13.10 min Scan# 825
 Delta R.T. 0.00 min
 Lab File: BE099984.D
 Acq: 13 Jun 2019 11:45

Tgt Ion: 172 Resp: 3184
 Ion Ratio Lower Upper
 172 100
 171 39.2 29.2 43.8
 170 29.2 21.2 31.8





#17

Acenaphthene

Concen: 0.034 ng

RT: 14.53 min Scan# 924

Delta R.T. 0.00 min

Lab File: BE099984.D

Acq: 13 Jun 2019 11:45

Instrument :

BNA_E

ClientSampleId :

GW-02


Tgt Ion:154 Resp: 202

Ion Ratio Lower Upper

154 100

153 125.7 93.1 139.7




152 64.4 47.0 70.4



Abundance Ion 154.00 (153.70 to 154.70): E

Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E



#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.22 min Scan# 1119

Delta R.T. 0.00 min

Lab File: BE099984.D

Acq: 13 Jun 2019 11:45


Tgt Ion:188 Resp: 7507

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0



80 7.6 6.4 9.6




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0









#22
 Pentachlorophenol
 Concen: 0.307 ng
 RT: 16.88 min Scan# 1094
 Delta R.T. -0.03 min
 Lab File: BE099984.D
 Acq: 13 Jun 2019 11:45




Instrument :
 BNA_E
 ClientSampleId :
 GW-02


Tgt Ion: 266 Resp: 15
 Ion Ratio Lower Upper
 266 100
 264 88.7 62.2 93.2
 268 94.3 65.5 98.3



#25
 Fluoranthene-d10
 Concen: 0.357 ng
 RT: 19.25 min Scan# 1389
 Delta R.T. -0.01 min
 Lab File: BE099984.D
 Acq: 13 Jun 2019 11:45

Tgt Ion: 212 Resp: 39028
 Ion Ratio Lower Upper
 212 100
 106 1.9 1.4 2.2
 104 1.1 0.9 1.3









#27
 Chrysene-d12
 Concen: 0.400 ng
 RT: 21.40 min Scan# 1633
 Delta R.T. 0.00 min
 Lab File: BE099984.D
 Acq: 13 Jun 2019 11:45




Instrument :
 BNA_E
 ClientSampleId :
 GW-02


Tgt Ion:240 Resp: 10271
 Ion Ratio Lower Upper
 240 100
 120 5.4 3.8 5.6
 236 27.5 22.0 33.0



#29
 Terphenyl-d14
 Concen: 0.590 ng
 RT: 19.84 min Scan# 1492
 Delta R.T. -0.01 min
 Lab File: BE099984.D
 Acq: 13 Jun 2019 11:45

Tgt Ion:244 Resp: 10910
 Ion Ratio Lower Upper
 244 100
 212 32.3 25.7 38.5
 122 7.2 5.5 8.3









#32
 Bis(2-ethylhexyl)phthalate
 Concen: 0.028 ng
 RT: 21.29 min Scan# 1624
 Delta R.T. 0.00 min
 Lab File: BE099984.D
 Acq: 13 Jun 2019 11:45

Instrument :
 BNA_E
 ClientSampleId :
 GW-02

Tgt Ion:149 Resp: 1241
 Ion Ratio Lower Upper
 149 100
 167 9.2 5.9 8.9#
 279 4.1 1.2 1.8#



#34
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.93 min Scan# 2216
 Delta R.T. -0.00 min
 Lab File: BE099984.D
 Acq: 13 Jun 2019 11:45

Tgt Ion:264 Resp: 11727
 Ion Ratio Lower Upper
 264 100
 260 25.8 20.2 30.2
 265 28.6 22.0 33.0

