

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE061319\
 Data File : BE099999.D
 Acq On : 13 Jun 2019 20:47
 Operator : JU/SJ
 Sample : K3279-07
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 BP-TT-MW203I-20190607

Quant Time: Jun 14 04:24:56 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE061019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 10 14:57:20 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.79	152	709	0.40	ng	0.00
7) Naphthalene-d8	10.60	136	2499	0.40	ng	0.00
13) Acenaphthene-d10	14.47	164	2113	0.40	ng	0.00
19) Phenanthrene-d10	17.22	188	6670	0.40	ng	0.00
27) Chrysene-d12	21.40	240	9923	0.40	ng	0.00
34) Perylene-d12	23.92	264	11319	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.36	112	274	0.14	ng	0.00
5) Phenol-d6	6.96	99	229	0.09	ng	0.00
8) Nitrobenzene-d5	8.98	82	786	0.33	ng	0.01
11) 2-Methylnaphthalene-d10	12.21	152	1359	0.31	ng	0.00
14) 2,4,6-Tribromophenol	15.97	330	401	0.26	ng	0.00
15) 2-Fluorobiphenyl	13.09	172	3382	0.42	ng	-0.01
25) Fluoranthene-d10	19.24	212	32431	0.33	ng	0.00
29) Terphenyl-d14	19.84	244	9186	0.51	ng	0.00
Target Compounds						
32) Bis(2-ethylhexyl)phthalate	21.29	149	14719	0.346	ng	Qvalue # 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE061319\
Data File : BE099999.D
Acq On : 13 Jun 2019 20:47
Operator : JU/SJ
Sample : K3279-07
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
BP-TT-MW203I-20190607

Quant Time: Jun 14 04:24:56 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE061019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 10 14:57:20 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.79 min Scan# 428
Delta R.T. -0.00 min
Lab File: BE099999.D
Acq: 13 Jun 2019 20:47

Instrument :
BNA_E
ClientSampleId :
BP-TT-MW203I-20190607

Tot Ion:152 Resp: 709
Ion Ratio Lower Upper
152 100
150 135.6 111.0 166.6
115 62.2 50.7 76.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#4


2-Fluorophenol
Concen: 0.143 ng
RT: 5.36 min Scan# 217
Delta R.T. 0.01 min
Lab File: BE099999.D
Acq: 13 Jun 2019 20:47

Tgt Ion:112 Resp: 274
Ion Ratio Lower Upper
112 100
64 58.4 44.1 66.1
63 146.4 87.8 131.6#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BE0
Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.093 ng

RT: 6.96 min Scan# 356

Delta R.T. -0.00 min

Lab File: BE099999.D

Acq: 13 Jun 2019 20:47

Instrument :

BNA_E

ClientSampleId :

BP-TT-MW203I-20190607


Tot Ion: 99 Resp: 229

Ion Ratio Lower Upper

99 100

42 9.2 15.9 23.9#

71 42.8 34.6 52.0



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0

6.96



100

50

0

6.90 7.00 7.10

Time-->



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.60 min Scan# 649

Delta R.T. -0.00 min

Lab File: BE099999.D

Acq: 13 Jun 2019 20:47

Tgt Ion: 136 Resp: 2499


Ion Ratio Lower Upper

136 100

137 15.4 12.3 18.5

54 44.1 28.2 42.4#

68 10.9 7.8 11.8



Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0

10.60


1000


500

0

10.40 10.60 10.80

Time-->





#8

Nitrobenzene-d5

Concen: 0.332 ng

RT: 8.98 min Scan# 524

Delta R.T. 0.01 min

Lab File: BE099999.D

Acq: 13 Jun 2019 20:47

Instrument :

BNA_E

ClientSampleId :

BP-TT-MW203I-20190607


Tot Ion: 82 Resp: 786

Ion Ratio Lower Upper

82 100

128 181.1 137.3 205.9




54 197.3 129.7 194.5#



Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BE0



#11

2-Methylnaphthalene-d10

Concen: 0.312 ng

RT: 12.21 min Scan# 763

Delta R.T. 0.00 min

Lab File: BE099999.D


Acq: 13 Jun 2019 20:47

Tgt Ion: 152 Resp: 1359

Ion Ratio Lower Upper



152 100


151 19.1 15.2 22.8



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.47 min Scan# 920

Delta R.T. 0.00 min

Lab File: BE099999.D

Acq: 13 Jun 2019 20:47

Instrument :

BNA_E

ClientSampleId :

BP-TT-MW203I-20190607


Tot Ion:164 Resp: 2113

Ion Ratio Lower Upper

164 100

162 96.9 77.8 116.8




160 49.7 38.2 57.4



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.257 ng

RT: 15.97 min Scan# 1026

Delta R.T. 0.00 min

Lab File: BE099999.D

Acq: 13 Jun 2019 20:47


Tgt Ion:330 Resp: 401

Ion Ratio Lower Upper

330 100

332 95.5 76.7 115.1



141 25.2 21.0 31.6




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.422 ng
RT: 13.09 min Scan# 824
Delta R.T. -0.01 min
Lab File: BE099999.D
Acq: 13 Jun 2019 20:47

Instrument :
BNA_E
ClientSampleId :
BP-TT-MW203I-20190607

Tot Ion:172 Resp: 3382
Ion Ratio Lower Upper
172 100
171 37.5 29.2 43.8
170 26.4 21.2 31.8




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.22 min Scan# 1119
Delta R.T. 0.00 min
Lab File: BE099999.D
Acq: 13 Jun 2019 20:47

Tgt Ion:188 Resp: 6670
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 6.9 6.4 9.6



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BE0
Ion 80.00 (79.70 to 80.70): BE0





#25

Fluoranthene-d10

Concen: 0.334 ng

RT: 19.24 min Scan# 1388

Delta R.T. -0.01 min

Lab File: BE099999.D

Acq: 13 Jun 2019 20:47

Instrument :

BNA_E

ClientSampleId :

BP-TT-MW203I-20190607


Tot Ion:212 Resp: 32431

Ion Ratio Lower Upper

212 100

106 1.9 1.4 2.2




104 1.0 0.9 1.3



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.40 min Scan# 1633

Delta R.T. 0.00 min

Lab File: BE099999.D

Acq: 13 Jun 2019 20:47


Tgt Ion:240 Resp: 9923

Ion Ratio Lower Upper

240 100

120 5.2 3.8 5.6



236 27.5 22.0 33.0




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.514 ng

RT: 19.84 min Scan# 1492

Delta R.T. -0.01 min

Lab File: BE099999.D

Acq: 13 Jun 2019 20:47

Instrument :

BNA_E

ClientSampleId :

BP-TT-MW203I-20190607


Tot Ion:244 Resp: 9186

Ion Ratio Lower Upper

244 100

212 31.6 25.7 38.5




122 6.6 5.5 8.3



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.346 ng

RT: 21.29 min Scan# 1624

Delta R.T. 0.00 min

Lab File: BE099999.D

Acq: 13 Jun 2019 20:47


Tgt Ion:149 Resp: 14719

Ion Ratio Lower Upper

149 100

167 7.4 5.9 8.9



279 1.1 1.2 1.8#






Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#34

Pervlene-d12

Concen: 0.400 ng

RT: 23.92 min Scan# 2215

Delta R.T. -0.01 min

Lab File: BE099999.D

Acq: 13 Jun 2019 20:47

Instrument :

BNA_E

ClientSampleId :

BP-TT-MW203I-20190607

Tot Ion:264 Resp: 11319

Ion Ratio Lower Upper

264 100

260 25.1 20.2 30.2

265 29.7 22.0 33.0

