

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE061319\
 Data File : BE100002.D
 Acq On : 13 Jun 2019 22:37
 Operator : JU/SJ
 Sample : K3280-08
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 BP-MH-SW4001-SOUTH-20190608

Quant Time: Jun 14 04:35:08 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE061019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 10 14:57:20 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.79	152	641	0.40	ng	0.00
7) Naphthalene-d8	10.60	136	2380	0.40	ng	0.00
13) Acenaphthene-d10	14.47	164	2015	0.40	ng	0.00
19) Phenanthrene-d10	17.21	188	6871	0.40	ng	0.00
27) Chrysene-d12	21.40	240	9017	0.40	ng	0.00
34) Perylene-d12	23.93	264	10500	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.36	112	271	0.16	ng	0.00
5) Phenol-d6	7.00	99	200	0.09	ng	0.03
8) Nitrobenzene-d5	8.99	82	769	0.34	ng	0.03
11) 2-Methylnaphthalene-d10	12.22	152	1477	0.36	ng	0.01
14) 2,4,6-Tribromophenol	15.97	330	480	0.32	ng	0.00
15) 2-Fluorobiphenyl	13.10	172	3155	0.41	ng	0.00
25) Fluoranthene-d10	19.25	212	34114	0.34	ng	0.00
29) Terphenyl-d14	19.84	244	9037	0.56	ng	-0.01
Target Compounds						
2) 1,4-Dioxane	3.27	88	159	0.168	ng	# 58
9) Naphthalene	10.65	128	2644	0.103	ng	# 90
32) Bis(2-ethylhexyl)phthalate	21.29	149	2243	0.058	ng	# 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE061319\
Data File : BE100002.D
Acq On : 13 Jun 2019 22:37
Operator : JU/SJ
Sample : K3280-08
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
BP-MH-SW4001-SOUTH-20190608

Quant Time: Jun 14 04:35:08 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE061019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 10 14:57:20 2019
Response via : Initial Calibration






#1


1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.79 min Scan# 428
Delta R.T. -0.00 min
Lab File: BE100002.D
Acq: 13 Jun 2019 22:37

Instrument :
BNA_E
ClientSampleId :
BP-MH-SW4001-SOUTH-20190608



Tot Ion:152 Resp: 641
Ion Ratio Lower Upper
152 100
150 139.0 111.0 166.6
115 63.3 50.7 76.1



Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E




Time-->




#2

1,4-Dioxane
Concen: 0.168 ng
RT: 3.27 min Scan# 35
Delta R.T. -0.00 min
Lab File: BE100002.D
Acq: 13 Jun 2019 22:37


Tgt Ion: 88 Resp: 159
Ion Ratio Lower Upper
88 100
58 66.7 48.8 73.2
43 87.4 19.0 28.6#




Abundance Ion 88.00 (87.70 to 88.70): BE1
Ion 58.00 (57.70 to 58.70): BE1
Ion 43.00 (42.70 to 43.70): BE1



Time-->





#4

2-Fluorophenol

Concen: 0.157 ng

RT: 5.36 min Scan# 217

Delta R.T. 0.01 min

Lab File: BE100002.D

Acq: 13 Jun 2019 22:37

Instrument :

BNA_E

ClientSampleId :

BP-MH-SW4001-SOUTH-20190608


Tot Ion: 112 Resp: 271

Ion Ratio Lower Upper

112 100

64 52.8 44.1 66.1




63 143.9 87.8 131.6#



Abundance Ion 112.00 (111.70 to 112.70): BE1

Ion 64.00 (63.70 to 64.70): BE1

Ion 63.00 (62.70 to 63.70): BE1



#5

Phenol-d6

Concen: 0.090 ng

RT: 7.00 min Scan# 359

Delta R.T. 0.03 min

Lab File: BE100002.D

Acq: 13 Jun 2019 22:37


Tgt Ion: 99 Resp: 200

Ion Ratio Lower Upper

99 100

42 0.0 15.9 23.9#



71 52.5 34.6 52.0#




Abundance Ion 99.00 (98.70 to 99.70): BE1

Ion 42.00 (41.70 to 42.70): BE1

Ion 71.00 (70.70 to 71.70): BE1





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.60 min Scan# 649

Delta R.T. 0.00 min

Lab File: BE100002.D

Acq: 13 Jun 2019 22:37

Instrument :

BNA_E

ClientSampleId :

BP-MH-SW4001-SOUTH-20190608

Tot Ion:136 Resp: 2380


Ion Ratio Lower Upper

136 100

137 16.0 12.3 18.5

54 49.9 28.2 42.4#

68 13.0 7.8 11.8#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE1

Ion 68.00 (67.70 to 68.70): BE1



#8

Nitrobenzene-d5

Concen: 0.341 ng

RT: 8.99 min Scan# 525

Delta R.T. 0.03 min

Lab File: BE100002.D

Acq: 13 Jun 2019 22:37


Tgt Ion: 82 Resp: 769

Ion Ratio Lower Upper

82 100

128 194.2 137.3 205.9



54 193.2 129.7 194.5




Abundance Ion 82.00 (81.70 to 82.70): BE1

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BE1





#9

Naphthalene

Concen: 0.103 ng

RT: 10.65 min Scan# 653

Delta R.T. 0.00 min

Lab File: BE100002.D

Acq: 13 Jun 2019 22:37

Instrument :

BNA_E

ClientSampleId :

BP-MH-SW4001-SOUTH-20190608


Tot Ion:128 Resp: 2644

Ion Ratio Lower Upper

128 100

129 7.3 3.0 4.6#




127 7.3 3.4 5.0#



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E



#11

2-Methylnaphthalene-d10

Concen: 0.356 ng

RT: 12.22 min Scan# 764

Delta R.T. 0.01 min

Lab File: BE100002.D


Acq: 13 Jun 2019 22:37

Tgt Ion:152 Resp: 1477

Ion Ratio Lower Upper



152 100


151 19.6 15.2 22.8



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.47 min Scan# 920

Delta R.T. 0.00 min

Lab File: BE100002.D

Acq: 13 Jun 2019 22:37

Instrument :

BNA_E

ClientSampleId :

BP-MH-SW4001-SOUTH-20190608


Tot Ion:164 Resp: 2015

Ion Ratio Lower Upper

164 100

162 95.9 77.8 116.8




160 49.3 38.2 57.4



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.322 ng

RT: 15.97 min Scan# 1026

Delta R.T. -0.00 min

Lab File: BE100002.D

Acq: 13 Jun 2019 22:37


Tgt Ion:330 Resp: 480

Ion Ratio Lower Upper

330 100

332 92.5 76.7 115.1



141 25.8 21.0 31.6




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.413 ng
RT: 13.10 min Scan# 825
Delta R.T. 0.00 min
Lab File: BE100002.D
Acq: 13 Jun 2019 22:37




Instrument :
BNA_E
ClientSampleId :
BP-MH-SW4001-SOUTH-20190608


Tot Ion:172 Resp: 3155
Ion Ratio Lower Upper
172 100
171 35.5 29.2 43.8
170 26.5 21.2 31.8



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.21 min Scan# 1119
Delta R.T. -0.00 min
Lab File: BE100002.D
Acq: 13 Jun 2019 22:37

Tgt Ion:188 Resp: 6871
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 8.9 6.4 9.6





#25

Fluoranthene-d10

Concen: 0.341 ng

RT: 19.25 min Scan# 1389

Delta R.T. -0.01 min

Lab File: BE100002.D

Acq: 13 Jun 2019 22:37

Instrument :

BNA_E

ClientSampleId :

BP-MH-SW4001-SOUTH-20190608


Tot Ion:212 Resp: 34114

Ion Ratio Lower Upper

212 100

106 1.8 1.4 2.2




104 1.1 0.9 1.3



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.40 min Scan# 1633

Delta R.T. 0.00 min

Lab File: BE100002.D

Acq: 13 Jun 2019 22:37


Tgt Ion:240 Resp: 9017

Ion Ratio Lower Upper

240 100

120 5.4 3.8 5.6



236 27.3 22.0 33.0




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.557 ng

RT: 19.84 min Scan# 1492

Delta R.T. -0.01 min

Lab File: BE100002.D

Acq: 13 Jun 2019 22:37

Instrument :

BNA_E

ClientSampleId :

BP-MH-SW4001-SOUTH-20190608


Tot Ion:244 Resp: 9037

Ion Ratio Lower Upper

244 100

212 31.9 25.7 38.5




122 6.9 5.5 8.3



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.058 ng

RT: 21.29 min Scan# 1624

Delta R.T. 0.00 min

Lab File: BE100002.D

Acq: 13 Jun 2019 22:37


Tgt Ion:149 Resp: 2243

Ion Ratio Lower Upper

149 100

167 9.0 5.9 8.9#



279 2.1 1.2 1.8#






Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#34
 Pervlene-d12
 Concen: 0.400 ng
 RT: 23.93 min Scan# 2216
 Delta R.T. -0.00 min
 Lab File: BE100002.D
 Acq: 13 Jun 2019 22:37

Instrument :
 BNA_E
 ClientSampleId :
 BP-MH-SW4001-SOUTH-20190608

Tot Ion: 264 Resp: 10500
 Ion Ratio Lower Upper
 264 100
 260 25.8 20.2 30.2
 265 29.7 22.0 33.0

