

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE070219\
 Data File : BE100296.D
 Acq On : 2 Jul 2019 11:23
 Operator : JU/SJ
 Sample : PB120949BL
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 PB120949BL

Quant Time: Jul 03 03:09:33 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE062819.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 28 14:06:53 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.64	152	678	0.40	ng	0.00
7) Naphthalene-d8	10.45	136	2225	0.40	ng	0.00
13) Acenaphthene-d10	14.33	164	1713	0.40	ng	0.02
19) Phenanthrene-d10	17.07	188	5439	0.40	ng	0.01
27) Chrysene-d12	21.26	240	8857	0.40	ng	0.01
34) Perylene-d12	23.68	264	12222	0.40	ng	0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.22	112	565	0.33	ng	0.01
5) Phenol-d6	6.86	99	636	0.28	ng	0.02
8) Nitrobenzene-d5	8.85	82	505	0.23	ng	0.03
11) 2-Methylnaphthalene-d10	12.07	152	1158	0.28	ng	0.02
14) 2,4,6-Tribromophenol	15.84	330	364	0.30	ng	0.01
15) 2-Fluorobiphenyl	12.96	172	1797	0.27	ng	0.02
25) Fluoranthene-d10	19.10	212	25277	0.32	ng	0.00
29) Terphenyl-d14	19.70	244	5617	0.31	ng	0.00


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE070219\
Data File : BE100296.D
Acq On : 2 Jul 2019 11:23
Operator : JU/SJ
Sample : PB120949BL
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
PB120949BL

Quant Time: Jul 03 03:09:33 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE062819.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 28 14:06:53 2019
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 7.64 min Scan# 415

Delta R.T. -0.00 min

Lab File: BE100296.D

Acq: 2 Jul 2019 11:23

Instrument :

BNA_E

ClientSampled :

PB120949BL


Tot Ion:152 Resp: 678

Ion Ratio Lower Upper

152 100

150 133.9 114.5 171.7




115 69.9 57.1 85.7



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 0.327 ng

RT: 5.22 min Scan# 205

Delta R.T. 0.01 min

Lab File: BE100296.D

Acq: 2 Jul 2019 11:23


Tgt Ion:112 Resp: 565

Ion Ratio Lower Upper

112 100

64 58.1 39.4 59.0



63 148.0 104.5 156.7




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE1

Ion 63.00 (62.70 to 63.70): BE1





#5

Phenol-d6

Concen: 0.280 ng

RT: 6.86 min Scan# 347

Delta R.T. 0.02 min

Lab File: BE100296.D

Acq: 2 Jul 2019 11:23

Instrument :

BNA_E

ClientSampleId :

PB120949BL


Tot Ion: 99 Resp: 636

Ion Ratio Lower Upper

99 100

42 10.8 11.2 16.8#




71 42.6 37.2 55.8



Abundance Ion 99.00 (98.70 to 99.70): BE1

Ion 42.00 (41.70 to 42.70): BE1

Ion 71.00 (70.70 to 71.70): BE1



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.45 min Scan# 637

Delta R.T. 0.00 min

Lab File: BE100296.D

Acq: 2 Jul 2019 11:23

Tgt Ion: 136 Resp: 2225


Ion Ratio Lower Upper

136 100

137 16.3 11.8 17.8

54 48.8 27.7 41.5#

68 11.9 6.8 10.2#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE1

Ion 68.00 (67.70 to 68.70): BE1





#8

Nitrobenzene-d5

Concen: 0.228 ng

RT: 8.85 min Scan# 514

Delta R.T. 0.03 min

Lab File: BE100296.D

Acq: 2 Jul 2019 11:23

Instrument :

BNA_E

ClientSampleId :

PB120949BL


Tot Ion: 82 Resp: 505

Ion Ratio Lower Upper

82 100

128 230.1 140.9 211.3#




54 223.5 146.2 219.2#



Abundance Ion 82.00 (81.70 to 82.70): BE1

Ion 128.00 (127.70 to 128.70): BE1

Ion 54.00 (53.70 to 54.70): BE1



#11

2-Methylnaphthalene-d10

Concen: 0.277 ng

RT: 12.07 min Scan# 753

Delta R.T. 0.02 min

Lab File: BE100296.D


Acq: 2 Jul 2019 11:23

Tgt Ion: 152 Resp: 1158

Ion Ratio Lower Upper



152 100


151 20.1 15.1 22.7



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.33 min Scan# 910
Delta R.T. 0.02 min
Lab File: BE100296.D
Acq: 2 Jul 2019 11:23

Instrument :
BNA_E
ClientSampleId :
PB120949BL

Tot Ion:164 Resp: 1713
Ion Ratio Lower Upper
164 100
162 98.8 83.4 125.0
160 51.6 45.0 67.6




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#14
2,4,6-Tribromophenol
Concen: 0.304 ng
RT: 15.84 min Scan# 1016
Delta R.T. 0.01 min
Lab File: BE100296.D
Acq: 2 Jul 2019 11:23

Tgt Ion:330 Resp: 364
Ion Ratio Lower Upper
330 100
332 86.8 77.0 115.4
141 24.5 22.0 33.0



Abundance Ion 330.00 (329.70 to 330.70): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.269 ng
RT: 12.96 min Scan# 815
Delta R.T. 0.02 min
Lab File: BE100296.D
Acq: 2 Jul 2019 11:23

Instrument :
BNA_E
ClientSampleId :
PB120949BL

Tot Ion:172 Resp: 1797
Ion Ratio Lower Upper
172 100
171 39.0 31.9 47.9
170 28.7 22.2 33.2




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.07 min Scan# 1108
Delta R.T. 0.01 min
Lab File: BE100296.D
Acq: 2 Jul 2019 11:23

Tgt Ion:188 Resp: 5439
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 7.8 7.6 11.4



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BE1
Ion 80.00 (79.70 to 80.70): BE1





#25

Fluoranthene-d10

Concen: 0.320 ng

RT: 19.10 min Scan# 1364

Delta R.T. 0.01 min

Lab File: BE100296.D

Acq: 2 Jul 2019 11:23

Instrument :

BNA_E

ClientSampleId :

PB120949BL


Tot Ion:212 Resp: 25277

Ion Ratio Lower Upper

212 100

106 1.7 1.3 1.9




104 0.9 0.8 1.2



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.26 min Scan# 1621

Delta R.T. 0.01 min

Lab File: BE100296.D

Acq: 2 Jul 2019 11:23


Tgt Ion:240 Resp: 8857

Ion Ratio Lower Upper

240 100

120 4.9 3.3 4.9



236 27.8 22.6 34.0




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.306 ng

RT: 19.70 min Scan# 1468

Delta R.T. 0.00 min

Lab File: BE100296.D

Acq: 2 Jul 2019 11:23

Instrument :

BNA_E

ClientSampleId :

PB120949BL


Tot Ion:244 Resp: 5617

Ion Ratio Lower Upper

244 100

212 36.2 27.3 40.9




122 7.3 4.7 7.1#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#34

Perylene-d12

Concen: 0.400 ng

RT: 23.68 min Scan# 2146

Delta R.T. 0.01 min

Lab File: BE100296.D

Acq: 2 Jul 2019 11:23


Tgt Ion:264 Resp: 12222

Ion Ratio Lower Upper

264 100

260 26.0 20.8 31.2

265 29.7 21.8 32.6



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

