

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE071318\
 Data File : BE096915.D
 Acq On : 13 Jul 2018 20:23
 Operator : SJ/JU
 Sample : J3170-13
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :

Quant Time: Jul 13 23:07:07 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE062018.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 13 17:02:57 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.40	152	2121	0.40	ng	0.01
7) Naphthalene-d8	10.15	136	10065	0.40	ng	0.00
13) Acenaphthene-d10	14.03	164	5525	0.40	ng	0.00
19) Phenanthrene-d10	16.77	188	15424	0.40	ng	0.00
27) Chrysene-d12	20.98	240	13340	0.40	ng	0.00
34) Perylene-d12	23.21	264	14160	0.40	ng	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
4) 2-Fluorophenol	5.05	112	1141	0.24	ng	0.00
5) Phenol-d6	6.60	99	971	0.14	ng	0.01
8) Nitrobenzene-d5	8.53	82	3631	0.60	ng	0.01
11) 2-Methylnaphthalene-d10	11.74	152	7022	0.48	ng	0.00
14) 2,4,6-Tribromophenol	15.52	330	778	0.57	ng	0.00
15) 2-Fluorobiphenyl	12.64	172	10116	0.50	ng	0.00
25) Fluoranthene-d10	18.81	212	78746	0.58	ng	0.00
29) Terphenyl-d14	19.43	244	16601	0.64	ng	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) 1,4-Dioxane	3.10	88	26125	8.220	ng	# 89
6) bis(2-Chloroethyl)ether	6.84	93	266	0.034	ng	# 87
9) Naphthalene	10.20	128	5242	0.057	ng	# 97
12) 2-Methylnaphthalene	11.81	142	439	0.029	ng	# 94
22) Pentachlorophenol	16.42	266	4	0.038	ng	# 95
32) Bis(2-ethylhexyl)phthalate	20.93	149	3075	0.116	ng	# 99
36) Benzo(k)fluoranthene	22.59	252	9	0.084	ng	# 1
38) Dibenzo(a,h)anthracene	25.54	278	3	0.109	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE071318\
Data File : BE096915.D
Acq On : 13 Jul 2018 20:23
Operator : SJ/JU
Sample : J3170-13
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :

Quant Time: Jul 13 23:07:07 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE062018.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 13 17:02:57 2018
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 7.40 min Scan# 394

Delta R.T. 0.01 min

Lab File: BE096915.D

Acq: 13 Jul 2018 20:23

Instrument :

BNA_E

ClientSampleId :


Tot Ion:152 Resp: 2121

Ion Ratio Lower Upper

152 100

150 148.4 117.2 175.8




115 64.3 57.0 85.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#2

1,4-Dioxane

Concen: 8.220 ng

RT: 3.10 min Scan# 20

Delta R.T. -0.00 min

Lab File: BE096915.D

Acq: 13 Jul 2018 20:23


Tgt Ion: 88 Resp: 26125

Ion Ratio Lower Upper

88 100

58 81.8 63.2 94.8



43 35.0 41.2 61.8#




Abundance Ion 88.00 (87.70 to 88.70): BE0

Ion 58.00 (57.70 to 58.70): BE0

Ion 43.00 (42.70 to 43.70): BE0





#4

2-Fluorophenol

Concen: 0.241 ng

RT: 5.05 min Scan# 190

Delta R.T. -0.00 min

Lab File: BE096915.D

Acq: 13 Jul 2018 20:23

Instrument :

BNA_E

ClientSampleId :


Tot Ion:112 Resp: 1141

Ion Ratio Lower Upper

112 100

64 69.3 60.1 90.1




63 139.6 116.8 175.2



Abundance Ion 112.00 (111.70 to 112.70): BE0

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0



#5

Phenol-d6

Concen: 0.137 ng

RT: 6.60 min Scan# 324

Delta R.T. 0.01 min

Lab File: BE096915.D

Acq: 13 Jul 2018 20:23


Tgt Ion: 99 Resp: 971

Ion Ratio Lower Upper

99 100

42 35.8 20.2 30.2#



71 46.3 28.4 42.6#




Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0









#6
 bis(2-Chloroethyl)ether
 Concen: 0.034 ng
 RT: 6.84 min Scan# 345
 Delta R.T. -0.00 min
 Lab File: BE096915.D
 Acq: 13 Jul 2018 20:23




Instrument :
 BNA_E
 ClientSampleId :


Tot Ion: 93 Resp: 266
 Ion Ratio Lower Upper
 93 100
 63 313.2 275.3 412.9
 95 31.6 25.2 37.8



#7
 Naphthalene-d8
 Concen: 0.400 ng
 RT: 10.15 min Scan# 613
 Delta R.T. 0.00 min
 Lab File: BE096915.D
 Acq: 13 Jul 2018 20:23

Tgt Ion:136 Resp: 10065
 Ion Ratio Lower Upper
 136 100
 137 11.7 9.5 14.3
 54 50.7 29.1 43.7#
 68 9.5 6.2 9.2#





#8

Nitrobenzene-d5

Concen: 0.596 ng

RT: 8.53 min Scan# 492

Delta R.T. 0.01 min

Lab File: BE096915.D

Acq: 13 Jul 2018 20:23

Instrument :

BNA_E

ClientSampleId :


Tot Ion: 82 Resp: 3631

Ion Ratio Lower Upper

82 100

128 35.5 24.0 36.0




54 44.5 40.0 60.0



Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): BE0

Ion 54.00 (53.70 to 54.70): BE0



#9

Naphthalene

Concen: 0.057 ng

RT: 10.20 min Scan# 617

Delta R.T. 0.00 min

Lab File: BE096915.D

Acq: 13 Jul 2018 20:23


Tgt Ion: 128 Resp: 5242

Ion Ratio Lower Upper

128 100

129 4.4 2.6 3.8#



127 4.5 2.8 4.2#




Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E





#11

2-Methylnaphthalene-d10

Concen: 0.485 ng

RT: 11.74 min Scan# 762

Delta R.T. 0.00 min

Lab File: BE096915.D

Acq: 13 Jul 2018 20:23

Instrument :

BNA_E


ClientSampleId :

Tot Ion:152 Resp: 7022

Ion Ratio Lower Upper

152 100

151 19.5 15.4 23.0



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E

11.74

4000

3000



2000

1000

0

Time-->

11.70 11.80



#12

2-Methylnaphthalene

Concen: 0.029 ng

RT: 11.81 min Scan# 778

Delta R.T. 0.00 min

Lab File: BE096915.D

Acq: 13 Jul 2018 20:23


Tgt Ion:142 Resp: 439

Ion Ratio Lower Upper

142 100

141 87.6 70.4 105.6

115 50.6 31.7 47.5#



Abundance Ion 142.00 (141.70 to 142.70): E

Ion 141.00 (140.70 to 141.70): E

Ion 115.00 (114.70 to 115.70): E

11.81

400

300


200


100

0

Time-->

11.75 11.80 11.85









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.03 min Scan# 1028
Delta R.T. -0.00 min
Lab File: BE096915.D
Acq: 13 Jul 2018 20:23

Instrument :
BNA_E
ClientSampleId :

Tot Ion:164 Resp: 5525
Ion Ratio Lower Upper
164 100
162 102.6 83.1 124.7
160 48.9 37.1 55.7




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#14
2,4,6-Tribromophenol
Concen: 0.566 ng
RT: 15.52 min Scan# 1153
Delta R.T. 0.00 min
Lab File: BE096915.D
Acq: 13 Jul 2018 20:23

Tgt Ion:330 Resp: 778
Ion Ratio Lower Upper
330 100
332 96.9 152.7 229.1#
141 41.5 33.7 50.5



Abundance Ion 330.00 (329.70 to 330.70): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.500 ng
RT: 12.64 min Scan# 908
Delta R.T. -0.00 min
Lab File: BE096915.D
Acq: 13 Jul 2018 20:23




Instrument :
BNA_E
ClientSampleId :


Tot Ion:172 Resp: 10116
Ion Ratio Lower Upper
172 100
171 34.3 29.9 44.9
170 23.1 21.8 32.8



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 16.77 min Scan# 1260
Delta R.T. 0.00 min
Lab File: BE096915.D
Acq: 13 Jul 2018 20:23

Tgt Ion:188 Resp: 15424
Ion Ratio Lower Upper
188 100
94 0.0 3.9 5.9#
80 15.2 3.6 5.4#






#22
 Pentachlorophenol
 Concen: 0.038 ng
 RT: 16.42 min Scan# 1230
 Delta R.T. -0.01 min
 Lab File: BE096915.D
 Acq: 13 Jul 2018 20:23




Instrument :
 BNA_E
 ClientSampleId :

Tot Ion:266 Resp: 4

Ion	Ratio	Lower	Upper
266	100		
264	93.9	72.5	108.7
268	98.0	73.8	110.6




Abundance Ion 266.00 (265.70 to 266.70): E
 Ion 264.00 (263.70 to 264.70): E
 Ion 268.00 (267.70 to 268.70): E





#25
 Fluoranthene-d10
 Concen: 0.580 ng
 RT: 18.81 min Scan# 1502
 Delta R.T. 0.00 min
 Lab File: BE096915.D
 Acq: 13 Jul 2018 20:23


Tgt Ion:212 Resp: 78746

Ion	Ratio	Lower	Upper
212	100		
106	3.6	2.8	4.2
104	1.9	1.6	2.4



Abundance Ion 212.00 (211.70 to 212.70): E
 Ion 106.00 (105.70 to 106.70): E
 Ion 104.00 (103.70 to 104.70): E





#27

Chrysene-d12

Concen: 0.400 ng

RT: 20.98 min Scan# 1786

Delta R.T. 0.00 min

Lab File: BE096915.D

Acq: 13 Jul 2018 20:23

Instrument :

BNA_E

ClientSampleId :


Tot Ion:240 Resp: 13340

Ion Ratio Lower Upper

240 100

120 5.9 5.5 8.3




236 27.2 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#29

Terphenyl-d14

Concen: 0.645 ng

RT: 19.43 min Scan# 1610

Delta R.T. 0.00 min

Lab File: BE096915.D

Acq: 13 Jul 2018 20:23


Tgt Ion:244 Resp: 16601

Ion Ratio Lower Upper

244 100

212 30.3 25.4 38.0



122 10.1 8.1 12.1




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#32

Bis(2-ethylhexyl)phthalate

Concen: 0.116 ng

RT: 20.93 min Scan# 1782

Delta R.T. 0.00 min

Lab File: BE096915.D

Acq: 13 Jul 2018 20:23

Instrument :

BNA_E

ClientSampleId :


Tot Ion:149 Resp: 3075

Ion Ratio Lower Upper

149 100

167 7.0 5.4 8.0




279 0.7 0.7 1.1



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E



#34

Perylene-d12

Concen: 0.400 ng

RT: 23.21 min Scan# 2204

Delta R.T. 0.00 min

Lab File: BE096915.D

Acq: 13 Jul 2018 20:23


Tgt Ion:264 Resp: 14160

Ion Ratio Lower Upper

264 100

260 25.4 20.5 30.7



265 24.5 22.8 34.2




Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E









#36
Benzo(k)fluoranthene
Concen: 0.084 ng
RT: 22.59 min Scan# 2028
Delta R.T. 0.00 min
Lab File: BE096915.D
Acq: 13 Jul 2018 20:23

Instrument :
BNA_E
ClientSampleId :

Tot Ion:252 Resp: 9
Ion Ratio Lower Upper
252 100
253 101.0 16.0 24.0#
125 141.7 8.0 12.0#



#38
Dibenzo(a,h)anthracene
Concen: 0.109 ng
RT: 25.54 min Scan# 2851
Delta R.T. 0.01 min
Lab File: BE096915.D
Acq: 13 Jul 2018 20:23

Tgt Ion:278 Resp: 3
Ion Ratio Lower Upper
278 100
139 117.5 16.0 24.0#
279 105.3 20.0 30.0#

