

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE071318\
 Data File : BE096927.D
 Acq On : 14 Jul 2018 6:17
 Operator : SJ/JU
 Sample : J3170-06DL 5X
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :

Quant Time: Jul 14 06:58:20 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE062018.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 13 17:02:57 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.40	152	2329	0.40	ng	0.00
7) Naphthalene-d8	10.15	136	12268	0.40	ng	0.00
13) Acenaphthene-d10	14.03	164	6750	0.40	ng	0.00
19) Phenanthrene-d10	16.77	188	16675	0.40	ng	0.00
27) Chrysene-d12	20.98	240	13431	0.40	ng	0.00
34) Perylene-d12	23.21	264	13508	0.40	ng	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
4) 2-Fluorophenol	5.05	112	230	0.04	ng	0.00
5) Phenol-d6	6.59	99	178	0.02	ng	0.00
8) Nitrobenzene-d5	8.53	82	710	0.10	ng	0.00
11) 2-Methylnaphthalene-d10	11.73	152	1486	0.08	ng	0.00
14) 2,4,6-Tribromophenol	15.53	330	124	0.22	ng	0.01
15) 2-Fluorobiphenyl	12.64	172	2322	0.09	ng	0.00
25) Fluoranthene-d10	18.81	212	12244	0.08	ng	0.00
29) Terphenyl-d14	19.43	244	3057	0.12	ng	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) 1,4-Dioxane	3.09	88	4275	1.225	ng	# 87
22) Pentachlorophenol	16.44	266	13	0.045	ng	# 97
32) Bis(2-ethylhexyl)phthalate	20.93	149	2456	0.092	ng	# 99
36) Benzo(k)fluoranthene	22.58	252	7	0.083	ng	# 1
38) Dibenzo(a,h)anthracene	25.53	278	2	0.109	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE071318\
Data File : BE096927.D
Acq On : 14 Jul 2018 6:17
Operator : SJ/JU
Sample : J3170-06DL 5X
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampled :

Quant Time: Jul 14 06:57:46 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE062018.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 13 17:02:57 2018
Response via : Initial Calibration






#1


1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.40 min Scan# 394
Delta R.T. 0.01 min
Lab File: BE096927.D
Acq: 14 Jul 2018 6:17

Instrument :
BNA_E
ClientSampleId :



Tot Ion:152 Resp: 2329
Ion Ratio Lower Upper
152 100
150 153.6 117.2 175.8
115 64.5 57.0 85.6



Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E




Time-->




#2

1,4-Dioxane
Concen: 1.225 ng
RT: 3.09 min Scan# 20
Delta R.T. -0.00 min
Lab File: BE096927.D
Acq: 14 Jul 2018 6:17


Tgt Ion: 88 Resp: 4275
Ion Ratio Lower Upper
88 100
58 84.5 63.2 94.8
43 35.6 41.2 61.8#




Abundance Ion 88.00 (87.70 to 88.70): BE0
Ion 58.00 (57.70 to 58.70): BE0
Ion 43.00 (42.70 to 43.70): BE0



Time-->





#4

2-Fluorophenol

Concen: 0.044 ng

RT: 5.05 min Scan# 190

Delta R.T. -0.00 min

Lab File: BE096927.D

Acq: 14 Jul 2018 6:17

Instrument :

BNA_E

ClientSampleId :


Tot Ion: 112 Resp: 230

Ion Ratio Lower Upper

112 100

64 62.6 60.1 90.1




63 129.6 116.8 175.2



Abundance Ion 112.00 (111.70 to 112.70): BE0

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0



#5

Phenol-d6

Concen: 0.023 ng

RT: 6.59 min Scan# 324

Delta R.T. 0.01 min

Lab File: BE096927.D

Acq: 14 Jul 2018 6:17


Tgt Ion: 99 Resp: 178

Ion Ratio Lower Upper

99 100

42 54.5 20.2 30.2#



71 56.2 28.4 42.6#




Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.15 min Scan# 613

Delta R.T. 0.00 min

Lab File: BE096927.D

Acq: 14 Jul 2018 6:17

Instrument :

BNA_E

ClientSampled :

Tot Ion:136 Resp: 12268


Ion Ratio Lower Upper

136 100

137 11.3 9.5 14.3

54 46.2 29.1 43.7#

68 8.3 6.2 9.2






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0



#8

Nitrobenzene-d5

Concen: 0.096 ng

RT: 8.53 min Scan# 492

Delta R.T. 0.01 min

Lab File: BE096927.D

Acq: 14 Jul 2018 6:17


Tgt Ion: 82 Resp: 710

Ion Ratio Lower Upper

82 100

128 39.3 24.0 36.0#



54 56.9 40.0 60.0




Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BE0









#11
 2-Methylnaphthalene-d10
 Concen: 0.084 ng
 RT: 11.73 min Scan# 762
 Delta R.T. 0.00 min
 Lab File: BE096927.D
 Acq: 14 Jul 2018 6:17




Instrument :
 BNA_E
 ClientSampleId :


Tot Ion:152 Resp: 1486
 Ion Ratio Lower Upper
 152 100
 151 19.9 15.4 23.0



#13
 Acenaphthene-d10
 Concen: 0.400 ng
 RT: 14.03 min Scan# 1029
 Delta R.T. -0.00 min
 Lab File: BE096927.D
 Acq: 14 Jul 2018 6:17

Tgt Ion:164 Resp: 6750
 Ion Ratio Lower Upper
 164 100
 162 100.1 83.1 124.7
 160 50.5 37.1 55.7









#14
 2,4,6-Tribromophenol
 Concen: 0.218 ng
 RT: 15.53 min Scan# 1155
 Delta R.T. 0.01 min
 Lab File: BE096927.D
 Acq: 14 Jul 2018 6:17

Instrument :
 BNA_E
 ClientSampled :

Tot Ion:330 Resp: 124
 Ion Ratio Lower Upper
 330 100
 332 101.6 152.7 229.1#
 141 57.3 33.7 50.5#




Abundance Ion 330.00 (329.70 to 330.70): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#15
 2-Fluorobiphenyl
 Concen: 0.094 ng
 RT: 12.64 min Scan# 909
 Delta R.T. -0.00 min
 Lab File: BE096927.D
 Acq: 14 Jul 2018 6:17

Tgt Ion:172 Resp: 2322
 Ion Ratio Lower Upper
 172 100
 171 33.5 29.9 44.9
 170 24.6 21.8 32.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 16.77 min Scan# 1261
Delta R.T. 0.00 min
Lab File: BE096927.D
Acq: 14 Jul 2018 6:17




Instrument :
BNA_E
ClientSampled :


Tot Ion:188 Resp: 16675
Ion Ratio Lower Upper
188 100
94 0.0 3.9 5.9#
80 15.0 3.6 5.4#



#22
Pentachlorophenol
Concen: 0.045 ng
RT: 16.44 min Scan# 1233
Delta R.T. 0.01 min
Lab File: BE096927.D
Acq: 14 Jul 2018 6:17

Tgt Ion:266 Resp: 13
Ion Ratio Lower Upper
266 100
264 88.5 72.5 108.7
268 96.2 73.8 110.6





#25

Fluoranthene-d10

Concen: 0.083 ng

RT: 18.81 min Scan# 1503

Delta R.T. 0.00 min

Lab File: BE096927.D

Acq: 14 Jul 2018 6:17

Instrument :

BNA_E

ClientSampleId :


Tot Ion:212 Resp: 12244

Ion Ratio Lower Upper

212 100

106 3.8 2.8 4.2




104 2.1 1.6 2.4



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 20.98 min Scan# 1787

Delta R.T. 0.00 min

Lab File: BE096927.D

Acq: 14 Jul 2018 6:17


Tgt Ion:240 Resp: 13431

Ion Ratio Lower Upper

240 100

120 5.8 5.5 8.3



236 27.2 20.7 31.1




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.118 ng

RT: 19.43 min Scan# 1610

Delta R.T. -0.00 min

Lab File: BE096927.D

Acq: 14 Jul 2018 6:17

Instrument :

BNA_E

ClientSampleId :





Tot Ion:244 Resp: 3057

Ion Ratio Lower Upper

244 100

212 39.6 25.4 38.0#

122 14.3 8.1 12.1#



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.092 ng

RT: 20.93 min Scan# 1783

Delta R.T. 0.00 min

Lab File: BE096927.D

Acq: 14 Jul 2018 6:17




Tgt Ion:149 Resp: 2456


Ion Ratio Lower Upper

149 100

167 6.5 5.4 8.0

279 1.1 0.7 1.1#









#34
 Pervlene-d12
 Concen: 0.400 ng
 RT: 23.21 min Scan# 2205
 Delta R.T. 0.00 min
 Lab File: BE096927.D
 Acq: 14 Jul 2018 6:17




Instrument :
 BNA_E
 ClientSampleId :


Tot Ion:264 Resp: 13508
 Ion Ratio Lower Upper
 264 100
 260 25.4 20.5 30.7
 265 24.6 22.8 34.2



#36
 Benzo(k)fluoranthene
 Concen: 0.083 ng
 RT: 22.58 min Scan# 2028
 Delta R.T. 0.00 min
 Lab File: BE096927.D
 Acq: 14 Jul 2018 6:17

Tgt Ion:252 Resp: 7
 Ion Ratio Lower Upper
 252 100
 253 107.1 16.0 24.0#
 125 120.0 8.0 12.0#





#38

Dibenzo(a,h)anthracene

Concen: 0.109 ng

RT: 25.53 min Scan# 2850

Delta R.T. -0.00 min


Lab File: BE096927.D

Acq: 14 Jul 2018 6:17

Instrument :

BNA_E

ClientSampleId :



Tot Ion:	278	Resp:	2
Ion	Ratio	Lower	Upper
278	100		
139	119.6	16.0	24.0#
279	105.9	20.0	30.0#

