

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE071618\
 Data File : BE096940.D
 Acq On : 16 Jul 2018 15:30
 Operator : SJ/JU
 Sample : SSTDICC3.2
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 SSTDICC3.2

Quant Time: Jul 16 18:04:34 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE071618.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jul 16 16:27:17 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.40	152	1967	0.40	ng	0.00
7) Naphthalene-d8	10.14	136	10553	0.40	ng	0.00
13) Acenaphthene-d10	14.03	164	5816	0.40	ng	0.00
19) Phenanthrene-d10	16.78	188	13371	0.40	ng	0.00
27) Chrysene-d12	20.98	240	13144	0.40	ng	0.00
34) Perylene-d12	23.21	264	10409	0.40	ng	0.00

System Monitoring Compounds						
4) 2-Fluorophenol	5.05	112	16846	3.58	ng	0.00
5) Phenol-d6	6.59	99	26618	3.71	ng	0.00
8) Nitrobenzene-d5	8.53	82	28037	3.64	ng	0.00
11) 2-Methylnaphthalene-d10	11.73	152	52342	3.40	ng	0.00
14) 2,4,6-Tribromophenol	15.52	330	7132	3.20	ng	0.00
15) 2-Fluorobiphenyl	12.64	172	70652	3.27	ng	0.00
25) Fluoranthene-d10	18.81	212	438824	3.77	ng	0.00
29) Terphenyl-d14	19.44	244	83893	3.31	ng	0.00


Target Compounds				Qvalue		
2) 1,4-Dioxane	3.09	88	9134	3.244	ng	# 87
3) n-Nitrosodimethylamine	3.37	42	11514	3.634	ng	# 91
6) bis(2-Chloroethyl)ether	6.84	93	23878	3.388	ng	99
9) Naphthalene	10.20	128	311745	3.300	ng	99
10) Hexachlorobutadiene	10.50	225	12715	3.329	ng	98
12) 2-Methylnaphthalene	11.81	142	54567	3.406	ng	98
16) Acenaphthylene	13.74	152	94221	3.547	ng	100
17) Acenaphthene	14.08	154	57043	3.454	ng	96
18) Fluorene	15.07	166	66067	3.563	ng	# 80
20) 4-Bromophenyl-phenylether	15.98	248	22205	3.512	ng	# 73
21) Hexachlorobenzene	16.09	284	23487	3.344	ng	# 81
23) Phenanthrene	16.81	178	110221	3.442	ng	99
24) Anthracene	16.90	178	103432	3.712	ng	95
26) Fluoranthene	18.84	202	127011	3.761	ng	99
28) Pyrene	19.21	202	126461	3.259	ng	99
30) Benzo(a)anthracene	20.96	228	114212	3.649	ng	98
31) Chrysene	21.02	228	114336	3.257	ng	99
33) Indeno(1,2,3-cd)pyrene	25.51	276	97718	3.631	ng	96
35) Benzo(b)fluoranthene	22.54	252	100820	3.795	ng	# 86
36) Benzo(k)fluoranthene	22.58	252	118733	3.758	ng	97
37) Benzo(a)pyrene	23.11	252	94842	3.991	ng	# 93
38) Dibenzo(a,h)anthracene	25.53	278	81163	3.901	ng	# 94
39) Benzo(g,h,i)perylene	26.21	276	83009	3.548	ng	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE071618\
Data File : BE096940.D
Acq On : 16 Jul 2018 15:30
Operator : SJ/JU
Sample : SSTDICC3.2
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
SSTDICC3.2

Quant Time: Jul 16 18:04:34 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE071618.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jul 16 16:27:17 2018
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 7.40 min Scan# 394

Delta R.T. -0.00 min

Lab File: BE096940.D

Acq: 16 Jul 2018 15:30

Instrument :

BNA_E

ClientSampleId :

SSTDICC3.2


Tot Ion:152 Resp: 1967

Ion Ratio Lower Upper

152 100

150 150.1 117.2 175.8




115 64.0 57.0 85.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#2

1,4-Dioxane

Concen: 3.244 ng

RT: 3.09 min Scan# 20

Delta R.T. -0.00 min

Lab File: BE096940.D

Acq: 16 Jul 2018 15:30


Tgt Ion: 88 Resp: 9134

Ion Ratio Lower Upper

88 100

58 82.7 63.2 94.8



43 33.2 41.2 61.8#




Abundance Ion 88.00 (87.70 to 88.70): BE0

Ion 58.00 (57.70 to 58.70): BE0

Ion 43.00 (42.70 to 43.70): BE0





#3

n-Nitrosodimethylamine

Concen: 3.634 ng

RT: 3.37 min Scan# 44

Delta R.T. -0.01 min

Lab File: BE096940.D

Acq: 16 Jul 2018 15:30

Instrument :

BNA_E

ClientSampleId :

SSTDICC3.2


Tot Ion: 42 Resp: 11514

Ion Ratio Lower Upper

42 100

74 110.9 96.0 144.0



44 8.6 12.0 18.0#



Abundance Ion 42.00 (41.70 to 42.70): BE0

Ion 74.00 (73.70 to 74.70): BE0

Ion 44.00 (43.70 to 44.70): BE0



#4

2-Fluorophenol

Concen: 3.580 ng

RT: 5.05 min Scan# 190

Delta R.T. -0.00 min

Lab File: BE096940.D

Acq: 16 Jul 2018 15:30



Tgt Ion: 112 Resp: 16846

Ion Ratio Lower Upper

112 100

64 67.5 60.1 90.1



63 144.1 116.8 175.2




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 3.707 ng

RT: 6.59 min Scan# 324

Delta R.T. -0.00 min

Lab File: BE096940.D

Acq: 16 Jul 2018 15:30

Instrument :

BNA_E

ClientSampleId :

SSTDICC3.2


Tot Ion: 99 Resp: 26618

Ion Ratio Lower Upper

99 100

42 23.2 20.2 30.2




71 35.8 28.4 42.6



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#6

bis(2-Chloroethyl)ether

Concen: 3.388 ng

RT: 6.84 min Scan# 345

Delta R.T. -0.00 min

Lab File: BE096940.D

Acq: 16 Jul 2018 15:30


Tgt Ion: 93 Resp: 23878

Ion Ratio Lower Upper

93 100

63 341.9 275.3 412.9



95 32.6 25.2 37.8




Abundance Ion 93.00 (92.70 to 93.70): BE0

Ion 63.00 (62.70 to 63.70): BE0

Ion 95.00 (94.70 to 95.70): BE0





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.14 min Scan# 613

Delta R.T. -0.00 min

Lab File: BE096940.D

Acq: 16 Jul 2018 15:30

Instrument :

BNA_E

ClientSampleId :

SSTDICC3.2

Tot Ion:136 Resp: 10553



Ion Ratio Lower Upper

136 100

137 11.6 9.5 14.3

54 47.2 29.1 43.7#

68 8.6 6.2 9.2





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0



#8

Nitrobenzene-d5

Concen: 3.643 ng

RT: 8.53 min Scan# 492

Delta R.T. -0.00 min

Lab File: BE096940.D

Acq: 16 Jul 2018 15:30



Tgt Ion: 82 Resp: 28037

Ion Ratio Lower Upper

82 100

128 36.4 24.0 36.0#


54 43.0 40.0 60.0




Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BE0





#9

Naphthalene

Concen: 3.300 ng

RT: 10.20 min Scan# 617

Delta R.T. -0.00 min

Lab File: BE096940.D

Acq: 16 Jul 2018 15:30

Instrument :

BNA_E

ClientSampleId :

SSTDICC3.2


Tot Ion:128 Resp: 311745

Ion Ratio Lower Upper




128 100

129 2.7 2.6 3.8

127 3.3 2.8 4.2



Abundance Ion 128.00 (127.70 to 128.70): E
Ion 129.00 (128.70 to 129.70): E
Ion 127.00 (126.70 to 127.70): E



#10

Hexachlorobutadiene

Concen: 3.329 ng

RT: 10.50 min Scan# 640

Delta R.T. -0.00 min

Lab File: BE096940.D

Acq: 16 Jul 2018 15:30


Tgt Ion:225 Resp: 12715

Ion Ratio Lower Upper



225 100


223 63.5 53.0 79.6

227 63.6 51.4 77.2



Abundance Ion 225.00 (224.70 to 225.70): E
Ion 223.00 (222.70 to 223.70): E
Ion 227.00 (226.70 to 227.70): E





#11

2-Methylnaphthalene-d10

Concen: 3.403 ng

RT: 11.73 min Scan# 762

Delta R.T. 0.00 min

Lab File: BE096940.D

Acq: 16 Jul 2018 15:30

Instrument :

BNA_E

ClientSampleId :





SSTDICC3.2

Tot Ion:152 Resp: 52342

Ion Ratio Lower Upper

152 100

151 19.0 15.4 23.0



#12

2-Methylnaphthalene

Concen: 3.406 ng

RT: 11.81 min Scan# 778

Delta R.T. 0.00 min

Lab File: BE096940.D

Acq: 16 Jul 2018 15:30




Tgt Ion:142 Resp: 54567


Ion Ratio Lower Upper

142 100

141 86.5 70.4 105.6

115 37.9 31.7 47.5









#13
 Acenaphthene-d10
 Concen: 0.400 ng
 RT: 14.03 min Scan# 1029
 Delta R.T. 0.00 min
 Lab File: BE096940.D
 Acq: 16 Jul 2018 15:30




Instrument :
 BNA_E
 ClientSampleId :
 SSTDICC3.2


Tot Ion:164 Resp: 5816
 Ion Ratio Lower Upper
 164 100
 162 101.6 83.1 124.7
 160 50.3 37.1 55.7



#14
 2,4,6-Tribromophenol
 Concen: 3.196 ng
 RT: 15.52 min Scan# 1154
 Delta R.T. 0.00 min
 Lab File: BE096940.D
 Acq: 16 Jul 2018 15:30

Tgt Ion:330 Resp: 7132
 Ion Ratio Lower Upper
 330 100
 332 95.1 152.7 229.1#
 141 41.4 33.7 50.5









#15
2-Fluorobiphenyl
Concen: 3.266 ng
RT: 12.64 min Scan# 909
Delta R.T. 0.00 min
Lab File: BE096940.D
Acq: 16 Jul 2018 15:30




Instrument :
BNA_E
ClientSampleId :
SSTDICC3.2


Tot Ion:172 Resp: 70652
Ion Ratio Lower Upper
172 100
171 33.6 29.9 44.9
170 21.9 21.8 32.8



#16
Acenaphthylene
Concen: 3.547 ng
RT: 13.74 min Scan# 1004
Delta R.T. 0.00 min
Lab File: BE096940.D
Acq: 16 Jul 2018 15:30

Tgt Ion:152 Resp: 94221
Ion Ratio Lower Upper
152 100
151 19.9 15.7 23.5
153 13.0 10.5 15.7









#17
Acenaphthene
Concen: 3.454 ng
RT: 14.08 min Scan# 1034
Delta R.T. 0.00 min
Lab File: BE096940.D
Acq: 16 Jul 2018 15:30

Instrument :
BNA_E
ClientSampleId :
SSTDICC3.2

Tot Ion:154 Resp: 57043
Ion Ratio Lower Upper
154 100
153 113.4 89.2 133.8
152 58.2 42.0 63.0




Abundance Ion 154.00 (153.70 to 154.70): E
Ion 153.00 (152.70 to 153.70): E
Ion 152.00 (151.70 to 152.70): E






#18
Fluorene
Concen: 3.563 ng
RT: 15.07 min Scan# 1116
Delta R.T. -0.00 min
Lab File: BE096940.D
Acq: 16 Jul 2018 15:30

Tgt Ion:166 Resp: 66067
Ion Ratio Lower Upper
166 100
165 98.3 77.8 116.6
167 14.5 42.4 63.6#



Abundance Ion 166.00 (165.70 to 166.70): E
Ion 165.00 (164.70 to 165.70): E
Ion 167.00 (166.70 to 167.70): E





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 16.78 min Scan# 1262

Delta R.T. -0.00 min

Lab File: BE096940.D

Acq: 16 Jul 2018 15:30

Instrument :

BNA_E

ClientSampleId :

SSTDICC3.2


Tot Ion:188 Resp: 13371

Ion Ratio Lower Upper

188 100

94 0.0 3.9 5.9#




80 7.3 3.6 5.4#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#20

4-Bromophenyl-phenylether

Concen: 3.512 ng

RT: 15.98 min Scan# 1194

Delta R.T. -0.00 min

Lab File: BE096940.D

Acq: 16 Jul 2018 15:30


Tgt Ion:248 Resp: 22205

Ion Ratio Lower Upper

248 100

250 104.3 62.7 94.1#



141 42.3 48.2 72.2#




Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E









#21
Hexachlorobenzene
Concen: 3.344 ng
RT: 16.09 min Scan# 1203
Delta R.T. -0.00 min
Lab File: BE096940.D
Acq: 16 Jul 2018 15:30




Instrument :
BNA_E
ClientSampleId :
SSTDICC3.2


Tot Ion:284 Resp: 23487
Ion Ratio Lower Upper
284 100
142 38.3 22.1 33.1#
249 31.6 34.8 52.2#



#23
Phenanthrene
Concen: 3.442 ng
RT: 16.81 min Scan# 1265
Delta R.T. -0.00 min
Lab File: BE096940.D
Acq: 16 Jul 2018 15:30

Tgt Ion:178 Resp: 110221
Ion Ratio Lower Upper
178 100
176 19.3 15.1 22.7
179 15.3 11.8 17.6





#24

Anthracene

Concen: 3.712 ng

RT: 16.90 min Scan# 1273

Delta R.T. -0.00 min

Lab File: BE096940.D

Acq: 16 Jul 2018 15:30

Instrument :

BNA_E

ClientSampleId :

SSTDICC3.2





Tot Ion:178 Resp: 103432

Ion Ratio Lower Upper

178 100

176 18.9 12.8 19.2

179 15.3 13.0 19.6



#25

Fluoranthene-d10

Concen: 3.772 ng

RT: 18.81 min Scan# 1503

Delta R.T. -0.00 min

Lab File: BE096940.D

Acq: 16 Jul 2018 15:30




Tgt Ion:212 Resp: 438824


Ion Ratio Lower Upper

212 100

106 3.5 2.8 4.2

104 1.9 1.6 2.4









#26
 Fluoranthene
 Concen: 3.761 ng
 RT: 18.84 min Scan# 1509
 Delta R.T. -0.00 min
 Lab File: BE096940.D
 Acq: 16 Jul 2018 15:30




Instrument :
 BNA_E
 ClientSampleId :
 SSTDICC3.2


Tot Ion:202 Resp: 127011
 Ion Ratio Lower Upper
 202 100
 101 11.4 9.8 14.8
 203 17.5 13.7 20.5



#27
 Chrysene-d12
 Concen: 0.400 ng
 RT: 20.98 min Scan# 1788
 Delta R.T. 0.00 min
 Lab File: BE096940.D
 Acq: 16 Jul 2018 15:30

Tgt Ion:240 Resp: 13144
 Ion Ratio Lower Upper
 240 100
 120 5.4 5.5 8.3#
 236 26.5 20.7 31.1









#28
 Pvrene
 Concen: 3.259 ng
 RT: 19.21 min Scan# 1572
 Delta R.T. -0.00 min
 Lab File: BE096940.D
 Acq: 16 Jul 2018 15:30




Instrument :
 BNA_E
 ClientSampleId :
 SSTDICC3.2


Tot Ion	Ratio	Lower	Upper
202	100		
200	20.0	16.6	25.0
203	17.5	13.8	20.8



#29
 Terphenyl-d14
 Concen: 3.308 ng
 RT: 19.44 min Scan# 1612
 Delta R.T. 0.01 min
 Lab File: BE096940.D
 Acq: 16 Jul 2018 15:30

Tgt Ion	Ratio	Lower	Upper
244	100		
212	30.2	25.4	38.0
122	10.1	8.1	12.1





#30

Benzo(a)anthracene

Concen: 3.649 ng

RT: 20.96 min Scan# 1786

Delta R.T. -0.01 min

Lab File: BE096940.D

Acq: 16 Jul 2018 15:30

Instrument :





BNA_E

ClientSampleId :

SSTDICC3.2

Tot Ion:228 Resp: 114212

Ion	Ratio	Lower	Upper
228	100		
226	28.8	24.0	36.0
229	19.2	16.0	24.0



#31

Chrysene

Concen: 3.257 ng

RT: 21.02 min Scan# 1791




Delta R.T. 0.00 min


Lab File: BE096940.D

Acq: 16 Jul 2018 15:30

Tgt Ion:228 Resp: 114336

Ion	Ratio	Lower	Upper
228	100		
226	29.1	24.0	36.0
229	20.2	16.0	24.0









#33
 Indeno(1,2,3-cd)pyrene
 Concen: 3.631 ng
 RT: 25.51 min Scan# 2845
 Delta R.T. -0.01 min
 Lab File: BE096940.D
 Acq: 16 Jul 2018 15:30




Instrument :
 BNA_E
 ClientSampleId :
 SSTDICC3.2


Tot Ion:276 Resp: 97718
 Ion Ratio Lower Upper
 276 100
 138 24.2 22.5 33.7
 277 24.8 19.9 29.9



#34
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.21 min Scan# 2206
 Delta R.T. -0.00 min
 Lab File: BE096940.D
 Acq: 16 Jul 2018 15:30

Tgt Ion:264 Resp: 10409
 Ion Ratio Lower Upper
 264 100
 260 26.0 20.5 30.7
 265 25.2 22.8 34.2









#35
Benzo(b)fluoranthene
Concen: 3.795 ng
RT: 22.54 min Scan# 2017
Delta R.T. -0.00 min
Lab File: BE096940.D
Acq: 16 Jul 2018 15:30




Instrument :
BNA_E
ClientSampleId :
SSTDICC3.2


Tot Ion:252 Resp: 100820
Ion Ratio Lower Upper
252 100
253 21.9 20.0 30.0
125 9.5 16.0 24.0#



#36
Benzo(k)fluoranthene
Concen: 3.758 ng
RT: 22.58 min Scan# 2029
Delta R.T. -0.00 min
Lab File: BE096940.D
Acq: 16 Jul 2018 15:30

Tgt Ion:252 Resp: 118733
Ion Ratio Lower Upper
252 100
253 22.0 16.0 24.0
125 9.4 8.0 12.0









#37
Benzo(a)pyrene
Concen: 3.991 ng
RT: 23.11 min Scan# 2178
Delta R.T. -0.00 min
Lab File: BE096940.D
Acq: 16 Jul 2018 15:30




Instrument :
BNA_E
ClientSampleId :
SSTDICC3.2


Tot Ion:252 Resp: 94842
Ion Ratio Lower Upper
252 100
253 21.8 16.0 24.0
125 10.7 12.0 18.0#



#38
Dibenzo(a,h)anthracene
Concen: 3.901 ng
RT: 25.53 min Scan# 2853
Delta R.T. 0.00 min
Lab File: BE096940.D
Acq: 16 Jul 2018 15:30

Tgt Ion:278 Resp: 81163
Ion Ratio Lower Upper
278 100
139 15.6 16.0 24.0#
279 23.7 20.0 30.0





#39

Benzo(a,h,i)perylene

Concen: 3.548 ng

RT: 26.21 min Scan# 3041

Delta R.T. -0.00 min

Lab File: BE096940.D

Acq: 16 Jul 2018 15:30

Instrument :

BNA_E

ClientSampleId :

SSTDICC3.2


Tot Ion:276 Resp: 83009

Ion Ratio Lower Upper

276 100

277 23.7 16.0 24.0

138 20.8 20.0 30.0



Abundance Ion 276.00 (275.70 to 276.70): E

Ion 277.00 (276.70 to 277.70): E

Ion 138.00 (137.70 to 138.70): E

