

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE100818\
 Data File : BE097803.D
 Acq On : 8 Oct 2018 21:10
 Operator : SJ/JU
 Sample : J5189-11DL 5X
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 TT-101D1-20180928DL

Quant Time: Oct 09 07:45:03 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE100318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 08 06:37:06 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.89	152	3816	0.40	ng	-0.01
7) Naphthalene-d8	10.69	136	15547	0.40	ng	0.00
13) Acenaphthene-d10	14.56	164	9445	0.40	ng	0.00
19) Phenanthrene-d10	17.29	188	26489	0.40	ng	-0.01
27) Chrysene-d12	21.47	240	29156	0.40	ng	-0.01
34) Perylene-d12	24.02	264	27017	0.40	ng	-0.02
System Monitoring Compounds						
4) 2-Fluorophenol	5.47	112	463	0.05	ng	0.00
5) Phenol-d6	7.04	99	299	0.02	ng	0.00
8) Nitrobenzene-d5	9.06	82	822	0.16	ng	0.01
11) 2-Methylnaphthalene-d10	12.30	152	2493	0.10	ng	0.00
14) 2,4,6-Tribromophenol	16.04	330	206	0.12	ng	0.00
15) 2-Fluorobiphenyl	13.17	172	4794	0.12	ng	-0.02
25) Fluoranthene-d10	19.32	212	33607	0.10	ng	-0.01
29) Terphenyl-d14	19.92	244	7324	0.12	ng	-0.01
Target Compounds						
2) 1,4-Dioxane	3.39	88	9445	1.242	ng	Qvalue 98
32) Bis(2-ethylhexyl)phthalate	21.40	149	1164	0.020	ng	# 94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE100818\
Data File : BE097803.D
Acq On : 8 Oct 2018 21:10
Operator : SJ/JU
Sample : J5189-11DL 5X
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
TT-101D1-20180928DL

Quant Time: Oct 09 07:45:03 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE100318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 08 06:37:06 2018
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 7.89 min Scan# 436

Delta R.T. -0.01 min

Lab File: BE097803.D

Acq: 8 Oct 2018 21:10

Instrument :

BNA_E

ClientSampleId :

TT-101D1-20180928DL


Tot Ion:152 Resp: 3816

Ion Ratio Lower Upper

152 100

150 155.9 120.9 181.3

115 64.7 46.6 69.8






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#2

1,4-Dioxane

Concen: 1.242 ng

RT: 3.39 min Scan# 46

Delta R.T. -0.00 min

Lab File: BE097803.D

Acq: 8 Oct 2018 21:10


Tgt Ion: 88 Resp: 9445

Ion Ratio Lower Upper

88 100

58 86.3 70.8 106.2

43 40.5 33.3 49.9






Abundance

Ion 88.00 (87.70 to 88.70): BE0

Ion 58.00 (57.70 to 58.70): BE0

Ion 43.00 (42.70 to 43.70): BE0





#4

2-Fluorophenol

Concen: 0.051 ng

RT: 5.47 min Scan# 226

Delta R.T. -0.00 min

Lab File: BE097803.D

Acq: 8 Oct 2018 21:10

Instrument :

BNA_E

ClientSampleId :

TT-101D1-20180928DL


Tot Ion:112 Resp: 463

Ion Ratio Lower Upper

112 100

64 79.0 56.6 84.8




63 142.1 119.4 179.0



Abundance Ion 112.00 (111.70 to 112.70): BE0

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0



#5

Phenol-d6

Concen: 0.022 ng

RT: 7.04 min Scan# 363

Delta R.T. -0.00 min

Lab File: BE097803.D

Acq: 8 Oct 2018 21:10


Tgt Ion: 99 Resp: 299

Ion Ratio Lower Upper

99 100

42 41.5 19.9 29.9#



71 65.9 25.4 38.2#




Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.69 min Scan# 656

Delta R.T. 0.00 min

Lab File: BE097803.D

Acq: 8 Oct 2018 21:10

Instrument :

BNA_E

ClientSampleId :

TT-101D1-20180928DL

Tot Ion:136 Resp: 15547





Ion Ratio Lower Upper

136 100

137 12.1 9.0 13.4

54 32.6 37.8 56.6#

68 6.0 6.4 9.6#



#8

Nitrobenzene-d5

Concen: 0.163 ng

RT: 9.06 min Scan# 530

Delta R.T. 0.01 min

Lab File: BE097803.D

Acq: 8 Oct 2018 21:10




Tgt Ion: 82 Resp: 822


Ion Ratio Lower Upper

82 100

128 194.4 97.0 145.4#

54 285.4 206.9 310.3









#11
 2-Methylnaphthalene-d10
 Concen: 0.101 ng
 RT: 12.30 min Scan# 769
 Delta R.T. -0.00 min
 Lab File: BE097803.D
 Acq: 8 Oct 2018 21:10




Instrument :
 BNA_E
 ClientSampleId :
 TT-101D1-20180928DL


Tot Ion:152 Resp: 2493
 Ion Ratio Lower Upper
 152 100
 151 20.2 15.4 23.2



#13
 Acenaphthene-d10
 Concen: 0.400 ng
 RT: 14.56 min Scan# 926
 Delta R.T. -0.00 min
 Lab File: BE097803.D
 Acq: 8 Oct 2018 21:10

Tgt Ion:164 Resp: 9445
 Ion Ratio Lower Upper
 164 100
 162 95.0 78.6 117.8
 160 46.7 37.8 56.6





#14

2,4,6-Tribromophenol

Concen: 0.120 ng

RT: 16.04 min Scan# 1043

Delta R.T. 0.00 min

Lab File: BE097803.D

Acq: 8 Oct 2018 21:10

Instrument :

BNA_E

ClientSampleId :

TT-101D1-20180928DL


Tot Ion:330 Resp: 206

Ion Ratio Lower Upper




330 100

332 85.0 83.5 125.3

141 50.5 34.9 52.3



Abundance Ion 330.00 (329.70 to 330.70): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E



#15

2-Fluorobiphenyl

Concen: 0.115 ng

RT: 13.17 min Scan# 830

Delta R.T. -0.02 min

Lab File: BE097803.D

Acq: 8 Oct 2018 21:10


Tgt Ion:172 Resp: 4794

Ion Ratio Lower Upper



172 100


171 32.0 25.2 37.8

170 22.5 16.2 24.2



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.29 min Scan# 1150

Delta R.T. -0.01 min

Lab File: BE097803.D

Acq: 8 Oct 2018 21:10

Instrument :

BNA_E

ClientSampleId :

TT-101D1-20180928DL


Tot Ion:188 Resp: 26489

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0




80 10.7 6.6 9.8#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#25

Fluoranthene-d10

Concen: 0.100 ng

RT: 19.32 min Scan# 1435

Delta R.T. -0.01 min

Lab File: BE097803.D

Acq: 8 Oct 2018 21:10


Tgt Ion:212 Resp: 33607

Ion Ratio Lower Upper

212 100

106 2.7 2.2 3.2



104 1.5 1.2 1.8




Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E





#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.47 min Scan# 1672

Delta R.T. -0.01 min

Lab File: BE097803.D

Acq: 8 Oct 2018 21:10

Instrument :

BNA_E

ClientSampleId :

TT-101D1-20180928DL


Tot Ion:240 Resp: 29156

Ion Ratio Lower Upper

240 100

120 8.1 4.7 7.1#




236 27.0 20.8 31.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#29

Terphenyl-d14

Concen: 0.123 ng

RT: 19.92 min Scan# 1540

Delta R.T. -0.01 min

Lab File: BE097803.D

Acq: 8 Oct 2018 21:10


Tgt Ion:244 Resp: 7324

Ion Ratio Lower Upper

244 100

212 34.9 25.8 38.8



122 9.8 8.7 13.1




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E









#32
 Bis(2-ethylhexyl)phthalate
 Concen: 0.020 ng
 RT: 21.40 min Scan# 1666
 Delta R.T. -0.01 min
 Lab File: BE097803.D
 Acq: 8 Oct 2018 21:10

Instrument :
 BNA_E
 ClientSampleId :
 TT-101D1-20180928DL

Tot Ion:149 Resp: 1164
 Ion Ratio Lower Upper
 149 100
 167 9.0 5.5 8.3#
 279 2.0 0.9 1.3#



#34
 Perylene-d12
 Concen: 0.400 ng
 RT: 24.02 min Scan# 2276
 Delta R.T. -0.02 min
 Lab File: BE097803.D
 Acq: 8 Oct 2018 21:10

Tgt Ion:264 Resp: 27017
 Ion Ratio Lower Upper
 264 100
 260 24.6 19.1 28.7
 265 27.7 21.9 32.9

