

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE101119\
 Data File : BE100636.D
 Acq On : 11 Oct 2019 11:26
 Operator : JU
 Sample : K4839-21DL 5X
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :

Quant Time: Oct 11 15:06:27 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE101019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 10 14:01:52 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.85	152	6404	0.40	ng	-0.01
7) Naphthalene-d8	10.64	136	25971	0.40	ng	0.00
13) Acenaphthene-d10	14.47	164	15404	0.40	ng	-0.01
19) Phenanthrene-d10	17.20	188	35852	0.40	ng	0.00
27) Chrysene-d12	21.37	240	45146	0.40	ng	0.00
34) Perylene-d12	23.85	264	46149	0.40	ng	0.00

System Monitoring Compounds						
4) 2-Fluorophenol	5.44	112	1661	0.08	ng	0.00
5) Phenol-d6	7.01	99	2423	0.09	ng	0.00
8) Nitrobenzene-d5	8.99	82	1402	0.09	ng	0.00
11) 2-Methylnaphthalene-d10	12.22	152	3192	0.08	ng	0.00
14) 2,4,6-Tribromophenol	15.96	330	239	0.06	ng	0.00
15) 2-Fluorobiphenyl	13.12	172	5021	0.09	ng	0.00
25) Fluoranthene-d10	19.22	212	36227	0.08	ng	0.00
29) Terphenyl-d14	19.83	244	8368	0.08	ng	0.00


Target Compounds				Qvalue		
9) Naphthalene	10.68	128	395430	1.448	ng	99
16) Acenaphthylene	14.20	152	51168	0.772	ng	100
17) Acenaphthene	14.54	154	125939	2.940	ng	99
18) Fluorene	15.51	166	89176	1.567	ng	99
23) Phenanthrene	17.24	178	74163	0.752	ng	99
24) Anthracene	17.33	178	60555	0.662	ng	99
26) Fluoranthene	19.25	202	40798	0.317	ng	100
28) Pyrene	19.61	202	32712	0.259	ng	99
30) Benzo(a)anthracene	21.35	228	79107	0.537	ng	100
31) Chrysene	21.40	228	123198	0.837	ng	99
33) Indeno(1,2,3-cd)pyrene	26.46	276	125098	0.692	ng	99
35) Benzo(b)fluoranthene	23.09	252	123391	0.917	ng	98
36) Benzo(k)fluoranthene	23.14	252	141042	1.019	ng	99
37) Benzo(a)pyrene	23.73	252	111227	0.888	ng	98
38) Dibenzo(a,h)anthracene	26.49	278	75119	0.580	ng	99
39) Benzo(g,h,i)perylene	27.25	276	14941	0.115	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE101119\
Data File : BE100636.D
Acq On : 11 Oct 2019 11:26
Operator : JU
Sample : K4839-21DL 5X
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :

Quant Time: Oct 11 15:06:27 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE101019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 10 14:01:52 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.85 min Scan# 433
Delta R.T. -0.01 min
Lab File: BE100636.D
Acq: 11 Oct 2019 11:26

Instrument :
BNA_E
ClientSampleId :

Tot Ion:152 Resp: 6404
Ion Ratio Lower Upper
152 100
150 163.1 120.7 181.1
115 71.6 48.0 72.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#4


2-Fluorophenol
Concen: 0.084 ng
RT: 5.44 min Scan# 224
Delta R.T. 0.00 min
Lab File: BE100636.D
Acq: 11 Oct 2019 11:26

Tgt Ion:112 Resp: 1661
Ion Ratio Lower Upper
112 100
64 80.6 58.9 88.3
63 159.7 118.3 177.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BE1
Ion 63.00 (62.70 to 63.70): BE1





#5

Phenol-d6

Concen: 0.087 ng

RT: 7.01 min Scan# 360

Delta R.T. 0.00 min

Lab File: BE100636.D

Acq: 11 Oct 2019 11:26

Instrument :

BNA_E

ClientSampleId :


Tot Ion: 99 Resp: 2423

Ion Ratio Lower Upper




99 100

42 25.5 19.4 29.2

71 39.1 26.9 40.3



Abundance Ion 99.00 (98.70 to 99.70): BE1
Ion 42.00 (41.70 to 42.70): BE1
Ion 71.00 (70.70 to 71.70): BE1



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.64 min Scan# 652

Delta R.T. 0.00 min

Lab File: BE100636.D

Acq: 11 Oct 2019 11:26

Tgt Ion: 136 Resp: 25971


Ion Ratio Lower Upper

136 100



137 11.3 8.6 13.0


54 26.4 28.7 43.1#

68 6.0 5.9 8.9



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BE1
Ion 68.00 (67.70 to 68.70): BE1





#8

Nitrobenzene-d5

Concen: 0.087 ng

RT: 8.99 min Scan# 525

Delta R.T. 0.00 min

Lab File: BE100636.D

Acq: 11 Oct 2019 11:26

Instrument :

BNA_E

ClientSampled :


Tot Ion: 82 Resp: 1402

Ion Ratio Lower Upper




82 100

128 130.5 90.7 136.1

54 254.9 210.9 316.3



Abundance Ion 82.00 (81.70 to 82.70): BE1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BE1



#9

Naphthalene

Concen: 1.448 ng

RT: 10.68 min Scan# 655

Delta R.T. -0.01 min

Lab File: BE100636.D

Acq: 11 Oct 2019 11:26


Tgt Ion: 128 Resp: 395430

Ion Ratio Lower Upper



128 100


129 2.7 2.4 3.6

127 3.4 2.6 3.8



Abundance Ion 128.00 (127.70 to 128.70): E
Ion 129.00 (128.70 to 129.70): E
Ion 127.00 (126.70 to 127.70): E









#11
2-Methylnaphthalene-d10
Concen: 0.078 ng
RT: 12.22 min Scan# 764
Delta R.T. 0.00 min
Lab File: BE100636.D
Acq: 11 Oct 2019 11:26




Instrument :
BNA_E
ClientSampleId :


Tot Ion:152 Resp: 3192
Ion Ratio Lower Upper
152 100
151 20.4 15.2 22.8



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.47 min Scan# 920
Delta R.T. -0.01 min
Lab File: BE100636.D
Acq: 11 Oct 2019 11:26

Tgt Ion:164 Resp: 15404
Ion Ratio Lower Upper
164 100
162 102.9 79.1 118.7
160 49.7 34.7 52.1









#14
 2,4,6-Tribromophenol
 Concen: 0.059 ng
 RT: 15.96 min Scan# 1025
 Delta R.T. 0.00 min
 Lab File: BE100636.D
 Acq: 11 Oct 2019 11:26




Instrument :
 BNA_E
 ClientSampled :


Tot Ion:330 Resp: 239
 Ion Ratio Lower Upper
 330 100
 332 103.3 75.2 112.8
 141 52.3 37.5 56.3



#15
 2-Fluorobiphenyl
 Concen: 0.089 ng
 RT: 13.12 min Scan# 826
 Delta R.T. 0.00 min
 Lab File: BE100636.D
 Acq: 11 Oct 2019 11:26

Tgt Ion:172 Resp: 5021
 Ion Ratio Lower Upper
 172 100
 171 31.9 26.2 39.4
 170 22.1 17.5 26.3









#16
Acenaphthylene
Concen: 0.772 ng
RT: 14.20 min Scan# 901
Delta R.T. 0.00 min
Lab File: BE100636.D
Acq: 11 Oct 2019 11:26




Instrument :
BNA_E
ClientSampleId :


Tot Ion:152 Resp: 51168
Ion Ratio Lower Upper
152 100
151 19.4 15.6 23.4
153 13.2 10.5 15.7



#17
Acenaphthene
Concen: 2.940 ng
RT: 14.54 min Scan# 925
Delta R.T. 0.00 min
Lab File: BE100636.D
Acq: 11 Oct 2019 11:26

Tgt Ion:154 Resp: 125939
Ion Ratio Lower Upper
154 100
153 113.3 91.4 137.2
152 56.3 44.0 66.0





#18

Fluorene

Concen: 1.567 ng

RT: 15.51 min Scan# 992

Delta R.T. 0.00 min

Lab File: BE100636.D

Acq: 11 Oct 2019 11:26

Instrument :

BNA_E

ClientSampleId :


Tot Ion:166 Resp: 89176

Ion Ratio Lower Upper




166 100

165 99.3 78.9 118.3

167 13.3 10.9 16.3



Abundance Ion 166.00 (165.70 to 166.70): E
Ion 165.00 (164.70 to 165.70): E
Ion 167.00 (166.70 to 167.70): E



#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.20 min Scan# 1118

Delta R.T. 0.00 min

Lab File: BE100636.D

Acq: 11 Oct 2019 11:26


Tgt Ion:188 Resp: 35852

Ion Ratio Lower Upper



188 100


94 0.0 0.0 0.0

80 9.6 9.4 14.2



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BE1
Ion 80.00 (79.70 to 80.70): BE1





#23

Phenanthrene

Concen: 0.752 ng

RT: 17.24 min Scan# 1121

Delta R.T. 0.00 min

Lab File: BE100636.D

Acq: 11 Oct 2019 11:26

Instrument :

BNA_E

ClientSampleId :


Tot Ion:178 Resp: 74163

Ion Ratio Lower Upper

178 100

176 19.1 15.6 23.4




179 15.1 12.4 18.6



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E



#24

Anthracene

Concen: 0.662 ng

RT: 17.33 min Scan# 1128

Delta R.T. 0.00 min

Lab File: BE100636.D

Acq: 11 Oct 2019 11:26


Tgt Ion:178 Resp: 60555

Ion Ratio Lower Upper

178 100

176 18.5 14.5 21.7



179 15.2 12.4 18.6




Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E





#25

Fluoranthene-d10

Concen: 0.078 ng

RT: 19.22 min Scan# 1385

Delta R.T. -0.01 min

Lab File: BE100636.D

Acq: 11 Oct 2019 11:26

Instrument :

BNA_E

ClientSampleId :


Tot Ion:212 Resp: 36227

Ion Ratio Lower Upper




212 100

106 2.9 2.2 3.4

104 1.6 1.3 1.9



Abundance Ion 212.00 (211.70 to 212.70): E
Ion 106.00 (105.70 to 106.70): E
Ion 104.00 (103.70 to 104.70): E



#26

Fluoranthene

Concen: 0.317 ng

RT: 19.25 min Scan# 1390

Delta R.T. -0.01 min

Lab File: BE100636.D

Acq: 11 Oct 2019 11:26


Tgt Ion:202 Resp: 40798

Ion Ratio Lower Upper



202 100


101 10.4 8.4 12.6

203 17.1 13.8 20.6



Abundance Ion 202.00 (201.70 to 202.70): E
Ion 101.00 (100.70 to 101.70): E
Ion 203.00 (202.70 to 203.70): E





#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.37 min Scan# 1630

Delta R.T. -0.00 min

Lab File: BE100636.D

Acq: 11 Oct 2019 11:26

Instrument :

BNA_E

ClientSampleId :


Tot Ion:240 Resp: 45146

Ion Ratio Lower Upper

240 100

120 7.5 7.4 11.0




236 27.2 21.7 32.5



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#28

Pyrene

Concen: 0.259 ng

RT: 19.61 min Scan# 1453

Delta R.T. -0.00 min

Lab File: BE100636.D

Acq: 11 Oct 2019 11:26


Tgt Ion:202 Resp: 32712

Ion Ratio Lower Upper

202 100

200 20.9 16.6 24.8



203 17.7 13.9 20.9




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 200.00 (199.70 to 200.70): E

Ion 203.00 (202.70 to 203.70): E





#29

Terphenyl-d14

Concen: 0.085 ng

RT: 19.83 min Scan# 1490

Delta R.T. -0.00 min

Lab File: BE100636.D

Acq: 11 Oct 2019 11:26

Instrument :

BNA_E

ClientSampleId :


Tot Ion:244 Resp: 8368

Ion Ratio Lower Upper




244 100

212 32.7 23.9 35.9

122 8.9 7.7 11.5



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#30

Benzo(a)anthracene

Concen: 0.537 ng

RT: 21.35 min Scan# 1629

Delta R.T. -0.00 min

Lab File: BE100636.D

Acq: 11 Oct 2019 11:26


Tgt Ion:228 Resp: 79107

Ion Ratio Lower Upper



228 100


226 26.2 21.0 31.6

229 20.1 15.8 23.8



Abundance Ion 228.00 (227.70 to 228.70): E
Ion 226.00 (225.70 to 226.70): E
Ion 229.00 (228.70 to 229.70): E





#31

Chrysene

Concen: 0.837 ng

RT: 21.40 min Scan# 1633

Delta R.T. -0.00 min

Lab File: BE100636.D

Acq: 11 Oct 2019 11:26

Instrument :

BNA_E

ClientSampleId :


Tot Ion:228 Resp: 123198

Ion Ratio Lower Upper

228 100

226 29.9 24.5 36.7

229 19.3 15.6 23.4






Abundance

Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E



#33

Indeno(1,2,3-cd)pyrene

Concen: 0.692 ng

RT: 26.46 min Scan# 2922

Delta R.T. -0.01 min

Lab File: BE100636.D

Acq: 11 Oct 2019 11:26


Tgt Ion:276 Resp: 125098

Ion Ratio Lower Upper

276 100

138 18.7 16.0 24.0

277 24.4 19.7 29.5






Abundance

Ion 276.00 (275.70 to 276.70): E

Ion 138.00 (137.70 to 138.70): E

Ion 277.00 (276.70 to 277.70): E









#34
Pervlene-d12
Concen: 0.400 ng
RT: 23.85 min Scan# 2193
Delta R.T. -0.00 min
Lab File: BE100636.D
Acq: 11 Oct 2019 11:26

Instrument :
BNA_E
ClientSampleId :

Tot Ion:264 Resp: 46149




Ion	Ratio	Lower	Upper
264	100		
260	24.3	19.9	29.9
265	26.8	20.0	30.0




#35
Benzo(b)fluoranthene
Concen: 0.917 ng
RT: 23.09 min Scan# 1980
Delta R.T. -0.00 min
Lab File: BE100636.D
Acq: 11 Oct 2019 11:26

Tgt Ion:252 Resp: 123391

Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.8	26.8
125	8.3	7.6	11.4









#36
Benzo(k)fluoranthene
Concen: 1.019 ng
RT: 23.14 min Scan# 1994
Delta R.T. -0.00 min
Lab File: BE100636.D
Acq: 11 Oct 2019 11:26




Instrument :
BNA_E
ClientSampleId :


Tot Ion:252 Resp: 141042
Ion Ratio Lower Upper
252 100
253 21.9 17.8 26.6
125 8.5 7.6 11.4



#37
Benzo(a)pyrene
Concen: 0.888 ng
RT: 23.73 min Scan# 2161
Delta R.T. -0.01 min
Lab File: BE100636.D
Acq: 11 Oct 2019 11:26

Tgt Ion:252 Resp: 111227
Ion Ratio Lower Upper
252 100
253 21.9 18.2 27.2
125 9.6 8.1 12.1





#38

Dibenzo(a,h)anthracene

Concen: 0.580 ng

RT: 26.49 min Scan# 2930

Delta R.T. -0.01 min

Lab File: BE100636.D

Acq: 11 Oct 2019 11:26

Instrument :

BNA_E

ClientSampleId :


Tot Ion:278 Resp: 75119

Ion Ratio Lower Upper

278 100

139 12.7 11.2 16.8




279 23.6 19.0 28.6



Abundance Ion 278.00 (277.70 to 278.70): E

Ion 139.00 (138.70 to 139.70): E

Ion 279.00 (278.70 to 279.70): E



#39

Benzo(g,h,i)perylene

Concen: 0.115 ng

RT: 27.25 min Scan# 3145

Delta R.T. -0.01 min

Lab File: BE100636.D

Acq: 11 Oct 2019 11:26


Tgt Ion:276 Resp: 14941

Ion Ratio Lower Upper

276 100

277 24.7 19.3 28.9

138 19.0 14.5 21.7



Abundance Ion 276.00 (275.70 to 276.70): E

Ion 277.00 (276.70 to 277.70): E

Ion 138.00 (137.70 to 138.70): E

