

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE111318\
 Data File : BE098214.D
 Acq On : 13 Nov 2018 18:27
 Operator : SJ/JU
 Sample : J5864-02
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 OLDMANS-2

Quant Time: Nov 13 19:00:46 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE111218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Nov 12 13:32:15 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.86	152	1110	0.40	ng	0.00
7) Naphthalene-d8	10.67	136	5326	0.40	ng	0.00
13) Acenaphthene-d10	14.53	164	3654	0.40	ng	0.00
19) Phenanthrene-d10	17.28	188	8688	0.40	ng	0.00
27) Chrysene-d12	21.46	240	9525	0.40	ng	0.00
34) Perylene-d12	24.01	264	9184	0.40	ng	0.00

System Monitoring Compounds						
4) 2-Fluorophenol	5.46	112	860	0.27	ng	0.00
5) Phenol-d6	7.04	99	1477	0.29	ng	0.00
8) Nitrobenzene-d5	9.03	82	1354	0.25	ng	0.01
11) 2-Methylnaphthalene-d10	12.27	152	2396	0.26	ng	0.00
14) 2,4,6-Tribromophenol	16.02	330	377	0.24	ng	0.00
15) 2-Fluorobiphenyl	13.16	172	3546	0.23	ng	0.01
25) Fluoranthene-d10	19.31	212	27677	0.26	ng	0.00
29) Terphenyl-d14	19.91	244	5442	0.25	ng	0.00


Target Compounds				Qvalue		
23) Phenanthrene	17.33	178	785	0.036	ng	94
26) Fluoranthene	19.34	202	987	0.037	ng	# 85
28) Pyrene	19.70	202	1038	0.040	ng	# 93
30) Benzo(a)anthracene	21.45	228	853	0.032	ng	# 73
31) Chrysene	21.50	228	692	0.025	ng	# 72
32) Bis(2-ethylhexyl)phthalate	21.37	149	7697	0.137	ng	98
33) Indeno(1,2,3-cd)pyrene	26.70	276	564	0.022	ng	# 73
35) Benzo(b)fluoranthene	23.24	252	1071	0.041	ng	# 11
37) Benzo(a)pyrene	23.90	252	748	0.030	ng	# 30
39) Benzo(a,h,i)perylene	27.52	276	473	0.021	ng	# 43


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE111318\
Data File : BE098214.D
Acq On : 13 Nov 2018 18:27
Operator : SJ/JU
Sample : J5864-02
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
OLDMANS-2

Quant Time: Nov 13 19:00:46 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE111218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Nov 12 13:32:15 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.86 min Scan# 434
Delta R.T. 0.00 min
Lab File: BE098214.D
Acq: 13 Nov 2018 18:27

Instrument :
BNA_E
ClientSampled :
OLDMANS-2

Tot Ion:152 Resp: 1110
Ion Ratio Lower Upper
152 100
150 158.0 127.5 191.3
115 69.4 60.3 90.5




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#4


2-Fluorophenol
Concen: 0.274 ng
RT: 5.46 min Scan# 225
Delta R.T. 0.00 min
Lab File: BE098214.D
Acq: 13 Nov 2018 18:27

Tgt Ion:112 Resp: 860
Ion Ratio Lower Upper
112 100
64 72.7 61.7 92.5
63 173.0 136.2 204.2



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BE0
Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.293 ng

RT: 7.04 min Scan# 362

Delta R.T. -0.01 min

Lab File: BE098214.D

Acq: 13 Nov 2018 18:27

Instrument :

BNA_E

ClientSampleId :

OLDMANS-2


Tot Ion: 99 Resp: 1477

Ion Ratio Lower Upper

99 100

42 0.0 27.1 40.7#




71 40.1 37.0 55.6



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.67 min Scan# 654

Delta R.T. -0.00 min

Lab File: BE098214.D

Acq: 13 Nov 2018 18:27

Tgt Ion: 136 Resp: 5326


Ion Ratio Lower Upper

136 100

137 12.1 9.5 14.3

54 51.2 31.3 46.9#

68 7.7 4.8 7.2#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0





#8

Nitrobenzene-d5

Concen: 0.255 ng

RT: 9.03 min Scan# 528

Delta R.T. 0.01 min

Lab File: BE098214.D

Acq: 13 Nov 2018 18:27

Instrument :

BNA_E

ClientSampleId :

OLDMANS-2





Tot Ion: 82 Resp: 1354

Ion Ratio Lower Upper

82 100

128 159.6 96.1 144.1#

54 247.1 232.0 348.0



#11

2-Methylnaphthalene-d10

Concen: 0.256 ng

RT: 12.27 min Scan# 767

Delta R.T. -0.00 min

Lab File: BE098214.D




Acq: 13 Nov 2018 18:27


Tgt Ion: 152 Resp: 2396

Ion Ratio Lower Upper

152 100

151 21.1 15.4 23.2









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.53 min Scan# 924
Delta R.T. -0.00 min
Lab File: BE098214.D
Acq: 13 Nov 2018 18:27

Instrument :
BNA_E
ClientSampleId :
OLDMANS-2

Tot Ion:164 Resp: 3654
Ion Ratio Lower Upper
164 100
162 100.6 81.8 122.6
160 50.5 39.4 59.0




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#14
2,4,6-Tribromophenol
Concen: 0.237 ng
RT: 16.02 min Scan# 1041
Delta R.T. 0.00 min
Lab File: BE098214.D
Acq: 13 Nov 2018 18:27

Tgt Ion:330 Resp: 377
Ion Ratio Lower Upper
330 100
332 100.0 77.7 116.5
141 43.2 33.6 50.4



Abundance Ion 330.00 (329.70 to 330.70): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E





#15

2-Fluorobiphenyl

Concen: 0.232 ng

RT: 13.16 min Scan# 829

Delta R.T. 0.01 min

Lab File: BE098214.D

Acq: 13 Nov 2018 18:27

Instrument :

BNA_E

ClientSampleId :

OLDMANS-2


Tot Ion:172 Resp: 3546

Ion Ratio Lower Upper

172 100

171 33.7 27.3 40.9




170 21.1 19.4 29.0



Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E



#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.28 min Scan# 1149

Delta R.T. 0.00 min

Lab File: BE098214.D

Acq: 13 Nov 2018 18:27


Tgt Ion:188 Resp: 8688

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0



80 9.1 6.7 10.1




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0





#23

Phenanthrene

Concen: 0.036 ng

RT: 17.33 min Scan# 1153

Delta R.T. 0.01 min

Lab File: BE098214.D

Acq: 13 Nov 2018 18:27

Instrument :

BNA_E

ClientSampleId :

OLDMANS-2


Tot Ion:178 Resp: 785

Ion Ratio Lower Upper

178 100

176 23.3 15.8 23.8




179 16.8 12.3 18.5



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E



#25

Fluoranthene-d10

Concen: 0.255 ng

RT: 19.31 min Scan# 1434

Delta R.T. 0.01 min

Lab File: BE098214.D

Acq: 13 Nov 2018 18:27


Tgt Ion:212 Resp: 27677

Ion Ratio Lower Upper

212 100

106 2.4 1.8 2.8



104 1.6 1.1 1.7




Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E









#26
 Fluoranthene
 Concen: 0.037 ng
 RT: 19.34 min Scan# 1439
 Delta R.T. -0.00 min
 Lab File: BE098214.D
 Acq: 13 Nov 2018 18:27




Instrument :
 BNA_E
 ClientSampleId :
 OLDMANS-2


Tot Ion:202 Resp: 987
 Ion Ratio Lower Upper
 202 100
 101 19.0 7.0 10.6#
 203 20.9 13.7 20.5#



#27
 Chrysene-d12
 Concen: 0.400 ng
 RT: 21.46 min Scan# 1671
 Delta R.T. -0.00 min
 Lab File: BE098214.D
 Acq: 13 Nov 2018 18:27

Tgt Ion:240 Resp: 9525
 Ion Ratio Lower Upper
 240 100
 120 8.1 4.8 7.2#
 236 28.5 21.4 32.0









#28
Pvrene
Concen: 0.040 ng
RT: 19.70 min Scan# 1502
Delta R.T. -0.00 min
Lab File: BE098214.D
Acq: 13 Nov 2018 18:27




Instrument :
BNA_E
ClientSampleId :
OLDMANS-2


Tot Ion:202 Resp: 1038
Ion Ratio Lower Upper
202 100
200 23.9 17.2 25.8
203 21.9 14.2 21.4#



#29
Terphenyl-d14
Concen: 0.252 ng
RT: 19.91 min Scan# 1537
Delta R.T. -0.00 min
Lab File: BE098214.D
Acq: 13 Nov 2018 18:27

Tgt Ion:244 Resp: 5442
Ion Ratio Lower Upper
244 100
212 36.5 26.8 40.2
122 11.3 7.0 10.6#









#30
Benzo(a)anthracene
Concen: 0.032 ng
RT: 21.45 min Scan# 1670
Delta R.T. -0.00 min
Lab File: BE098214.D
Acq: 13 Nov 2018 18:27




Instrument :
BNA_E
ClientSampleId :
OLDMANS-2


Tot Ion:228 Resp: 853
Ion Ratio Lower Upper
228 100
226 37.7 20.7 31.1#
229 35.0 16.2 24.4#



#31
Chrysene
Concen: 0.025 ng
RT: 21.50 min Scan# 1674
Delta R.T. -0.00 min
Lab File: BE098214.D
Acq: 13 Nov 2018 18:27

Tgt Ion:228 Resp: 692
Ion Ratio Lower Upper
228 100
226 41.7 24.6 36.8#
229 38.0 16.0 24.0#





#32

Bis(2-ethylhexyl)phthalate

Concen: 0.137 ng

RT: 21.37 min Scan# 1663

Delta R.T. -0.00 min

Lab File: BE098214.D

Acq: 13 Nov 2018 18:27

Instrument :

BNA_E

ClientSampleId :

OLDMANS-2


Tot Ion:149 Resp: 7697

Ion Ratio Lower Upper

149 100

167 8.0 5.6 8.4




279 1.1 0.9 1.3



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E



#33

Indeno(1,2,3-cd)pyrene

Concen: 0.022 ng

RT: 26.70 min Scan# 3023

Delta R.T. 0.00 min

Lab File: BE098214.D

Acq: 13 Nov 2018 18:27


Tgt Ion:276 Resp: 564

Ion Ratio Lower Upper

276 100

138 3.0 6.4 9.6#



277 8.0 18.9 28.3#




Abundance Ion 276.00 (275.70 to 276.70): E

Ion 138.00 (137.70 to 138.70): E

Ion 277.00 (276.70 to 277.70): E









#34
Pervlene-d12
Concen: 0.400 ng
RT: 24.01 min Scan# 2273
Delta R.T. 0.00 min
Lab File: BE098214.D
Acq: 13 Nov 2018 18:27




Instrument :
BNA_E
ClientSampleId :
OLDMANS-2


Tot Ion:264 Resp: 9184
Ion Ratio Lower Upper
264 100
260 25.7 19.9 29.9
265 27.5 21.3 31.9



#35
Benzo(b)fluoranthene
Concen: 0.041 ng
RT: 23.24 min Scan# 2056
Delta R.T. 0.01 min
Lab File: BE098214.D
Acq: 13 Nov 2018 18:27

Tgt Ion:252 Resp: 1071
Ion Ratio Lower Upper
252 100
253 54.4 19.4 29.0#
125 68.3 8.6 12.8#









#37
Benzo(a)pyrene
Concen: 0.030 ng
RT: 23.90 min Scan# 2241
Delta R.T. 0.00 min
Lab File: BE098214.D
Acq: 13 Nov 2018 18:27

Instrument :
BNA_E
ClientSampleId :
OLDMANS-2

Tot Ion:252 Resp: 748
Ion Ratio Lower Upper
252 100
253 52.0 18.6 27.8#
125 45.8 8.0 12.0#



#39
Benzo(g,h,i)perylene
Concen: 0.021 ng
RT: 27.52 min Scan# 3253
Delta R.T. -0.01 min
Lab File: BE098214.D
Acq: 13 Nov 2018 18:27

Tgt Ion:276 Resp: 473
Ion Ratio Lower Upper
276 100
277 47.5 20.4 30.6#
138 50.3 13.2 19.8#

