

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE121018\
 Data File : BE098310.D
 Acq On : 10 Dec 2018 22:31
 Operator : SJ/JU
 Sample : J6259-24
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 BP-EB01-20181205

Quant Time: Dec 11 01:20:54 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE121018.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Dec 10 14:59:55 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.86	152	1488	0.40	ng	0.00
7) Naphthalene-d8	10.67	136	6158	0.40	ng	0.00
13) Acenaphthene-d10	14.53	164	3622	0.40	ng	0.00
19) Phenanthrene-d10	17.28	188	8930	0.40	ng	0.00
27) Chrysene-d12	21.46	240	10522	0.40	ng	0.00
34) Perylene-d12	24.01	264	10160	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.45	112	633	0.18	ng	0.00
5) Phenol-d6	7.07	99	451	0.09	ng	0.02
8) Nitrobenzene-d5	9.03	82	2374	0.42	ng	0.01
11) 2-Methylnaphthalene-d10	12.27	152	3955	0.39	ng	0.00
14) 2,4,6-Tribromophenol	16.03	330	221	0.17	ng	0.01
15) 2-Fluorobiphenyl	13.15	172	8694	0.57	ng	0.00
25) Fluoranthene-d10	19.31	212	49366	0.43	ng	0.00
29) Terphenyl-d14	19.91	244	12748	0.50	ng	0.00
Target Compounds						
32) Bis(2-ethylhexyl)phthalate	21.37	149	3426	0.056	ng	Qvalue # 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE121018\
Data File : BE098310.D
Acq On : 10 Dec 2018 22:31
Operator : SJ/JU
Sample : J6259-24
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
BP-EB01-20181205

Quant Time: Dec 11 01:20:54 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE121018.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Dec 10 14:59:55 2018
Response via : Initial Calibration






#1


1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.86 min Scan# 434
 Delta R.T. -0.00 min
 Lab File: BE098310.D
 Acq: 10 Dec 2018 22:31

Instrument :
 BNA_E
 ClientSampleId :
 BP-EB01-20181205



Tot Ion:152 Resp: 1488
 Ion Ratio Lower Upper
 152 100
 150 148.3 124.2 186.4
 115 62.4 53.9 80.9



Abundance Ion 152.00 (151.70 to 152.70): E
 1500 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E




Time-->




#4

2-Fluorophenol
 Concen: 0.182 ng
 RT: 5.45 min Scan# 225
 Delta R.T. 0.01 min
 Lab File: BE098310.D
 Acq: 10 Dec 2018 22:31


Tgt Ion:112 Resp: 633
 Ion Ratio Lower Upper
 112 100
 64 79.5 59.8 89.8
 63 174.1 133.7 200.5




Abundance Ion 112.00 (111.70 to 112.70): E
 800 Ion 64.00 (63.70 to 64.70): BE0
 Ion 63.00 (62.70 to 63.70): BE0



Time-->





#5

Phenol-d6

Concen: 0.091 ng

RT: 7.07 min Scan# 365

Delta R.T. 0.02 min

Lab File: BE098310.D

Acq: 10 Dec 2018 22:31

Instrument :

BNA_E

ClientSampleId :

BP-EB01-20181205


Tot Ion: 99 Resp: 451

Ion Ratio Lower Upper

99 100

42 0.0 26.3 39.5#




71 48.3 33.6 50.4



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.67 min Scan# 654

Delta R.T. 0.00 min

Lab File: BE098310.D

Acq: 10 Dec 2018 22:31

Tgt Ion:136 Resp: 6158


Ion Ratio Lower Upper

136 100

137 12.0 9.2 13.8

54 40.8 28.4 42.6

68 7.4 5.4 8.0





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0





#8

Nitrobenzene-d5

Concen: 0.424 ng

RT: 9.03 min Scan# 528

Delta R.T. 0.01 min

Lab File: BE098310.D

Acq: 10 Dec 2018 22:31

Instrument :

BNA_E

ClientSampleId :

BP-EB01-20181205


Tot Ion: 82 Resp: 2374

Ion Ratio Lower Upper

82 100

128 157.0 102.4 153.6#



54 259.9 221.8 332.8



Abundance Ion 82.00 (81.70 to 82.70): BE098310.D (-519) (-)

Ion 128.00 (127.70 to 128.70): BE098310.D (-519) (-)

Ion 54.00 (53.70 to 54.70): BE098310.D (-519) (-)



#11

2-Methylnaphthalene-d10

Concen: 0.395 ng

RT: 12.27 min Scan# 767

Delta R.T. 0.00 min

Lab File: BE098310.D


Acq: 10 Dec 2018 22:31

Tgt Ion: 152 Resp: 3955

Ion Ratio Lower Upper



152 100


151 17.3 16.2 24.4



Abundance Ion 152.00 (151.70 to 152.70): BE098310.D (-760) (-)

Ion 151.00 (150.70 to 151.70): BE098310.D (-760) (-)









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.53 min Scan# 924
Delta R.T. 0.00 min
Lab File: BE098310.D
Acq: 10 Dec 2018 22:31

Instrument :
BNA_E
ClientSampleId :
BP-EB01-20181205

Tot Ion:164 Resp: 3622
Ion Ratio Lower Upper
164 100
162 100.5 77.6 116.4
160 47.5 36.0 54.0




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#14
2,4,6-Tribromophenol
Concen: 0.166 ng
RT: 16.03 min Scan# 1042
Delta R.T. 0.01 min
Lab File: BE098310.D
Acq: 10 Dec 2018 22:31

Tgt Ion:330 Resp: 221
Ion Ratio Lower Upper
330 100
332 94.1 76.2 114.4
141 40.3 39.0 58.4



Abundance Ion 330.00 (329.70 to 330.70): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.569 ng
RT: 13.15 min Scan# 828
Delta R.T. 0.00 min
Lab File: BE098310.D
Acq: 10 Dec 2018 22:31

Instrument :
BNA_E
ClientSampleId :
BP-EB01-20181205

Tot Ion:172 Resp: 8694
Ion Ratio Lower Upper
172 100
171 32.8 27.5 41.3
170 23.5 19.6 29.4




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.28 min Scan# 1149
Delta R.T. -0.00 min
Lab File: BE098310.D
Acq: 10 Dec 2018 22:31

Tgt Ion:188 Resp: 8930
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 9.8 7.2 10.8



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BE0
Ion 80.00 (79.70 to 80.70): BE0





#25

Fluoranthene-d10

Concen: 0.431 ng

RT: 19.31 min Scan# 1433

Delta R.T. 0.00 min

Lab File: BE098310.D

Acq: 10 Dec 2018 22:31

Instrument :

BNA_E

ClientSampleId :

BP-EB01-20181205


Tot Ion:212 Resp: 49366

Ion Ratio Lower Upper

212 100

106 2.6 2.2 3.2




104 1.5 1.3 1.9



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.46 min Scan# 1671

Delta R.T. -0.00 min

Lab File: BE098310.D

Acq: 10 Dec 2018 22:31


Tgt Ion:240 Resp: 10522

Ion Ratio Lower Upper

240 100

120 9.8 9.5 14.3



236 27.2 22.7 34.1




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.499 ng

RT: 19.91 min Scan# 1537

Delta R.T. 0.00 min

Lab File: BE098310.D

Acq: 10 Dec 2018 22:31

Instrument :

BNA_E

ClientSampleId :

BP-EB01-20181205


Tot Ion:244 Resp: 12748

Ion Ratio Lower Upper

244 100

212 33.7 27.4 41.0




122 9.5 8.3 12.5



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.056 ng

RT: 21.37 min Scan# 1663

Delta R.T. -0.00 min

Lab File: BE098310.D

Acq: 10 Dec 2018 22:31


Tgt Ion:149 Resp: 3426

Ion Ratio Lower Upper

149 100

167 7.2 5.7 8.5



279 1.5 1.0 1.4#





Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#34

Pervlene-d12

Concen: 0.400 ng

RT: 24.01 min Scan# 2272

Delta R.T. -0.00 min

Lab File: BE098310.D

Acq: 10 Dec 2018 22:31

Instrument :

BNA_E

ClientSampleId :

BP-EB01-20181205

Tot Ion:264 Resp: 10160

Ion Ratio Lower Upper

264 100

260 26.3 20.2 30.2

265 29.8 25.2 37.8

