

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE121218\
 Data File : BE098384.D
 Acq On : 13 Dec 2018 5:16
 Operator : SJ/JU
 Sample : J6325-07
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 RE-131D2-20181205

Quant Time: Dec 13 07:30:23 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE121018.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Dec 10 14:59:55 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.86	152	974	0.40	ng	0.00
7) Naphthalene-d8	10.67	136	4115	0.40	ng	0.00
13) Acenaphthene-d10	14.53	164	2748	0.40	ng	0.00
19) Phenanthrene-d10	17.28	188	7539	0.40	ng	0.00
27) Chrysene-d12	21.46	240	8402	0.40	ng	0.00
34) Perylene-d12	24.00	264	8107	0.40	ng	-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.46	112	534	0.23	ng	0.01
5) Phenol-d6	7.08	99	305	0.09	ng	0.03
8) Nitrobenzene-d5	9.04	82	1296	0.35	ng	0.03
11) 2-Methylnaphthalene-d10	12.27	152	3077	0.46	ng	0.00
14) 2,4,6-Tribromophenol	16.02	330	550	0.55	ng	0.00
15) 2-Fluorobiphenyl	13.15	172	6084	0.52	ng	0.00
25) Fluoranthene-d10	19.30	212	42370	0.44	ng	0.00
29) Terphenyl-d14	19.90	244	9090	0.45	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.36	88	12005	7.127	ng	98
9) Naphthalene	10.72	128	1869	0.045	ng	# 84
12) 2-Methylnaphthalene	12.34	142	333	0.049	ng	# 79
32) Bis(2-ethylhexyl)phthalate	21.35	149	1637	0.034	ng	# 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE121218\
Data File : BE098384.D
Acq On : 13 Dec 2018 5:16
Operator : SJ/JU
Sample : J6325-07
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
RE-131D2-20181205

Quant Time: Dec 13 07:30:23 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE121018.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Dec 10 14:59:55 2018
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 7.86 min Scan# 434

Delta R.T. -0.00 min

Lab File: BE098384.D

Acq: 13 Dec 2018 5:16

Instrument :

BNA_E

ClientSampleId :

RE-131D2-20181205


Tot Ion:152 Resp: 974

Ion Ratio Lower Upper

152 100

150 150.2 124.2 186.4



115 72.1 53.9 80.9



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#2

1,4-Dioxane

Concen: 7.127 ng

RT: 3.36 min Scan# 43

Delta R.T. -0.01 min

Lab File: BE098384.D

Acq: 13 Dec 2018 5:16


Tgt Ion: 88 Resp: 12005

Ion Ratio Lower Upper

88 100

58 92.6 75.0 112.6



43 51.2 38.3 57.5




Abundance Ion 88.00 (87.70 to 88.70): BE0

Ion 58.00 (57.70 to 58.70): BE0

Ion 43.00 (42.70 to 43.70): BE0





#4

2-Fluorophenol

Concen: 0.234 ng

RT: 5.46 min Scan# 225

Delta R.T. 0.01 min

Lab File: BE098384.D

Acq: 13 Dec 2018 5:16

Instrument :

BNA_E

ClientSampleId :

RE-131D2-20181205


Tot Ion:112 Resp: 534

Ion Ratio Lower Upper

112 100

64 81.8 59.8 89.8




63 174.9 133.7 200.5



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0



#5

Phenol-d6

Concen: 0.094 ng

RT: 7.08 min Scan# 366

Delta R.T. 0.03 min

Lab File: BE098384.D

Acq: 13 Dec 2018 5:16


Tgt Ion: 99 Resp: 305

Ion Ratio Lower Upper

99 100

42 40.0 26.3 39.5#



71 28.9 33.6 50.4#




Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.67 min Scan# 654

Delta R.T. -0.00 min

Lab File: BE098384.D

Acq: 13 Dec 2018 5:16

Instrument :

BNA_E

ClientSampleId :

RE-131D2-20181205

Tot Ion:136 Resp: 4115


Ion Ratio Lower Upper

136 100

137 13.6 9.2 13.8

54 45.5 28.4 42.6#

68 9.6 5.4 8.0#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0



#8

Nitrobenzene-d5

Concen: 0.346 ng

RT: 9.04 min Scan# 529

Delta R.T. 0.03 min

Lab File: BE098384.D

Acq: 13 Dec 2018 5:16


Tgt Ion: 82 Resp: 1296

Ion Ratio Lower Upper

82 100

128 187.3 102.4 153.6#



54 288.7 221.8 332.8




Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BE0





#9

Naphthalene

Concen: 0.045 ng

RT: 10.72 min Scan# 658

Delta R.T. 0.01 min

Lab File: BE098384.D

Acq: 13 Dec 2018 5:16

Instrument :

BNA_E

ClientSampleId :

RE-131D2-20181205


Tot Ion:128 Resp: 1869

Ion Ratio Lower Upper

128 100

129 8.5 2.5 3.7#




127 8.4 2.7 4.1#



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E



#11

2-Methylnaphthalene-d10

Concen: 0.460 ng

RT: 12.27 min Scan# 767

Delta R.T. 0.00 min

Lab File: BE098384.D


Acq: 13 Dec 2018 5:16

Tgt Ion:152 Resp: 3077

Ion Ratio Lower Upper



152 100


151 17.8 16.2 24.4



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E





#12

2-Methylnaphthalene

Concen: 0.049 ng

RT: 12.34 min Scan# 772

Delta R.T. 0.00 min

Lab File: BE098384.D

Acq: 13 Dec 2018 5:16

Instrument :

BNA_E

ClientSampleId :

RE-131D2-20181205


Tot Ion:142 Resp: 333

Ion Ratio Lower Upper

142 100

141 98.2 71.0 106.6

115 67.3 32.2 48.2#






Abundance Ion 142.00 (141.70 to 142.70): E

Ion 141.00 (140.70 to 141.70): E

Ion 115.00 (114.70 to 115.70): E

12.34



#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.53 min Scan# 924

Delta R.T. 0.00 min

Lab File: BE098384.D

Acq: 13 Dec 2018 5:16


Tgt Ion:164 Resp: 2748

Ion Ratio Lower Upper

164 100

162 101.0 77.6 116.4

160 49.5 36.0 54.0






Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E

14.53









#14
 2,4,6-Tribromophenol
 Concen: 0.545 ng
 RT: 16.02 min Scan# 1041
 Delta R.T. -0.00 min
 Lab File: BE098384.D
 Acq: 13 Dec 2018 5:16




Instrument :
 BNA_E
 ClientSampleId :
 RE-131D2-20181205


Tot Ion:330 Resp: 550
 Ion Ratio Lower Upper
 330 100
 332 88.2 76.2 114.4
 141 39.8 39.0 58.4



#15
 2-Fluorobiphenyl
 Concen: 0.525 ng
 RT: 13.15 min Scan# 828
 Delta R.T. 0.00 min
 Lab File: BE098384.D
 Acq: 13 Dec 2018 5:16

Tgt Ion:172 Resp: 6084
 Ion Ratio Lower Upper
 172 100
 171 32.8 27.5 41.3
 170 22.7 19.6 29.4





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.28 min Scan# 1149

Delta R.T. -0.00 min

Lab File: BE098384.D

Acq: 13 Dec 2018 5:16

Instrument :

BNA_E

ClientSampleId :

RE-131D2-20181205


Tot Ion:188 Resp: 7539

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0




80 9.2 7.2 10.8



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#25

Fluoranthene-d10

Concen: 0.438 ng

RT: 19.30 min Scan# 1432

Delta R.T. -0.00 min

Lab File: BE098384.D

Acq: 13 Dec 2018 5:16


Tgt Ion:212 Resp: 42370

Ion Ratio Lower Upper

212 100

106 2.6 2.2 3.2



104 1.6 1.3 1.9




Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E





#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.46 min Scan# 1671

Delta R.T. -0.00 min

Lab File: BE098384.D

Acq: 13 Dec 2018 5:16

Instrument :

BNA_E

ClientSampleId :

RE-131D2-20181205


Tot Ion:240 Resp: 8402

Ion Ratio Lower Upper

240 100

120 8.3 9.5 14.3#




236 26.6 22.7 34.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#29

Terphenyl-d14

Concen: 0.445 ng

RT: 19.90 min Scan# 1536

Delta R.T. -0.00 min

Lab File: BE098384.D

Acq: 13 Dec 2018 5:16


Tgt Ion:244 Resp: 9090

Ion Ratio Lower Upper

244 100

212 33.9 27.4 41.0



122 10.3 8.3 12.5




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#32

Bis(2-ethylhexyl)phthalate

Concen: 0.034 ng

RT: 21.35 min Scan# 1662

Delta R.T. -0.01 min

Lab File: BE098384.D

Acq: 13 Dec 2018 5:16

Instrument :

BNA_E

ClientSampleId :

RE-131D2-20181205


Tot Ion:149 Resp: 1637

Ion Ratio Lower Upper

149 100

167 6.2 5.7 8.5




279 1.7 1.0 1.4#



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E



#34

Perylene-d12

Concen: 0.400 ng

RT: 24.00 min Scan# 2270

Delta R.T. -0.01 min

Lab File: BE098384.D

Acq: 13 Dec 2018 5:16


Tgt Ion:264 Resp: 8107

Ion Ratio Lower Upper

264 100

260 26.4 20.2 30.2

265 29.7 25.2 37.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

