

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE121619\
 Data File : BE100927.D
 Acq On : 16 Dec 2019 19:29
 Operator : JU
 Sample : K6252-10
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 RE120D3-20191210

Quant Time: Dec 17 06:42:20 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE120419.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Dec 13 10:42:38 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.76	152	4536	0.40	ng	0.00
7) Naphthalene-d8	10.54	136	20281	0.40	ng	0.00
13) Acenaphthene-d10	14.38	164	11627	0.40	ng	0.00
19) Phenanthrene-d10	17.12	188	29837	0.40	ng	0.00
27) Chrysene-d12	21.30	240	27092	0.40	ng	0.00
34) Perylene-d12	23.74	264	30922	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.37	112	2005	0.19	ng	0.00
5) Phenol-d6	6.93	99	1842	0.11	ng	0.00
8) Nitrobenzene-d5	8.90	82	5025	0.52	ng	0.00
11) 2-Methylnaphthalene-d10	12.12	152	11940	0.41	ng	-0.01
14) 2,4,6-Tribromophenol	15.86	330	789	0.61	ng	-0.01
15) 2-Fluorobiphenyl	13.02	172	16165	0.35	ng	0.00
25) Fluoranthene-d10	19.15	212	132664	0.38	ng	0.00
29) Terphenyl-d14	19.75	244	25770	0.40	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.34	88	9644	1.166	ng	Qvalue # 84
32) Bis(2-ethylhexyl)phthalate	21.23	149	47223	0.805	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE121619\
Data File : BE100927.D
Acq On : 16 Dec 2019 19:29
Operator : JU
Sample : K6252-10
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
RE120D3-20191210

Quant Time: Dec 17 06:42:20 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE120419.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Dec 13 10:42:38 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.76 min Scan# 425
Delta R.T. 0.00 min
Lab File: BE100927.D
Acq: 16 Dec 2019 19:29

Instrument :
BNA_E
ClientSampleId :
RE120D3-20191210

Tot Ion:152 Resp: 4536
Ion Ratio Lower Upper
152 100
150 150.9 125.5 188.3
115 63.2 55.7 83.5




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#2

1,4-Dioxane
Concen: 1.166 ng
RT: 3.34 min Scan# 41
Delta R.T. 0.00 min
Lab File: BE100927.D
Acq: 16 Dec 2019 19:29

Tgt Ion: 88 Resp: 9644
Ion Ratio Lower Upper
88 100
58 72.3 52.3 78.5
43 46.7 23.5 35.3#



Abundance Ion 88.00 (87.70 to 88.70): BE1
Ion 58.00 (57.70 to 58.70): BE1
Ion 43.00 (42.70 to 43.70): BE1





#4

2-Fluorophenol

Concen: 0.186 ng

RT: 5.37 min Scan# 217

Delta R.T. -0.01 min

Lab File: BE100927.D

Acq: 16 Dec 2019 19:29

Instrument :

BNA_E

ClientSampleId :

RE120D3-20191210


Tot Ion:112 Resp: 2005

Ion Ratio Lower Upper

112 100

64 67.2 54.5 81.7



63 144.5 116.1 174.1



Abundance Ion 112.00 (111.70 to 112.70): BE1

Ion 64.00 (63.70 to 64.70): BE1

Ion 63.00 (62.70 to 63.70): BE1



#5

Phenol-d6

Concen: 0.113 ng

RT: 6.93 min Scan# 353

Delta R.T. 0.00 min

Lab File: BE100927.D

Acq: 16 Dec 2019 19:29


Tgt Ion: 99 Resp: 1842

Ion Ratio Lower Upper

99 100

42 50.1 18.2 27.2#



71 41.6 29.1 43.7



Abundance Ion 99.00 (98.70 to 99.70): BE1

Ion 42.00 (41.70 to 42.70): BE1

Ion 71.00 (70.70 to 71.70): BE1





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.54 min Scan# 644

Delta R.T. -0.00 min

Lab File: BE100927.D

Acq: 16 Dec 2019 19:29

Instrument :

BNA_E

ClientSampleId :

RE120D3-20191210

Tot Ion:136 Resp: 20281


Ion Ratio Lower Upper

136 100

137 10.9 9.1 13.7

54 23.6 18.9 28.3

68 5.8 4.6 6.8






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE1

Ion 68.00 (67.70 to 68.70): BE1



#8

Nitrobenzene-d5

Concen: 0.520 ng

RT: 8.90 min Scan# 518

Delta R.T. -0.00 min

Lab File: BE100927.D

Acq: 16 Dec 2019 19:29


Tgt Ion: 82 Resp: 5025

Ion Ratio Lower Upper

82 100

128 147.7 113.5 170.3



54 183.5 138.9 208.3




Abundance Ion 82.00 (81.70 to 82.70): BE1

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BE1









#11
 2-Methylnaphthalene-d10
 Concen: 0.406 ng
 RT: 12.12 min Scan# 757
 Delta R.T. -0.01 min
 Lab File: BE100927.D
 Acq: 16 Dec 2019 19:29




Instrument :
 BNA_E
 ClientSampleId :
 RE120D3-20191210

Tot Ion:152 Resp: 11940
 Ion Ratio Lower Upper
 152 100
 151 19.5 15.1 22.7



#13
 Acenaphthene-d10
 Concen: 0.400 ng
 RT: 14.38 min Scan# 914
 Delta R.T. -0.00 min
 Lab File: BE100927.D
 Acq: 16 Dec 2019 19:29

Tgt Ion:164 Resp: 11627
 Ion Ratio Lower Upper
 164 100
 162 108.0 86.0 129.0
 160 53.3 42.3 63.5









#14
 2,4,6-Tribromophenol
 Concen: 0.610 ng
 RT: 15.86 min Scan# 1018
 Delta R.T. -0.01 min
 Lab File: BE100927.D
 Acq: 16 Dec 2019 19:29

Instrument :
 BNA_E
 ClientSampleId :
 RE120D3-20191210

Tot Ion:330 Resp: 789
 Ion Ratio Lower Upper
 330 100
 332 99.1 74.1 111.1
 141 56.8 46.7 70.1




Abundance Ion 330.00 (329.70 to 330.70): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#15
 2-Fluorobiphenyl
 Concen: 0.351 ng
 RT: 13.02 min Scan# 819
 Delta R.T. -0.00 min
 Lab File: BE100927.D
 Acq: 16 Dec 2019 19:29

Tgt Ion:172 Resp: 16165
 Ion Ratio Lower Upper
 172 100
 171 34.6 28.2 42.4
 170 23.3 19.4 29.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.12 min Scan# 1112

Delta R.T. 0.00 min

Lab File: BE100927.D

Acq: 16 Dec 2019 19:29

Instrument :

BNA_E

ClientSampleId :

RE120D3-20191210


Tot Ion:188 Resp: 29837

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0




80 8.3 7.9 11.9



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE1

Ion 80.00 (79.70 to 80.70): BE1



#25

Fluoranthene-d10

Concen: 0.376 ng

RT: 19.15 min Scan# 1372

Delta R.T. 0.00 min

Lab File: BE100927.D

Acq: 16 Dec 2019 19:29


Tgt Ion:212 Resp: 132664

Ion Ratio Lower Upper

212 100

106 3.4 2.6 4.0



104 1.9 1.4 2.2



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E





#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.30 min Scan# 1624

Delta R.T. -0.00 min

Lab File: BE100927.D

Acq: 16 Dec 2019 19:29

Instrument :

BNA_E

ClientSampleId :

RE120D3-20191210


Tot Ion:240 Resp: 27092

Ion Ratio Lower Upper

240 100

120 5.2 4.0 6.0




236 26.1 21.6 32.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#29

Terphenyl-d14

Concen: 0.397 ng

RT: 19.75 min Scan# 1477

Delta R.T. -0.00 min

Lab File: BE100927.D

Acq: 16 Dec 2019 19:29


Tgt Ion:244 Resp: 25770

Ion Ratio Lower Upper

244 100

212 31.3 25.2 37.8



122 12.0 8.9 13.3




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E









#32
 Bis(2-ethylhexyl)phthalate
 Concen: 0.805 ng
 RT: 21.23 min Scan# 1618
 Delta R.T. -0.00 min
 Lab File: BE100927.D
 Acq: 16 Dec 2019 19:29

Instrument :
 BNA_E
 ClientSampleId :
 RE120D3-20191210

Tot Ion:149 Resp: 47223
 Ion Ratio Lower Upper
 149 100
 167 6.4 5.0 7.4
 279 0.8 0.6 1.0




Abundance Ion 149.00 (148.70 to 149.70): E
 Ion 167.00 (166.70 to 167.70): E
 Ion 279.00 (278.70 to 279.70): E



#34
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.74 min Scan# 2162
 Delta R.T. -0.00 min
 Lab File: BE100927.D
 Acq: 16 Dec 2019 19:29

Tgt Ion:264 Resp: 30922
 Ion Ratio Lower Upper
 264 100
 260 23.1 19.4 29.0
 265 24.2 20.1 30.1



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

