

Data Path : Z:\svoasrv\HPCHEM1\BNA_E\Data\BE040821\
 Data File : BE101264.D
 Acq On : 9 Apr 2021 6:21
 Operator : CG/JU
 Sample : M1966-03
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 MW-110RR

Quant Time: Apr 09 07:04:51 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_E\Methods\8270-SIM-BE040621.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 07 10:22:45 2021
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.839	152	3023	0.40	ng	0.00
7) Naphthalene-d8	10.614	136	16101	0.40	ng	# 0.00
13) Acenaphthene-d10	14.442	164	15992	0.40	ng	0.00
19) Phenanthrene-d10	17.211	188	36882	0.40	ng	# 0.00
29) Chrysene-d12	21.365	240	30526	0.40	ng	# 0.01
36) Perylene-d12	23.841	264	25364	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.409	112	2523	0.35	ng	-0.01
5) Phenol-d6	6.998	99	1081	0.10	ng	0.00
8) Nitrobenzene-d5	8.977	82	5063	0.42	ng	0.00
11) 2-Methylnaphthalene-d10	12.080	152	377	0.01	ng	-0.12
14) 2,4,6-Tribromophenol	15.956	330	1216	0.28	ng	0.00
15) 2-Fluorobiphenyl	13.074	172	14122	0.25	ng	0.00
27) Fluoranthene-d10	19.215	212	173393	0.27	ng	0.00
31) Terphenyl-d14	19.818	244	38830	0.47	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.370	88	936	0.20	ng	# 1
3) n-Nitrosodimethylamine	3.670	42	353	0.07	ng	# 1
6) bis(2-Chloroethyl)ether	7.286	93	213	0.02	ng	# 1
9) Naphthalene	10.666	128	1286776	7.35	ng	100
12) 2-Methylnaphthalene	12.267	142	4696	0.15	ng	# 91
16) Acenaphthylene	14.169	152	11241	0.18	ng	# 73
17) Acenaphthene	14.515	154	16868	0.36	ng	94
18) Fluorene	15.503	166	24795	0.40	ng	98
20) 4,6-Dinitro-2-methylph...	15.609	198	88	0.08	ng	# 1
23) Atrazine	16.667	200	478	0.04	ng	# 1
24) Pentachlorophenol	16.863	266	268	0.04	ng	# 77
25) Phenanthrene	17.332	178	63215	0.58	ng	99
26) Anthracene	17.332	178	61838	0.66	ng	98
28) Fluoranthene	19.249	202	78157	0.55	ng	98
30) Pyrene	19.605	202	64551	0.59	ng	98
32) Benzo(a)anthracene	21.341	228	22707	0.26	ng	# 91
33) Chrysene	21.401	228	19658	0.19	ng	# 90
34) Bis(2-ethylhexyl)phtha...	21.280	149	20342	0.33	ng	97
35) Indeno(1,2,3-cd)pyrene	26.448	276	11332	0.15	ng	99
37) Benzo(b)fluoranthene	23.078	252	17251	0.21	ng	# 87
38) Benzo(k)fluoranthene	23.128	252	13937	0.15	ng	# 84
39) Benzo(a)pyrene	23.727	252	12846	0.18	ng	# 84
40) Dibenzo(a,h)anthracene	26.477	278	7913	0.12	ng	# 85
41) Benzo(g,h,i)perylene	27.251	276	10281	0.14	ng	# 90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_E\Data\BE040821\
Data File : BE101264.D
Acq On : 9 Apr 2021 6:21
Operator : CG/JU
Sample : M1966-03
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
MW-110RR

Quant Time: Apr 09 07:04:51 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_E\Methods\8270-SIM-BE040621.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Apr 07 10:22:45 2021
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.40 ng
 RT: 7.839 min Scan# 432
 Delta R.T. 0.009 min
 Lab File: BE101264.D
 Acq: 9 Apr 2021 6:21




Instrument :
 BNA_E
 ClientSampleId :
 MW-110RR


Tgt Ion:152 Resp: 3023
 Ion Ratio Lower Upper
 152 100
 150 147.0 116.9 175.3
 115 57.1 44.5 66.7



#2
 1,4-Dioxane
 Concen: 0.20 ng
 RT: 3.370 min Scan# 44
 Delta R.T. 0.009 min
 Lab File: BE101264.D
 Acq: 9 Apr 2021 6:21

Tgt Ion: 88 Resp: 936
 Ion Ratio Lower Upper
 88 100
 58 98.9 73.6 110.4
 43 312.9 27.6 41.4#









#3
n-Nitrosodimethylamine
Concen: 0.07 ng
RT: 3.670 min Scan# 70
Delta R.T. -0.002 min
Lab File: BE101264.D
Acq: 9 Apr 2021 6:21




Instrument :
BNA_E
ClientSampleId :
MW-110RR


Tgt Ion: 42 Resp: 353
Ion Ratio Lower Upper
42 100
74 0.0 92.7 139.1#
44 0.0 10.7 16.1#



#4
2-Fluorophenol
Concen: 0.35 ng
RT: 5.409 min Scan# 221
Delta R.T. -0.014 min
Lab File: BE101264.D
Acq: 9 Apr 2021 6:21

Tgt Ion: 112 Resp: 2523
Ion Ratio Lower Upper
112 100
64 27.1 62.3 93.5#
63 60.6 117.3 175.9#









#5
Phenol-d6
Concen: 0.10 ng
RT: 6.998 min Scan# 359
Delta R.T. 0.009 min
Lab File: BE101264.D
Acq: 9 Apr 2021 6:21




Instrument :
BNA_E
ClientSampleId :
MW-110RR


Tgt Ion: 99 Resp: 1081
Ion Ratio Lower Upper
99 100
42 208.0 18.5 27.7#
71 240.6 26.5 39.7#



#6
bis(2-Chloroethyl)ether
Concen: 0.02 ng
RT: 7.286 min Scan# 384
Delta R.T. 0.032 min
Lab File: BE101264.D
Acq: 9 Apr 2021 6:21

Tgt Ion: 93 Resp: 213
Ion Ratio Lower Upper
93 100
63 0.0 292.5 438.7#
95 0.0 25.7 38.5#









#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.614 min Scan# 650
Delta R.T. -0.001 min
Lab File: BE101264.D
Acq: 9 Apr 2021 6:21




Instrument :
BNA_E
ClientSampleId :
MW-110RR


Tgt Ion:	136	Resp:	16101
Ion Ratio	Lower	Upper	
136	100		
137	12.2	8.6	13.0
54	60.0	34.7	52.1#
68	17.0	7.0	10.4#



#8
Nitrobenzene-d5
Concen: 0.42 ng
RT: 8.977 min Scan# 524
Delta R.T. -0.001 min
Lab File: BE101264.D
Acq: 9 Apr 2021 6:21

Tgt Ion:	82	Resp:	5063
Ion Ratio	Lower	Upper	
82	100		
128	139.4	118.7	178.1
54	223.8	164.4	246.6









#9
Naphthalene
Concen: 7.35 ng
RT: 10.666 min Scan# 654
Delta R.T. -0.001 min
Lab File: BE101264.D
Acq: 9 Apr 2021 6:21




Instrument :
BNA_E
ClientSampleId :
MW-110RR


Tgt Ion:128 Resp: 1286776
Ion Ratio Lower Upper
128 100
129 2.9 2.2 3.4
127 3.3 2.6 3.8



#11
2-Methylnaphthalene-d10
Concen: 0.01 ng
RT: 12.080 min Scan# 755
Delta R.T. -0.116 min
Lab File: BE101264.D
Acq: 9 Apr 2021 6:21

Tgt Ion:152 Resp: 377
Ion Ratio Lower Upper
152 100
151 24.7 16.5 24.7





#12

2-Methylnaphthalene

Concen: 0.15 ng

RT: 12.267 min Scan# 768

Delta R.T. -0.001 min

Lab File: BE101264.D

Acq: 9 Apr 2021 6:21





Instrument :

BNA_E

ClientSampleId :

MW-110RR

Tgt Ion:	142	Resp:	4696
Ion Ratio	Lower	Upper	
142	100		
141	95.8	73.0	109.6
115	47.1	27.8	41.8#



#13

Acenaphthene-d10

Concen: 0.40 ng




RT: 14.442 min Scan# 919


Delta R.T. -0.001 min

Lab File: BE101264.D

Acq: 9 Apr 2021 6:21

Tgt Ion:	164	Resp:	15992
Ion Ratio	Lower	Upper	
164	100		
162	90.3	85.3	127.9
160	43.1	39.1	58.7









#14
2,4,6-Tribromophenol
Concen: 0.28 ng
RT: 15.956 min Scan# 1016
Delta R.T. 0.001 min
Lab File: BE101264.D
Acq: 9 Apr 2021 6:21




Instrument :
BNA_E
ClientSampleId :
MW-110RR


Tgt Ion: 330 Resp: 1216
Ion Ratio Lower Upper
330 100
332 102.3 77.8 116.6
141 0.0 30.4 45.6#



#15
2-Fluorobiphenyl
Concen: 0.25 ng
RT: 13.074 min Scan# 824
Delta R.T. -0.001 min
Lab File: BE101264.D
Acq: 9 Apr 2021 6:21

Tgt Ion: 172 Resp: 14122
Ion Ratio Lower Upper
172 100
171 35.4 28.7 43.1
170 24.4 19.3 28.9





#16

Acenaphthylene

Concen: 0.18 ng

RT: 14.169 min Scan# 900

Delta R.T. -0.001 min

Lab File: BE101264.D

Acq: 9 Apr 2021 6:21





Tgt Ion:	152	Resp:	11241
Ion Ratio	100	Lower	Upper
151	23.8	15.4	23.2#
153	33.1	10.0	15.0#

Instrument :

BNA_E

ClientSampleId :

MW-110RR



#17

Acenaphthene

Concen: 0.36 ng




RT: 14.515 min Scan# 924


Delta R.T. -0.001 min

Lab File: BE101264.D

Acq: 9 Apr 2021 6:21

Tgt Ion:	154	Resp:	16868
Ion Ratio	100	Lower	Upper
153	101.0	84.9	127.3
152	48.7	42.7	64.1









#18
Fluorene
Concen: 0.40 ng
RT: 15.503 min Scan# 986
Delta R.T. 0.001 min
Lab File: BE101264.D
Acq: 9 Apr 2021 6:21




Instrument :
BNA_E
ClientSampleId :
MW-110RR


Tgt Ion:166 Resp: 24795
Ion Ratio Lower Upper
166 100
165 100.3 79.0 118.4
167 15.6 11.0 16.4



#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 17.211 min Scan# 1099
Delta R.T. 0.001 min
Lab File: BE101264.D
Acq: 9 Apr 2021 6:21

Tgt Ion:188 Resp: 36882
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 17.8 4.6 6.8#





#20

4,6-Dinitro-2-methylphenol

Concen: 0.08 ng

RT: 15.609 min Scan# 993

Delta R.T. 0.031 min

Lab File: BE101264.D

Acq: 9 Apr 2021 6:21

Tgt Ion:198 Resp: 88

Ion Ratio Lower Upper

198 100

51 989.7 55.9 83.9#





105 1464.5 33.6 50.4#

Instrument :

BNA_E

ClientSampleId :

MW-110RR



#23

Atrazine

Concen: 0.04 ng

RT: 16.667 min Scan# 1063

Delta R.T. 0.001 min

Lab File: BE101264.D

Acq: 9 Apr 2021 6:21




Tgt Ion:200 Resp: 478


Ion Ratio Lower Upper

200 100

173 366.0 21.9 32.9#

215 42.9 38.6 57.8









#24
Pentachlorophenol
Concen: 0.04 ng
RT: 16.863 min Scan# 1076
Delta R.T. 0.001 min
Lab File: BE101264.D
Acq: 9 Apr 2021 6:21




Instrument :
BNA_E
ClientSampleId :
MW-110RR


Tgt Ion:266 Resp: 268
Ion Ratio Lower Upper
266 100
264 39.9 49.1 73.7#
268 49.3 50.6 76.0#



#25
Phenanthrene
Concen: 0.58 ng
RT: 17.332 min Scan# 1107
Delta R.T. 0.092 min
Lab File: BE101264.D
Acq: 9 Apr 2021 6:21

Tgt Ion:178 Resp: 63215
Ion Ratio Lower Upper
178 100
176 18.5 15.0 22.6
179 15.7 12.2 18.4









#26
 Anthracene
 Concen: 0.66 ng
 RT: 17.332 min Scan# 1107
 Delta R.T. 0.001 min
 Lab File: BE101264.D
 Acq: 9 Apr 2021 6:21




Instrument :
 BNA_E
 ClientSampleId :
 MW-110RR


Tgt Ion:178 Resp: 61838
 Ion Ratio Lower Upper
 178 100
 176 18.9 14.4 21.6
 179 15.6 11.8 17.8



#27
 Fluoranthene-d10
 Concen: 0.27 ng
 RT: 19.215 min Scan# 1358
 Delta R.T. 0.000 min
 Lab File: BE101264.D
 Acq: 9 Apr 2021 6:21

Tgt Ion:212 Resp: 173393
 Ion Ratio Lower Upper
 212 100
 106 3.4 2.6 4.0
 104 1.9 1.4 2.2









#28
Fluoranthene
Concen: 0.55 ng
RT: 19.249 min Scan# 1364
Delta R.T. 0.006 min
Lab File: BE101264.D
Acq: 9 Apr 2021 6:21




Instrument :
BNA_E
ClientSampleId :
MW-110RR


Tgt Ion:202 Resp: 78157
Ion Ratio Lower Upper
202 100
101 12.0 9.1 13.7
203 18.0 13.6 20.4



#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.365 min Scan# 1604
Delta R.T. 0.011 min
Lab File: BE101264.D
Acq: 9 Apr 2021 6:21

Tgt Ion:240 Resp: 30526
Ion Ratio Lower Upper
240 100
120 9.6 10.2 15.4#
236 27.2 21.7 32.5









#30
Pyrene
Concen: 0.59 ng
RT: 19.605 min Scan# 1426
Delta R.T. 0.000 min
Lab File: BE101264.D
Acq: 9 Apr 2021 6:21




Instrument :
BNA_E
ClientSampleId :
MW-110RR


Tgt Ion:202	Resp:	64551
Ion Ratio	Lower	Upper
202	100	
200	21.2	16.6 24.8
203	18.9	13.8 20.8



#31
Terphenyl-d14
Concen: 0.47 ng
RT: 19.818 min Scan# 1463
Delta R.T. 0.006 min
Lab File: BE101264.D
Acq: 9 Apr 2021 6:21

Tgt Ion:244	Resp:	38830
Ion Ratio	Lower	Upper
244	100	
212	38.6	21.9 32.9#
122	14.9	7.3 10.9#









#32
Benzo(a)anthracene
Concen: 0.26 ng
RT: 21.341 min Scan# 1602
Delta R.T. -0.001 min
Lab File: BE101264.D
Acq: 9 Apr 2021 6:21




Instrument :
BNA_E
ClientSampled :
MW-110RR


Tgt Ion:228 Resp: 22707
Ion Ratio Lower Upper
228 100
226 30.8 21.4 32.2
229 24.4 15.7 23.5#



#33
Chrysene
Concen: 0.19 ng
RT: 21.401 min Scan# 1607
Delta R.T. 0.011 min
Lab File: BE101264.D
Acq: 9 Apr 2021 6:21

Tgt Ion:228 Resp: 19658
Ion Ratio Lower Upper
228 100
226 33.5 24.8 37.2
229 27.8 15.2 22.8#









#34
Bis(2-ethylhexyl)phthalate
Concen: 0.33 ng
RT: 21.280 min Scan# 1597
Delta R.T. -0.001 min
Lab File: BE101264.D
Acq: 9 Apr 2021 6:21




Instrument :
BNA_E
ClientSampleId :
MW-110RR


Tgt Ion:149 Resp: 20342
Ion Ratio Lower Upper
149 100
167 8.2 5.5 8.3
279 1.0 1.0 1.4



#35
Indeno(1,2,3-cd)pyrene
Concen: 0.15 ng
RT: 26.448 min Scan# 2893
Delta R.T. 0.004 min
Lab File: BE101264.D
Acq: 9 Apr 2021 6:21

Tgt Ion:276 Resp: 11332
Ion Ratio Lower Upper
276 100
138 22.0 17.4 26.0
277 24.1 19.8 29.8









#36
 Perylene-d12
 Concen: 0.40 ng
 RT: 23.841 min Scan# 2166
 Delta R.T. 0.006 min
 Lab File: BE101264.D
 Acq: 9 Apr 2021 6:21




Instrument :
 BNA_E
 ClientSampleId :
 MW-110RR


Tgt Ion:264	Resp:	25364
Ion Ratio	Lower	Upper
264	100	
260	25.6	19.3 28.9
265	28.8	22.4 33.6



#37
 Benzo(b)fluoranthene
 Concen: 0.21 ng
 RT: 23.078 min Scan# 1952
 Delta R.T. 0.002 min
 Lab File: BE101264.D
 Acq: 9 Apr 2021 6:21

Tgt Ion:252	Resp:	17251
Ion Ratio	Lower	Upper
252	100	
253	26.9	18.1 27.1
125	17.4	7.6 11.4









#38
Benzo(k)fluoranthene
Concen: 0.15 ng
RT: 23.128 min Scan# 1966
Delta R.T. 0.002 min
Lab File: BE101264.D
Acq: 9 Apr 2021 6:21




Instrument :
BNA_E
ClientSampleId :
MW-110RR


Tgt Ion:252 Resp: 13937
Ion Ratio Lower Upper
252 100
253 27.7 17.8 26.6#
125 19.0 7.6 11.4#



#39
Benzo(a)pyrene
Concen: 0.18 ng
RT: 23.727 min Scan# 2134
Delta R.T. 0.002 min
Lab File: BE101264.D
Acq: 9 Apr 2021 6:21

Tgt Ion:252 Resp: 12846
Ion Ratio Lower Upper
252 100
253 28.4 18.0 27.0#
125 19.4 8.0 12.0#









#40
Dibenzo(a,h)anthracene
Concen: 0.12 ng
RT: 26.477 min Scan# 2901
Delta R.T. 0.004 min
Lab File: BE101264.D
Acq: 9 Apr 2021 6:21

Instrument :
BNA_E
ClientSampleId :
MW-110RR

Tgt Ion:278 Resp: 7913
Ion Ratio Lower Upper
278 100
139 25.0 12.2 18.2#
279 29.1 19.3 28.9#



#41
Benzo(g,h,i)perylene
Concen: 0.14 ng
RT: 27.251 min Scan# 3118
Delta R.T. 0.007 min
Lab File: BE101264.D
Acq: 9 Apr 2021 6:21

Tgt Ion:276 Resp: 10281
Ion Ratio Lower Upper
276 100
277 27.4 19.4 29.0
138 25.8 15.2 22.8#

