

Data Path : Z:\SVOASRV\HPCHEM1\BNA_E\DATA\BE051719\
 Data File : BE099653.D
 Acq On : 17 May 2019 15:38
 Operator : JU/SJ
 Sample : K2873-01
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 FEBH-09(39-39.5)

Quant Time: May 17 18:30:16 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_E\METHODS\8270-SIM-BE051419.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 14 19:30:50 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.81	152	1937	0.40	ng	-0.01
7) Naphthalene-d8	10.61	136	6496	0.40	ng	0.00
13) Acenaphthene-d10	14.49	164	4546	0.40	ng	0.00
19) Phenanthrene-d10	17.23	188	13579	0.40	ng	0.00
27) Chrysene-d12	21.41	240	18769	0.40	ng	0.00
34) Perylene-d12	23.96	264	22949	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.38	112	1627	0.30	ng	0.00
5) Phenol-d6	6.97	99	2241	0.32	ng	-0.01
8) Nitrobenzene-d5	8.98	82	1719	0.27	ng	0.00
11) 2-Methylnaphthalene-d10	12.22	152	3007	0.28	ng	0.00
14) 2,4,6-Tribromophenol	15.98	330	729	0.23	ng	0.00
15) 2-Fluorobiphenyl	13.10	172	4927	0.28	ng	0.00
25) Fluoranthene-d10	19.27	212	48967	0.27	ng	0.00
29) Terphenyl-d14	19.86	244	9823	0.29	ng	0.00
Target Compounds						Qvalue
32) Bis(2-ethylhexyl)phthalate	21.32	149	8148	0.093	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_E\DATA\BE051719\
Data File : BE099653.D
Acq On : 17 May 2019 15:38
Operator : JU/SJ
Sample : K2873-01
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
FEBH-09(39-39.5)

Quant Time: May 17 18:30:16 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_E\METHODS\8270-SIM-BE051419.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 14 19:30:50 2019
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.81 min Scan# 429
Delta R.T. -0.01 min
Lab File: BE099653.D
Acq: 17 May 2019 15:38

Instrument :
BNA_E
ClientSampleId :
FEBH-09(39-39.5)




Tgt Ion:152 Resp: 1937
Ion Ratio Lower Upper
152 100
150 150.9 110.1 165.1
115 64.8 46.2 69.4




#4

2-Fluorophenol
Concen: 0.296 ng
RT: 5.38 min Scan# 218
Delta R.T. 0.00 min
Lab File: BE099653.D
Acq: 17 May 2019 15:38

Tgt Ion:112 Resp: 1627
Ion Ratio Lower Upper
112 100
64 53.7 43.7 65.5
63 117.7 94.0 141.0





#5

Phenol-d6

Concen: 0.321 ng

RT: 6.97 min Scan# 356

Delta R.T. -0.01 min

Lab File: BE099653.D

Acq: 17 May 2019 15:38

Instrument :

BNA_E

ClientSampleId :

FEBH-09(39-39.5)


Tgt Ion: 99 Resp: 2241

Ion Ratio Lower Upper




99 100

42 16.6 14.3 21.5

71 36.6 33.1 49.7



Abundance Ion 99.00 (98.70 to 99.70): BE0
Ion 42.00 (41.70 to 42.70): BE0
Ion 71.00 (70.70 to 71.70): BE0



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.61 min Scan# 650

Delta R.T. -0.00 min

Lab File: BE099653.D

Acq: 17 May 2019 15:38

Tgt Ion: 136 Resp: 6496


Ion Ratio Lower Upper

136 100



137 12.4 9.7 14.5


54 30.7 23.8 35.8

68 7.0 6.2 9.2



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BE0
Ion 68.00 (67.70 to 68.70): BE0





#8

Nitrobenzene-d5

Concen: 0.273 ng

RT: 8.98 min Scan# 524

Delta R.T. -0.00 min

Lab File: BE099653.D

Acq: 17 May 2019 15:38

Instrument :

BNA_E

ClientSampleId :

FEBH-09(39-39.5)


Tgt Ion: 82 Resp: 1719

Ion Ratio Lower Upper

82 100

128 159.1 131.4 197.2




54 144.6 113.9 170.9



Abundance Ion 82.00 (81.70 to 82.70): BE099607.D (-520) (-)

Ion 128.00 (127.70 to 128.70): BE099607.D (-520) (-)

Ion 54.00 (53.70 to 54.70): BE099607.D (-520) (-)



#11

2-Methylnaphthalene-d10

Concen: 0.275 ng

RT: 12.22 min Scan# 764

Delta R.T. 0.00 min

Lab File: BE099653.D


Acq: 17 May 2019 15:38

Tgt Ion: 152 Resp: 3007

Ion Ratio Lower Upper



152 100


151 19.9 15.3 22.9



Abundance Ion 152.00 (151.70 to 152.70): BE099607.D (-760) (-)

Ion 151.00 (150.70 to 151.70): BE099607.D (-760) (-)









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.49 min Scan# 921
Delta R.T. 0.00 min
Lab File: BE099653.D
Acq: 17 May 2019 15:38




Instrument :
BNA_E
ClientSampleId :
FEBH-09(39-39.5)


Tgt Ion:164 Resp: 4546
Ion Ratio Lower Upper
164 100
162 96.7 81.4 122.0
160 46.0 37.4 56.2



#14
2,4,6-Tribromophenol
Concen: 0.234 ng
RT: 15.98 min Scan# 1027
Delta R.T. -0.00 min
Lab File: BE099653.D
Acq: 17 May 2019 15:38

Tgt Ion:330 Resp: 729
Ion Ratio Lower Upper
330 100
332 100.5 73.8 110.8
141 27.2 21.0 31.6









#15
 2-Fluorobiphenyl
 Concen: 0.281 ng
 RT: 13.10 min Scan# 825
 Delta R.T. 0.00 min
 Lab File: BE099653.D
 Acq: 17 May 2019 15:38




Instrument :
 BNA_E
 ClientSampleId :
 FEBH-09(39-39.5)


Tgt Ion:172 Resp: 4927
 Ion Ratio Lower Upper
 172 100
 171 37.4 29.4 44.2
 170 26.1 21.5 32.3



#19
 Phenanthrene-d10
 Concen: 0.400 ng
 RT: 17.23 min Scan# 1120
 Delta R.T. -0.00 min
 Lab File: BE099653.D
 Acq: 17 May 2019 15:38

Tgt Ion:188 Resp: 13579
 Ion Ratio Lower Upper
 188 100
 94 0.0 0.0 0.0
 80 8.2 6.4 9.6





#25

Fluoranthene-d10

Concen: 0.271 ng

RT: 19.27 min Scan# 1392

Delta R.T. -0.00 min

Lab File: BE099653.D

Acq: 17 May 2019 15:38


Instrument :

BNA_E

ClientSampleId :

FEBH-09(39-39.5)




Tgt Ion:	212	Resp:	48967
Ion	Ratio	Lower	Upper
212	100		
106	1.8	1.4	2.2
104	1.1	0.9	1.3



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng


RT: 21.41 min Scan# 1634

Delta R.T. 0.00 min

Lab File: BE099653.D

Acq: 17 May 2019 15:38



Tgt Ion:	240	Resp:	18769
Ion	Ratio	Lower	Upper
240	100		
120	5.7	5.7	8.5
236	27.2	22.8	34.2




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.291 ng

RT: 19.86 min Scan# 1496

Delta R.T. -0.00 min

Lab File: BE099653.D

Acq: 17 May 2019 15:38

Instrument :

BNA_E

ClientSampleId :

FEBH-09(39-39.5)


Tgt Ion:244 Resp: 9823

Ion Ratio Lower Upper

244 100

212 29.3 23.8 35.6




122 5.7 5.0 7.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.093 ng

RT: 21.32 min Scan# 1626

Delta R.T. 0.00 min

Lab File: BE099653.D

Acq: 17 May 2019 15:38


Tgt Ion:149 Resp: 8148

Ion Ratio Lower Upper

149 100

167 7.5 6.0 9.0



279 1.4 1.1 1.7






Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#34

Perylene-d12

Concen: 0.400 ng

RT: 23.96 min Scan# 2225

Delta R.T. 0.00 min

Lab File: BE099653.D

Acq: 17 May 2019 15:38

Instrument :

BNA_E

ClientSampleId :

FEBH-09(39-39.5)

Tgt Ion: 264 Resp: 22949

Ion Ratio Lower Upper

264 100

260 25.2 19.7 29.5

265 24.7 21.2 31.8

