

Data Path : Z:\SVOASRV\HPCHEM1\BNA_E\DATA\BE051719\
 Data File : BE099654.D
 Acq On : 17 May 2019 16:14
 Operator : JU/SJ
 Sample : K2873-02
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 FEBH-10

Quant Time: May 17 18:31:09 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_E\METHODS\8270-SIM-BE051419.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 14 19:30:50 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.82	152	1913	0.40	ng	0.00
7) Naphthalene-d8	10.61	136	6518	0.40	ng	0.00
13) Acenaphthene-d10	14.49	164	4685	0.40	ng	0.00
19) Phenanthrene-d10	17.23	188	13852	0.40	ng	0.00
27) Chrysene-d12	21.41	240	18739	0.40	ng	0.00
34) Perylene-d12	23.96	264	23359	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.37	112	1445	0.27	ng	0.00
5) Phenol-d6	6.98	99	1975	0.29	ng	0.00
8) Nitrobenzene-d5	8.98	82	1568	0.25	ng	0.00
11) 2-Methylnaphthalene-d10	12.22	152	2891	0.26	ng	0.00
14) 2,4,6-Tribromophenol	15.98	330	541	0.17	ng	0.00
15) 2-Fluorobiphenyl	13.10	172	4315	0.24	ng	0.00
25) Fluoranthene-d10	19.26	212	44634	0.24	ng	0.00
29) Terphenyl-d14	19.86	244	8426	0.25	ng	0.00
Target Compounds						
28) Pyrene	19.66	202	1107	0.023	ng	Qvalue # 95
32) Bis(2-ethylhexyl)phthalate	21.32	149	4338	0.050	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_E\DATA\BE051719\
Data File : BE099654.D
Acq On : 17 May 2019 16:14
Operator : JU/SJ
Sample : K2873-02
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
FEBH-10

Quant Time: May 17 18:31:09 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_E\METHODS\8270-SIM-BE051419.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 14 19:30:50 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.82 min Scan# 430
Delta R.T. -0.00 min
Lab File: BE099654.D
Acq: 17 May 2019 16:14

Instrument :
BNA_E
ClientSampleId :
FEBH-10

Tgt Ion:152 Resp: 1913
Ion Ratio Lower Upper
152 100
150 139.6 110.1 165.1
115 59.3 46.2 69.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#4


2-Fluorophenol
Concen: 0.266 ng
RT: 5.37 min Scan# 218
Delta R.T. -0.00 min
Lab File: BE099654.D
Acq: 17 May 2019 16:14

Tgt Ion:112 Resp: 1445
Ion Ratio Lower Upper
112 100
64 55.6 43.7 65.5
63 129.7 94.0 141.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BE0
Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.287 ng

RT: 6.98 min Scan# 357

Delta R.T. -0.00 min

Lab File: BE099654.D

Acq: 17 May 2019 16:14

Instrument :

BNA_E

ClientSampleId :

FEBH-10


Tgt Ion: 99 Resp: 1975

Ion Ratio Lower Upper

99 100

42 18.8 14.3 21.5




71 38.2 33.1 49.7



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.61 min Scan# 650

Delta R.T. -0.00 min

Lab File: BE099654.D

Acq: 17 May 2019 16:14

Tgt Ion: 136 Resp: 6518


Ion Ratio Lower Upper

136 100

137 12.2 9.7 14.5

54 30.6 23.8 35.8

68 8.0 6.2 9.2






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0





#8

Nitrobenzene-d5

Concen: 0.248 ng

RT: 8.98 min Scan# 524

Delta R.T. -0.00 min

Lab File: BE099654.D

Acq: 17 May 2019 16:14

Instrument :

BNA_E

ClientSampleId :

FEBH-10


Tgt Ion: 82 Resp: 1568

Ion Ratio Lower Upper

82 100

128 154.3 131.4 197.2




54 139.1 113.9 170.9



Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): BE0

Ion 54.00 (53.70 to 54.70): BE0



#11

2-Methylnaphthalene-d10

Concen: 0.264 ng

RT: 12.22 min Scan# 764

Delta R.T. 0.00 min

Lab File: BE099654.D


Acq: 17 May 2019 16:14

Tgt Ion: 152 Resp: 2891

Ion Ratio Lower Upper



152 100


151 19.2 15.3 22.9



Abundance Ion 152.00 (151.70 to 152.70): BE0

Ion 151.00 (150.70 to 151.70): BE0





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.49 min Scan# 921

Delta R.T. 0.00 min

Lab File: BE099654.D

Acq: 17 May 2019 16:14

Instrument :

BNA_E

ClientSampleId :

FEBH-10


Tgt Ion:164 Resp: 4685

Ion Ratio Lower Upper

164 100

162 96.2 81.4 122.0




160 45.1 37.4 56.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.169 ng

RT: 15.98 min Scan# 1027

Delta R.T. -0.00 min

Lab File: BE099654.D

Acq: 17 May 2019 16:14


Tgt Ion:330 Resp: 541

Ion Ratio Lower Upper

330 100

332 97.6 73.8 110.8



141 33.6 21.0 31.6#




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E





#15

2-Fluorobiphenyl

Concen: 0.239 ng

RT: 13.10 min Scan# 825

Delta R.T. 0.00 min

Lab File: BE099654.D

Acq: 17 May 2019 16:14

Instrument :

BNA_E

ClientSampleId :

FEBH-10


Tgt Ion:172 Resp: 4315

Ion Ratio Lower Upper

172 100

171 37.1 29.4 44.2




170 26.5 21.5 32.3



Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E



#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.23 min Scan# 1120

Delta R.T. -0.00 min

Lab File: BE099654.D

Acq: 17 May 2019 16:14


Tgt Ion:188 Resp: 13852

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0



80 7.5 6.4 9.6




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0









#25
 Fluoranthene-d10
 Concen: 0.242 ng
 RT: 19.26 min Scan# 1392
 Delta R.T. -0.00 min
 Lab File: BE099654.D
 Acq: 17 May 2019 16:14




Instrument :
 BNA_E
 ClientSampleId :
 FEBH-10


Tgt Ion: 212 Resp: 44634
 Ion Ratio Lower Upper
 212 100
 106 1.8 1.4 2.2
 104 1.1 0.9 1.3



#27
 Chrysene-d12
 Concen: 0.400 ng
 RT: 21.41 min Scan# 1634
 Delta R.T. 0.00 min
 Lab File: BE099654.D
 Acq: 17 May 2019 16:14

Tgt Ion: 240 Resp: 18739
 Ion Ratio Lower Upper
 240 100
 120 6.1 5.7 8.5
 236 27.4 22.8 34.2









#28
 Pyrene
 Concen: 0.023 ng
 RT: 19.66 min Scan# 1461
 Delta R.T. -0.00 min
 Lab File: BE099654.D
 Acq: 17 May 2019 16:14




Instrument :
 BNA_E
 ClientSampleId :
 FEBH-10


Tgt Ion:202 Resp: 1107
 Ion Ratio Lower Upper
 202 100
 200 20.7 15.8 23.6
 203 21.4 14.1 21.1#



#29
 Terphenyl-d14
 Concen: 0.250 ng
 RT: 19.86 min Scan# 1496
 Delta R.T. -0.00 min
 Lab File: BE099654.D
 Acq: 17 May 2019 16:14

Tgt Ion:244 Resp: 8426
 Ion Ratio Lower Upper
 244 100
 212 31.5 23.8 35.6
 122 6.7 5.0 7.6









#32
 Bis(2-ethylhexyl)phthalate
 Concen: 0.050 ng
 RT: 21.32 min Scan# 1626
 Delta R.T. 0.00 min
 Lab File: BE099654.D
 Acq: 17 May 2019 16:14

Instrument :
 BNA_E
 ClientSampled :
 FEBH-10

Tgt Ion:149 Resp: 4338
 Ion Ratio Lower Upper
 149 100
 167 7.7 6.0 9.0
 279 1.5 1.1 1.7



#34
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.96 min Scan# 2225
 Delta R.T. 0.00 min
 Lab File: BE099654.D
 Acq: 17 May 2019 16:14

Tgt Ion:264 Resp: 23359
 Ion Ratio Lower Upper
 264 100
 260 24.8 19.7 29.5
 265 24.4 21.2 31.8

