

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE072319\
 Data File : BE100493.D
 Acq On : 23 Jul 2019 9:49
 Operator : HP/JU
 Sample : PB121536BL
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 PB121536BL

Quant Time: Jul 24 02:26:57 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE072219.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jul 23 08:06:59 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.88	152	2631	0.40	ng	0.00
7) Naphthalene-d8	10.67	136	9506	0.40	ng	0.00
13) Acenaphthene-d10	14.50	164	5152	0.40	ng	0.00
19) Phenanthrene-d10	17.22	188	11952	0.40	ng	0.00
27) Chrysene-d12	21.38	240	15690	0.40	ng	0.00
34) Perylene-d12	23.85	264	19931	0.40	ng	-0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
4) 2-Fluorophenol	5.46	112	2815	0.44	ng	0.00
5) Phenol-d6	7.03	99	4067	0.44	ng	0.00
8) Nitrobenzene-d5	9.02	82	3270	0.41	ng	0.00
11) 2-Methylnaphthalene-d10	12.25	152	5747	0.36	ng	0.00
14) 2,4,6-Tribromophenol	15.97	330	870	0.39	ng	0.00
15) 2-Fluorobiphenyl	13.13	172	7950	0.38	ng	0.00
25) Fluoranthene-d10	19.24	212	65296	0.40	ng	0.00
29) Terphenyl-d14	19.83	244	12540	0.32	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE072319\
Data File : BE100493.D
Acq On : 23 Jul 2019 9:49
Operator : HP/JU
Sample : PB121536BL
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
PB121536BL

Quant Time: Jul 24 02:26:57 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE072219.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jul 23 08:06:59 2019
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 7.88 min Scan# 435

Delta R.T. 0.00 min

Lab File: BE100493.D

Acq: 23 Jul 2019 9:49

Instrument :

BNA_E

ClientSampleId :

PB121536BL


Tot Ion:152 Resp: 2631

Ion Ratio Lower Upper

152 100

150 138.0 115.0 172.6




115 59.9 52.9 79.3



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 0.439 ng

RT: 5.46 min Scan# 225

Delta R.T. 0.00 min

Lab File: BE100493.D

Acq: 23 Jul 2019 9:49


Tgt Ion:112 Resp: 2815

Ion Ratio Lower Upper

112 100

64 65.3 54.1 81.1



63 130.9 104.6 157.0




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE1

Ion 63.00 (62.70 to 63.70): BE1





#5

Phenol-d6

Concen: 0.444 ng

RT: 7.03 min Scan# 362

Delta R.T. 0.00 min

Lab File: BE100493.D

Acq: 23 Jul 2019 9:49

Instrument :

BNA_E

ClientSampleId :

PB121536BL


Tot Ion: 99 Resp: 4067

Ion Ratio Lower Upper




99 100

42 17.3 14.5 21.7

71 31.8 26.4 39.6



Abundance Ion 99.00 (98.70 to 99.70): BE1
Ion 42.00 (41.70 to 42.70): BE1
Ion 71.00 (70.70 to 71.70): BE1



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.67 min Scan# 654

Delta R.T. 0.00 min

Lab File: BE100493.D

Acq: 23 Jul 2019 9:49

Tgt Ion: 136 Resp: 9506


Ion Ratio Lower Upper

136 100



137 11.8 9.8 14.6


54 26.7 20.6 31.0

68 6.4 5.3 7.9



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BE1
Ion 68.00 (67.70 to 68.70): BE1





#8

Nitrobenzene-d5

Concen: 0.414 ng

RT: 9.02 min Scan# 527

Delta R.T. 0.00 min

Lab File: BE100493.D

Acq: 23 Jul 2019 9:49

Instrument :

BNA_E

ClientSampleId :

PB121536BL


Tot Ion: 82 Resp: 3270

Ion Ratio Lower Upper

82 100

128 157.8 113.6 170.4




54 179.4 150.6 226.0



Abundance Ion 82.00 (81.70 to 82.70): BE1

Ion 128.00 (127.70 to 128.70): BE1

Ion 54.00 (53.70 to 54.70): BE1



#11

2-Methylnaphthalene-d10

Concen: 0.365 ng

RT: 12.25 min Scan# 766

Delta R.T. 0.00 min

Lab File: BE100493.D


Acq: 23 Jul 2019 9:49

Tgt Ion: 152 Resp: 5747

Ion Ratio Lower Upper



152 100


151 19.0 15.1 22.7



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.50 min Scan# 922
Delta R.T. 0.00 min
Lab File: BE100493.D
Acq: 23 Jul 2019 9:49




Instrument :
BNA_E
ClientSampleId :
PB121536BL


Tot Ion:164 Resp: 5152
Ion Ratio Lower Upper
164 100
162 103.9 80.8 121.2
160 43.8 34.9 52.3



#14
2,4,6-Tribromophenol
Concen: 0.389 ng
RT: 15.97 min Scan# 1026
Delta R.T. 0.00 min
Lab File: BE100493.D
Acq: 23 Jul 2019 9:49

Tgt Ion:330 Resp: 870
Ion Ratio Lower Upper
330 100
332 97.9 80.5 120.7
141 39.2 29.9 44.9









#15
2-Fluorobiphenyl
Concen: 0.380 ng
RT: 13.13 min Scan# 827
Delta R.T. 0.00 min
Lab File: BE100493.D
Acq: 23 Jul 2019 9:49




Instrument :
BNA_E
ClientSampleId :
PB121536BL


Tot Ion:172 Resp: 7950
Ion Ratio Lower Upper
172 100
171 34.9 28.2 42.2
170 21.6 17.8 26.8



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.22 min Scan# 1119
Delta R.T. 0.00 min
Lab File: BE100493.D
Acq: 23 Jul 2019 9:49

Tgt Ion:188 Resp: 11952
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 10.0 11.9 17.9#









#25
 Fluoranthene-d10
 Concen: 0.399 ng
 RT: 19.24 min Scan# 1387
 Delta R.T. -0.01 min
 Lab File: BE100493.D
 Acq: 23 Jul 2019 9:49




Instrument :
 BNA_E
 ClientSampleId :
 PB121536BL


Tot Ion:212 Resp: 65296
 Ion Ratio Lower Upper
 212 100
 106 2.8 2.2 3.4
 104 1.5 1.2 1.8



#27
 Chrysene-d12
 Concen: 0.400 ng
 RT: 21.38 min Scan# 1631
 Delta R.T. -0.00 min
 Lab File: BE100493.D
 Acq: 23 Jul 2019 9:49

Tgt Ion:240 Resp: 15690
 Ion Ratio Lower Upper
 240 100
 120 6.0 8.2 12.2#
 236 27.2 22.6 34.0





#29

Terphenyl-d14

Concen: 0.324 ng

RT: 19.83 min Scan# 1491

Delta R.T. -0.01 min

Lab File: BE100493.D

Acq: 23 Jul 2019 9:49

Instrument :

BNA_E

ClientSampleId :

PB121536BL


Tot Ion:244 Resp: 12540

Ion Ratio Lower Upper




244 100

212 33.9 25.6 38.4

122 10.9 7.2 10.8#



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#34

Perylene-d12

Concen: 0.400 ng

RT: 23.85 min Scan# 2195

Delta R.T. -0.01 min

Lab File: BE100493.D

Acq: 23 Jul 2019 9:49


Tgt Ion:264 Resp: 19931

Ion Ratio Lower Upper

264 100

260 25.4 20.7 31.1

265 28.6 23.4 35.2



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

