

Data Path : Z:\HPCHEM1\BNA E\DATA\BE011117\
 Data File : BE092641.D
 Acq On : 11 Jan 2017 14:58
 Operator : UM/SJ
 Sample : I1100-02
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 KY038PS027-170109

Quant Time: Jan 11 16:51:13 2017
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE121916.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Dec 19 16:16:32 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.14	152	7762	5.00	ng	0.00
7) Naphthalene-d8	10.93	136	33862	5.00	ng	0.00
12) Acenaphthene-d10	14.80	164	22767	5.00	ng	0.00
18) Phenanthrene-d10	17.56	188	47816	5.00	ng	0.00
24) Chrysene-d12	21.72	240	67324	5.00	ng	0.00
31) Perylene-d12	24.06	264	63393	5.00	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.65	112	8876	5.94	ng	-0.03
5) Phenol-d6	7.31	99	7122	3.23	ng	-0.07
8) Nitrobenzene-d5	9.34	82	11601	4.95	ng	-0.02
13) 2,4,6-Tribromophenol	16.29	330	6643	10.06	ng	-0.02
14) 2-Fluorobiphenyl	13.41	172	46247	8.49	ng	-0.02
26) Terphenyl-d14	20.16	244	89891	10.89	ng	-0.02
Target Compounds						
29) Bis(2-ethylhexyl)phthalate	21.61	149	1928	0.38	ng	Qvalue # 75


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE011117\
Data File : BE092641.D
Acq On : 11 Jan 2017 14:58
Operator : UM/SJ
Sample : I1100-02
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
KY038PS027-170109

Quant Time: Jan 11 16:51:13 2017
Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE121916.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Dec 19 16:16:32 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 8.14 min Scan# 575

Delta R.T. -0.00 min

Lab File: BE092641.D

Acq: 11 Jan 2017 14:58

Instrument :

BNA_E

ClientSampleId :

KY038PS027-170109


Tot Ion:152 Resp: 7762

Ion Ratio Lower Upper

152 100

150 171.7 106.0 159.0#




115 76.6 31.2 46.8#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 5.94 ng

RT: 5.65 min Scan# 360

Delta R.T. -0.03 min

Lab File: BE092641.D

Acq: 11 Jan 2017 14:58


Tgt Ion:112 Resp: 8876

Ion Ratio Lower Upper

112 100

64 69.3 53.5 80.3



63 37.1 27.9 41.9




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 3.23 ng

RT: 7.31 min Scan# 539

Delta R.T. -0.07 min

Lab File: BE092641.D

Acq: 11 Jan 2017 14:58

Instrument :


BNA_E

ClientSampleId :

KY038PS027-170109

Tot Ion: 99 Resp: 7122




Ion	Ratio	Lower	Upper
99	100		
42	26.1	16.0	24.0#
71	36.0	30.6	45.8



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#7

Naphthalene-d8

Concen: 5.00 ng

RT: 10.93 min Scan# 707


Delta R.T. 0.00 min

Lab File: BE092641.D

Acq: 11 Jan 2017 14:58

Tgt Ion: 136 Resp: 33862

Ion	Ratio	Lower	Upper
136	100		
137	11.5	8.2	12.4
54	8.4	9.6	14.4#
68	5.9	6.7	10.1#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0





#8

Nitrobenzene-d5

Concen: 4.95 ng

RT: 9.34 min Scan# 627

Delta R.T. -0.02 min

Lab File: BE092641.D

Acq: 11 Jan 2017 14:58

Instrument :

BNA_E

ClientSampleId :

KY038PS027-170109


Tot Ion: 82 Resp: 11601

Ion Ratio Lower Upper

82 100

128 44.6 39.0 58.4




54 52.0 44.8 67.2



Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): BE0

Ion 54.00 (53.70 to 54.70): BE0



#12

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.80 min Scan# 979

Delta R.T. 0.00 min

Lab File: BE092641.D

Acq: 11 Jan 2017 14:58


Tgt Ion: 164 Resp: 22767

Ion Ratio Lower Upper

164 100

162 90.8 71.4 107.0



160 37.4 27.4 41.2




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#13
 2,4,6-Tribromophenol
 Concen: 10.06 ng
 RT: 16.29 min Scan# 1086
 Delta R.T. -0.02 min
 Lab File: BE092641.D
 Acq: 11 Jan 2017 14:58




Instrument :
 BNA_E
 ClientSampleId :
 KY038PS027-170109


Tot Ion:330 Resp: 6643
 Ion Ratio Lower Upper
 330 100
 332 96.5 75.4 113.0
 141 45.4 31.0 46.6



#14
 2-Fluorobiphenyl
 Concen: 8.49 ng
 RT: 13.41 min Scan# 882
 Delta R.T. -0.02 min
 Lab File: BE092641.D
 Acq: 11 Jan 2017 14:58

Tgt Ion:172 Resp: 46247
 Ion Ratio Lower Upper
 172 100
 171 35.2 30.1 45.1
 170 24.4 21.8 32.6





#18

Phenanthrene-d10

Concen: 5.00 ng

RT: 17.56 min Scan# 1153

Delta R.T. -0.00 min

Lab File: BE092641.D

Acq: 11 Jan 2017 14:58

Instrument :

BNA_E

ClientSampleId :

KY038PS027-170109


Tot Ion:188 Resp: 47816

Ion Ratio Lower Upper

188 100

94 4.1 3.2 4.8




80 3.7 2.6 3.8



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#24

Chrysene-d12

Concen: 5.00 ng

RT: 21.72 min Scan# 1374

Delta R.T. -0.00 min

Lab File: BE092641.D

Acq: 11 Jan 2017 14:58


Tgt Ion:240 Resp: 67324

Ion Ratio Lower Upper

240 100

120 1.7 2.6 4.0#



236 24.6 24.6 37.0#




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#26
 Terphenyl-d14
 Concen: 10.89 ng
 RT: 20.16 min Scan# 1298
 Delta R.T. -0.02 min
 Lab File: BE092641.D
 Acq: 11 Jan 2017 14:58




Instrument :
 BNA_E
 ClientSampleId :
 KY038PS027-170109


Tot Ion:244 Resp: 89891
 Ion Ratio Lower Upper
 244 100
 212 7.1 6.7 10.1
 122 1.7 3.6 5.4#



#29
 Bis(2-ethylhexyl)phthalate
 Concen: 0.38 ng
 RT: 21.61 min Scan# 1369
 Delta R.T. -0.00 min
 Lab File: BE092641.D
 Acq: 11 Jan 2017 14:58

Tgt Ion:149 Resp: 1928
 Ion Ratio Lower Upper
 149 100
 167 23.1 16.0 24.0
 279 0.0 16.0 24.0#






#31
Pervlene-d12
Concen: 5.00 ng
RT: 24.06 min Scan# 1542
Delta R.T. 0.00 min
Lab File: BE092641.D
Acq: 11 Jan 2017 14:58

Instrument :
BNA_E
ClientSampleId :
KY038PS027-170109

Tot Ion:	264	Resp:	63393
Ion	Ratio	Lower	Upper
264	100		
260	25.8	20.1	30.1
265	21.1	17.9	26.9



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

