

Data Path : \\74.0.250.170\svoasrv\HPCHEM1\BNA_E\Data\BE012618\
 Data File : BE095136.D
 Acq On : 26 Jan 2018 20:10
 Operator : SJ/JU
 Sample : J1174-09
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 F6A59

Manual Integrations
 APPROVED

Sohil
 1/29/2018 6:30:05 PM

Quant Time: Feb 01 10:10:41 2018
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM-EPA-SIM-BE012618.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Jan 27 00:35:54 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.44	152	3004	0.40	ng/ul	0.00
2) Naphthalene-d8	11.27	136	9414	0.40	ng/ul	0.00
6) Acenaphthene-d10	15.02	164	5951	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.73	188	12625m	0.40	ng/ul	0.00
16) Chrysene-d12	21.80	240	15008	0.40	ng/ul	0.00
20) Perylene-d12	24.44	264	13522m	0.40	ng/ul	0.00
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.82	152	3943	0.26	ng/ul	0.00
14) Fluoranthene-d10	19.70	212	11703	0.24	ng/ul	0.00
Target Compounds				Qvalue		
5) 2-Methylnaphthalene	12.89	142	1196	0.068	ng/ul	98
8) Acenaphthene	15.08	153	4138	0.186	ng/ul	95
9) Fluorene	16.02	166	2335	0.102	ng/ul#	73
12) Phenanthrene	17.75	178	10913	0.257	ng/ul#	87
13) Anthracene	17.85	178	1692	0.044	ng/ul#	93
15) Fluoranthene	19.72	202	7111	0.129	ng/ul	86
17) Pyrene	20.08	202	5543m	0.110	ng/ul	
18) Benzo(a)anthracene	21.79	228	1040	0.022	ng/ul#	84

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\svoasrv\HPCHEM1\BNA_E\Data\BE012618\
Data File : BE095136.D
Acq On : 26 Jan 2018 20:10
Operator : SJ/JU
Sample : J1174-09
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
F6A59

Manual Integrations
APPROVED

Sohil
1/29/2018 6:30:05 PM

Quant Time: Feb 01 10:10:41 2018
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM-EPA-SIM-BE012618.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Jan 27 00:35:54 2018
Response via : Initial Calibration

