

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE012718\
 Data File : BE095167.D
 Acq On : 27 Jan 2018 15:23
 Operator : SJ/JU
 Sample : J1243-18
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 F6D44

Quant Time: Jan 28 01:33:53 2018
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM-EPA-SIM-BE012618.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Jan 27 03:18:43 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.44	152	2685	0.40	ng/ul	0.00
2) Naphthalene-d8	11.27	136	8382	0.40	ng/ul	0.00
6) Acenaphthene-d10	15.02	164	5761	0.40	ng/ul	0.00
10) Phenanthrene-d10	0.00	188	0	0.00	ng/ul	-17.71
16) Chrysene-d12	21.81	240	12477	0.40	ng/ul	0.00
20) Perylene-d12	24.27	264	844336	0.40	ng/ul	-0.16
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.82	152	5224	0.38	ng/ul	0.00
14) Fluoranthene-d10	19.70	212	15667	0.00	ng/ul	0.00
Target Compounds						
3) Naphthalene	11.32	128	1078	0.046	ng/ul#	79
5) 2-Methylnaphthalene	12.89	142	589	0.038	ng/ul	99
8) Acenaphthene	15.08	153	2992	0.139	ng/ul#	28
17) Pyrene	20.05	202	2399	0.057	ng/ul#	1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE012718\
Data File : BE095167.D
Acq On : 27 Jan 2018 15:23
Operator : SJ/JU
Sample : J1243-18
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
F6D44

Quant Time: Jan 28 01:33:53 2018
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM-EPA-SIM-BE012618.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Jan 27 03:18:43 2018
Response via : Initial Calibration





#3

Naphthalene

Concen: 0.046 ng/ul

RT: 11.32 min Scan# 1350

Delta R.T. 0.00 min

Lab File: BE095167.D

Acq: 27 Jan 2018 15:23

Instrument :

BNA_E

ClientSampleId :

F6D44


Tgt Ion:128 Resp: 1078

Ion Ratio Lower Upper

128 100

129 19.5 11.3 16.9#




127 19.5 4.0 6.0#



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E



#5

2-Methylnaphthalene

Concen: 0.038 ng/ul

RT: 12.89 min Scan# 1540

Delta R.T. 0.00 min

Lab File: BE095167.D


Acq: 27 Jan 2018 15:23

Tgt Ion:142 Resp: 589

Ion Ratio Lower Upper



142 100


141 91.7 72.6 108.8



Abundance Ion 142.00 (141.70 to 142.70): E

Ion 141.00 (140.70 to 141.70): E





#8

Acenaphthene

Concen: 0.139 ng/ul

RT: 15.08 min Scan# 1826

Delta R.T. -0.00 min

Lab File: BE095167.D

Acq: 27 Jan 2018 15:23

Instrument :

BNA_E

ClientSampleId :

F6D44


Tgt Ion:153 Resp: 2992

Ion Ratio Lower Upper

153 100

152 7.1 36.0 54.0#




154 16.1 72.0 108.0#



Abundance Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E

Ion 154.00 (153.70 to 154.70): E



#17

Pyrene

Concen: 0.057 ng/ul

RT: 20.05 min Scan# 2461

Delta R.T. -0.03 min

Lab File: BE095167.D

Acq: 27 Jan 2018 15:23


Tgt Ion:202 Resp: 2399

Ion Ratio Lower Upper

202 100

101 166.6 18.2 27.4#

100 1173.4 15.6 23.4#



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 100.00 (99.70 to 100.70): E

