

Data Path : Z:\HPCHEM1\BNA E\DATA\BE013118\
 Data File : BE095348.D
 Acq On : 1 Feb 2018 9:41
 Operator : SJ/JU
 Sample : J1282-15
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 F6C42

Manual Integrations
 APPROVED

Sohil
 2/1/2018 5:59:28 PM

Quant Time: Feb 01 13:07:06 2018
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM-EPA-SIM-BE012618.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 01 06:27:03 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.44	152	2449	0.40	ng/ul	0.00
2) Naphthalene-d8	11.26	136	7786	0.40	ng/ul	0.00
6) Acenaphthene-d10	15.02	164	5121	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.71	188	10276m	0.40	ng/ul	0.00
16) Chrysene-d12	21.80	240	9945	0.40	ng/ul	0.00
20) Perylene-d12	24.44	264	9282m	0.40	ng/ul	0.00
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.81	152	5135	0.41	ng/ul	0.00
14) Fluoranthene-d10	19.70	212	13143	0.33	ng/ul	0.00
Target Compounds						
3) Naphthalene	11.31	128	771	0.035	ng/ul#	74
5) 2-Methylnaphthalene	12.89	142	380	0.026	ng/ul	99
11) Pentachlorophenol	17.36	266	2992	1.503	ng/ul	97
12) Phenanthrene	17.75	178	988	0.029	ng/ul#	83

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA E\DATA\BE013118\
Data File : BE095348.D
Acq On : 1 Feb 2018 9:41
Operator : SJ/JU
Sample : J1282-15
Misc :
ALS Vial : 27 Sample Multiplier: 1


Instrument :
BNA_E
ClientSampleId :
F6C42

Manual Integrations
APPROVED

Sohil
2/1/2018 5:59:28 PM

Quant Time: Feb 01 13:07:06 2018
Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM-EPA-SIM-BE012618.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 01 06:27:03 2018
Response via : Initial Calibration





#3

Naphthalene

Concen: 0.035 ng/ul

RT: 11.31 min Scan# 1348

Delta R.T. -0.00 min

Lab File: BE095348.D

Acq: 1 Feb 2018 9:41

Instrument :

BNA_E

ClientSampled :





F6C42

Tot Ion:128 Resp: 771

Ion	Ratio	Lower	Upper
128	100		
129	21.3	11.3	16.9#
127	21.1	4.0	6.0#

Manual Integrations
APPROVED

Sohil
2/1/2018 5:59:28 PM



#5

2-Methylnaphthalene

Concen: 0.026 ng/ul

RT: 12.89 min Scan# 1539




Delta R.T. -0.00 min


Lab File: BE095348.D

Acq: 1 Feb 2018 9:41

Tgt Ion:142 Resp: 380

Ion	Ratio	Lower	Upper
142	100		
141	91.3	72.6	108.8









#11
 Pentachlorophenol
 Concen: 1.503 ng/ul
 RT: 17.36 min Scan# 1997
 Delta R.T. 0.00 min
 Lab File: BE095348.D
 Acq: 1 Feb 2018 9:41

Instrument :
 BNA_E
 ClientSampleId :
 F6C42

Tot Ion	Ratio	Lower	Upper
266	100		
264	63.7	47.9	71.9
268	61.9	49.8	74.8

Manual Integrations
 APPROVED

Sohil
 2/1/2018 5:59:28 PM



#12
 Phenanthrene
 Concen: 0.029 ng/ul
 RT: 17.75 min Scan# 2014
 Delta R.T. 0.00 min
 Lab File: BE095348.D
 Acq: 1 Feb 2018 9:41

Tgt Ion	Ratio	Lower	Upper
178	100		
179	28.6	18.4	27.6#
176	27.3	13.6	20.4#

