

Data Path : U:\HPCHEM1\BNA E\DATA\BE020218\
 Data File : BE095409.D
 Acq On : 2 Feb 2018 22:23
 Operator : SJ/JU
 Sample : J1296-19
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 F6D47

Manual Integrations
 APPROVED

Sohil
 2/5/2018 5:48:21 PM

Quant Time: Feb 03 05:31:31 2018
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM-EPA-SIM-BE012618.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Feb 03 05:26:35 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.44	152	1388m	0.40	ng/ul	0.00
2) Naphthalene-d8	11.26	136	5949	0.40	ng/ul	0.00
6) Acenaphthene-d10	15.02	164	4032	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.71	188	7517m	0.40	ng/ul	0.00
16) Chrysene-d12	21.80	240	7587	0.40	ng/ul	0.00
20) Perylene-d12	24.44	264	6555m	0.40	ng/ul	0.00
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.81	152	4348	0.45	ng/ul	0.00
14) Fluoranthene-d10	19.69	212	10533	0.37	ng/ul	0.00
Target Compounds						
3) Naphthalene	11.31	128	552	0.033	ng/ul#	65
8) Acenaphthene	15.07	153	2075	0.138	ng/ul#	25

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : U:\HPCHEM1\BNA E\DATA\BE020218\
Data File : BE095409.D
Acq On : 2 Feb 2018 22:23
Operator : SJ/JU
Sample : J1296-19
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
BNA_E
ClientSampleId :
F6D47

Manual Integrations
APPROVED

Sohil
2/5/2018 5:48:21 PM

Quant Time: Feb 03 05:31:31 2018
Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM-EPA-SIM-BE012618.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Feb 03 05:26:35 2018
Response via : Initial Calibration





#3

Naphthalene

Concen: 0.033 ng/ul

RT: 11.31 min Scan# 1348

Delta R.T. -0.00 min

Lab File: BE095409.D

Acq: 2 Feb 2018 22:23

Instrument :

BNA_E


ClientSampled :

F6D47

Tot Ion:	128	Resp:	552
Ion Ratio	Lower	Upper	
128	100		
129	24.8	11.3	16.9#
127	24.8	4.0	6.0#

Manual Integrations
APPROVED




Sohil
2/5/2018 5:48:21 PM



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E



#8

Acenaphthene

Concen: 0.138 ng/ul


RT: 15.07 min Scan# 1824

Delta R.T. -0.01 min

Lab File: BE095409.D

Acq: 2 Feb 2018 22:23

Tgt Ion:	153	Resp:	2075
Ion Ratio	Lower	Upper	
153	100		
152	5.0	36.0	54.0#
154	12.1	72.0	108.0#



Abundance Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E

Ion 154.00 (153.70 to 154.70): E

