

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA_E\DATA\BE020518\
 Data File : BE095492.D
 Acq On : 5 Feb 2018 15:59
 Operator : SJ/JU
 Sample : J1315-01
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 F6C58

Manual Integrations
 APPROVED

Sohil
 2/6/2018 2:30:44 PM

Quant Time: Feb 06 01:55:00 2018
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM-EPA-SIM-BE012618.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Feb 06 01:31:24 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.43	152	1820	0.40	ng/ul	0.00
2) Naphthalene-d8	11.25	136	5154	0.40	ng/ul	0.00
6) Acenaphthene-d10	15.01	164	3187	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.71	188	7270	0.40	ng/ul	0.00
16) Chrysene-d12	21.80	240	7388	0.40	ng/ul	0.00
20) Perylene-d12	24.43	264	6892m	0.40	ng/ul	0.00
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.81	152	2262	0.27	ng/ul	0.00
14) Fluoranthene-d10	19.69	212	6345	0.23	ng/ul	0.00
Target Compounds				Qvalue		
11) Pentachlorophenol	17.36	266	2043	1.451	ng/ul	98
12) Phenanthrene	17.75	178	506m	0.021	ng/ul	
15) Fluoranthene	19.72	202	1482	0.047	ng/ul	87
17) Pyrene	20.07	202	1206m	0.049	ng/ul	
18) Benzo(a)anthracene	21.78	228	525	0.023	ng/ul#	61
19) Chrysene	21.84	228	506	0.021	ng/ul#	68

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA_E\DATA\BE020518\
Data File : BE095492.D
Acq On : 5 Feb 2018 15:59
Operator : SJ/JU
Sample : J1315-01
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
F6C58

Manual Integrations
APPROVED

Sohil
2/6/2018 2:30:44 PM

Quant Time: Feb 06 01:55:00 2018
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM-EPA-SIM-BE012618.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Feb 06 01:31:24 2018
Response via : Initial Calibration

