

Data Path : Z:\HPCHEM1\BNA E\DATA\BE020818\
 Data File : BE095575.D
 Acq On : 8 Feb 2018 18:42
 Operator : SJ/JU
 Sample : J1316-14
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 F6D37

Manual Integrations
 APPROVED

Sohil
 2/9/2018 4:30:59 PM

Quant Time: Feb 09 03:45:26 2018
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM-EPA-SIM-BE012618.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Feb 09 01:31:22 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.43	152	1693	0.40	ng/ul	0.00
2) Naphthalene-d8	11.25	136	4645	0.40	ng/ul	0.00
6) Acenaphthene-d10	15.01	164	3567	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.71	188	7256	0.40	ng/ul	0.00
16) Chrysene-d12	21.80	240	6936	0.40	ng/ul	0.00
20) Perylene-d12	24.43	264	6279m	0.40	ng/ul	0.00
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.81	152	2330	0.31	ng/ul	0.00
14) Fluoranthene-d10	19.69	212	6974	0.25	ng/ul	0.00
Target Compounds						
15) Fluoranthene	19.72	202	633	0.020	ng/ul	0.00

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA E\DATA\BE020818\
Data File : BE095575.D
Acq On : 8 Feb 2018 18:42
Operator : SJ/JU
Sample : J1316-14
Misc :
ALS Vial : 16 Sample Multiplier: 1


Instrument :
BNA_E
ClientSampleId :
F6D37

Manual Integrations
APPROVED

Sohil
2/9/2018 4:30:59 PM

Quant Time: Feb 09 03:45:26 2018
Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM-EPA-SIM-BE012618.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Feb 09 01:31:22 2018
Response via : Initial Calibration





#15
 Fluoranthene
 Concen: 0.020 ng/ul
 RT: 19.72 min Scan# 2394
 Delta R.T. -0.00 min
 Lab File: BE095575.D
 Acq: 8 Feb 2018 18:42

Instrument :
 BNA_E
 ClientSampleId :
 F6D37

Tot Ion:	202	Resp:	633
Ion Ratio	Lower	Upper	
202	100		
101	21.6	0.0	30.3
100	17.4	0.0	39.5

Manual Integrations
 APPROVED

Sohil
 2/9/2018 4:30:59 PM

