

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA_E\DATA\BE020918\
 Data File : BE095647.D
 Acq On : 10 Feb 2018 15:28
 Operator : SJ/JU
 Sample : J1355-12
 Misc :
 ALS Vial : 47 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 F6D58

Manual Integrations
 APPROVED

Sohil
 2/12/2018 11:40:48 AM

Quant Time: Feb 12 02:47:02 2018
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM-EPA-SIM-BE012618.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Feb 12 01:48:13 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.43	152	2053	0.40	ng/ul	0.00
2) Naphthalene-d8	11.25	136	6215	0.40	ng/ul	0.00
6) Acenaphthene-d10	15.01	164	4037	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.71	188	9334	0.40	ng/ul	0.00
16) Chrysene-d12	21.80	240	8718	0.40	ng/ul	0.00
20) Perylene-d12	24.43	264	8222m	0.40	ng/ul	0.00
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.81	152	2860	0.28	ng/ul	0.00
14) Fluoranthene-d10	19.69	212	7779	0.22	ng/ul	0.00
Target Compounds						
5) 2-Methylnaphthalene	12.88	142	451	0.039	ng/ul	99
11) Pentachlorophenol	17.36	266	195	0.108	ng/ul	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA_E\DATA\BE020918\
Data File : BE095647.D
Acq On : 10 Feb 2018 15:28
Operator : SJ/JU
Sample : J1355-12
Misc :
ALS Vial : 47 Sample Multiplier: 1


Instrument :
BNA_E
ClientSampleId :
F6D58

Manual Integrations
APPROVED

Sohil
2/12/2018 11:40:48 AM

Quant Time: Feb 12 02:47:02 2018
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\SOM-EPA-SIM-BE012618.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Feb 12 01:48:13 2018
Response via : Initial Calibration





#5

2-Methylnaphthalene

Concen: 0.039 ng/ul

RT: 12.88 min Scan# 1538

Delta R.T. -0.00 min

Lab File: BE095647.D

Acq: 10 Feb 2018 15:28

Instrument :

BNA_E

ClientSampleId :

F6D58

Tgt Ion:142 Resp: 451

Ion Ratio Lower Upper


142 100

141 90.0 72.6 108.8

Manual Integrations
APPROVED




Sohil

2/12/2018 11:40:48 AM



Abundance Ion 142.00 (141.70 to 142.70): E

Ion 141.00 (140.70 to 141.70): E



#11

Pentachlorophenol

Concen: 0.108 ng/ul

RT: 17.36 min Scan# 1997

Delta R.T. 0.00 min

Lab File: BE095647.D

Acq: 10 Feb 2018 15:28


Tgt Ion:266 Resp: 195

Ion Ratio Lower Upper

266 100

264 66.2 47.9 71.9

268 60.5 49.8 74.8



Abundance Ion 266.00 (265.70 to 266.70): E

Ion 264.00 (263.70 to 264.70): E

Ion 268.00 (267.70 to 268.70): E

