

Data Path : Z:\HPCHEM1\BNA E\DATA\BE021318\
 Data File : BE095669.D
 Acq On : 12 Feb 2018 19:43
 Operator : SJ/JU
 Sample : PB106393BL
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :

Quant Time: Feb 13 03:27:53 2018
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE020618.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Feb 06 20:27:34 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.43	152	1128	0.40	ng	0.00
7) Naphthalene-d8	11.28	136	4083	0.40	ng	0.00
13) Acenaphthene-d10	15.00	164	2249	0.40	ng	0.00
19) Phenanthrene-d10	17.71	188	5124	0.40	ng	0.00
27) Chrysene-d12	21.79	240	5461	0.40	ng	0.00
34) Perylene-d12	24.42	264	5250	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.92	112	1144	0.34	ng	0.00
5) Phenol-d6	7.55	99	1543	0.33	ng	-0.01
8) Nitrobenzene-d5	9.60	82	1573	0.36	ng	-0.02
11) 2-Methylnaphthalene-d10	12.80	152	2412	0.36	ng	0.00
14) 2,4,6-Tribromophenol	16.47	330	228	0.22	ng	0.00
15) 2-Fluorobiphenyl	13.65	172	3827	0.39	ng	0.00
25) Fluoranthene-d10	19.69	212	23939	0.35	ng	0.00
29) Terphenyl-d14	20.25	244	4426	0.38	ng	0.00
Target Compounds						
22) Pentachlorophenol	17.41	266	5	0.17	ng	Qvalue 92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE021318\
Data File : BE095669.D
Acq On : 12 Feb 2018 19:43
Operator : SJ/JU
Sample : PB106393BL
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :

Quant Time: Feb 13 03:27:53 2018
Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE020618.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Feb 06 20:27:34 2018
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.40 ng

RT: 8.43 min Scan# 443

Delta R.T. -0.00 min

Lab File: BE095669.D

Acq: 12 Feb 2018 19:43

Instrument :

BNA_E

ClientSampleId :


Tot Ion:152 Resp: 1128

Ion Ratio Lower Upper

152 100

150 136.7 117.2 175.8




115 62.9 57.0 85.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 0.34 ng

RT: 5.92 min Scan# 243

Delta R.T. -0.00 min

Lab File: BE095669.D

Acq: 12 Feb 2018 19:43


Tgt Ion:112 Resp: 1144

Ion Ratio Lower Upper

112 100

64 76.0 60.1 90.1



63 160.5 116.8 175.2




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.33 ng

RT: 7.55 min Scan# 373

Delta R.T. -0.01 min

Lab File: BE095669.D

Acq: 12 Feb 2018 19:43

Instrument :

BNA_E

ClientSampleId :


Tot Ion: 99 Resp: 1543

Ion Ratio Lower Upper

99 100

42 22.8 20.2 30.2




71 39.7 28.4 42.6



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#7

Naphthalene-d8

Concen: 0.40 ng

RT: 11.28 min Scan# 610

Delta R.T. 0.00 min

Lab File: BE095669.D

Acq: 12 Feb 2018 19:43

Tgt Ion: 136 Resp: 4083


Ion Ratio Lower Upper

136 100

137 13.5 9.5 14.3

54 22.3 29.1 43.7#

68 5.4 6.2 9.2#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0





#8

Nitrobenzene-d5

Concen: 0.36 ng

RT: 9.60 min Scan# 510

Delta R.T. -0.02 min

Lab File: BE095669.D

Acq: 12 Feb 2018 19:43

Instrument :

BNA_E

ClientSampleId :


Tot Ion: 82 Resp: 1573

Ion Ratio Lower Upper

82 100

128 100.7 150.0 225.0#




54 293.5 154.2 231.4#



Abundance Ion 82.00 (81.70 to 82.70): BE095545.D (-508) (-)

Ion 128.00 (127.70 to 128.70): BE095545.D (-508) (-)

Ion 54.00 (53.70 to 54.70): BE095545.D (-508) (-)



#11

2-Methylnaphthalene-d10

Concen: 0.36 ng

RT: 12.80 min Scan# 835

Delta R.T. -0.00 min

Lab File: BE095669.D


Acq: 12 Feb 2018 19:43

Tgt Ion: 152 Resp: 2412

Ion Ratio Lower Upper



152 100


151 19.5 15.4 23.0



Abundance Ion 152.00 (151.70 to 152.70): BE095545.D (-825) (-)

Ion 151.00 (150.70 to 151.70): BE095545.D (-825) (-)









#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 15.00 min Scan# 1000
Delta R.T. -0.00 min
Lab File: BE095669.D
Acq: 12 Feb 2018 19:43




Instrument :
BNA_E
ClientSampleId :




Tot Ion:164 Resp: 2249
Ion Ratio Lower Upper
164 100
162 109.1 83.1 124.7
160 52.1 37.1 55.7



#14
2,4,6-Tribromophenol
Concen: 0.22 ng
RT: 16.47 min Scan# 1096
Delta R.T. 0.00 min
Lab File: BE095669.D
Acq: 12 Feb 2018 19:43

Tgt Ion:330 Resp: 228
Ion Ratio Lower Upper
330 100
332 93.9 152.7 229.1#
141 51.8 33.7 50.5#









#15
2-Fluorobiphenyl
Concen: 0.39 ng
RT: 13.65 min Scan# 909
Delta R.T. -0.00 min
Lab File: BE095669.D
Acq: 12 Feb 2018 19:43


Instrument :
BNA_E
ClientSampled :


Tot Ion	Ratio	Lower	Upper
172	100		
171	35.6	29.9	44.9
170	22.4	21.8	32.8



#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 17.71 min Scan# 1179
Delta R.T. 0.00 min
Lab File: BE095669.D
Acq: 12 Feb 2018 19:43

Tgt Ion	Ratio	Lower	Upper
188	100		
94	0.0	3.9	5.9#
80	7.6	3.6	5.4#





#22

Pentachlorophenol

Concen: 0.17 ng

RT: 17.41 min Scan# 1159

Delta R.T. 0.05 min

Lab File: BE095669.D





Acq: 12 Feb 2018 19:43

Instrument :

BNA_E

ClientSampleId :

Tot Ion:266	Resp:	5	
Ion Ratio	Lower	Upper	
266	100		
264	95.7	72.5	108.7
268	102.2	73.8	110.6



#25

Fluoranthene-d10

Concen: 0.35 ng




RT: 19.69 min Scan# 1422


Delta R.T. 0.00 min

Lab File: BE095669.D

Acq: 12 Feb 2018 19:43

Tgt Ion	212	Resp: Lower	23939 Upper
	Ratio		
212	100		
106	2.8	2.8	4.2
104	1.7	1.6	2.4





#27

Chrysene-d12

Concen: 0.40 ng

RT: 21.79 min Scan# 1577

Delta R.T. -0.00 min

Lab File: BE095669.D

Acq: 12 Feb 2018 19:43

Instrument :

BNA_E

ClientSampleId :


Tot Ion:240 Resp: 5461

Ion Ratio Lower Upper

240 100

120 14.1 5.5 8.3#




236 30.5 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#29

Terphenyl-d14

Concen: 0.38 ng

RT: 20.25 min Scan# 1478

Delta R.T. -0.00 min

Lab File: BE095669.D

Acq: 12 Feb 2018 19:43


Tgt Ion:244 Resp: 4426

Ion Ratio Lower Upper

244 100

212 7.2 25.4 38.0#



122 3.5 8.1 12.1#






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#34

Pervlene-d12

Concen: 0.40 ng

RT: 24.42 min Scan# 2117

Delta R.T. -0.00 min

Lab File: BE095669.D

Acq: 12 Feb 2018 19:43

Instrument :

BNA_E

ClientSampleId :

Tot Ion: 264 Resp: 5250

Ion Ratio Lower Upper

264 100

260 26.8 20.5 30.7

265 28.0 22.8 34.2

