

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE021716\
 Data File : BE091406.D
 Acq On : 17 Feb 2016 16:15
 Operator : UM/IZ
 Sample : PB88398BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 PB88398BS

Quant Time: Feb 17 23:59:26 2016
 Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE020216.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Feb 03 00:27:53 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.87	152	42022	5.00	ng	0.00
4) Naphthalene-d8	9.54	136	210610	5.00	ng	0.00
8) Acenaphthene-d10	13.34	164	137925	5.00	ng	0.00
14) Phenanthrene-d10	16.08	188	336971	5.00	ng	-0.01
18) Chrysene-d12	20.21	240	406493	5.00	ng	0.00
24) Perylene-d12	22.09	264	391595	5.00	ng	0.00

System Monitoring Compounds						
2) 2-Fluorophenol	4.90	112	80925	8.11	ng	-0.04
3) Phenol-d6	6.52	99	112896	7.99	ng	-0.05
5) Nitrobenzene-d5	8.13	82	66746	4.80	ng	-0.04
9) 2,4,6-Tribromophenol	14.89	330	56260	8.32	ng	-0.01
10) 2-Fluorobiphenyl	11.99	172	181316	5.05	ng	-0.02
20) Terphenyl-d14	18.61	244	286371	4.76	ng	0.00


Target Compounds				Qvalue		
6) Naphthalene	9.58	128	197002	4.15	ng	99
7) 2-Methylnaphthalene	11.10	142	137701	4.66	ng	98
11) Acenaphthylene	13.09	152	1003521	4.20	ng	100
12) Acenaphthene	13.41	154	155729	4.11	ng	96
13) Fluorene	14.39	166	216818	4.43	ng	99
15) Phenanthrene	16.12	178	371246	4.20	ng	100
16) Anthracene	16.20	178	363390	4.90	ng	100
17) Fluoranthene	18.08	202	392443	4.25	ng	99
19) Pyrene	18.46	202	428219	4.86	ng	99
21) Benzo(a)anthracene	20.18	228	383887	4.26	ng	100
22) Chrysene	20.24	228	423617	4.19	ng	99
23) Indeno(1,2,3-cd)pyrene	23.69	276	341766	3.74	ng	99
25) Benzo(b)fluoranthene	21.54	252	394859	4.08	ng	98
26) Benzo(k)fluoranthene	21.57	252	423924	4.34	ng	98
27) Benzo(a)pyrene	21.99	252	358818	4.02	ng	99
28) Dibenzo(a,h)anthracene	23.64	278	281358	3.24	ng	99
29) Benzo(g,h,i)perylene	24.24	276	368408	3.82	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_E\DATA\BE021716\
Data File : BE091406.D
Acq On : 17 Feb 2016 16:15
Operator : UM/IZ
Sample : PB88398BS
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
PB88398BS

Quant Time: Feb 17 23:59:26 2016
Quant Method : Z:\HPCHEM1\BNA_E\METHODS\8270-SIM-BE020216.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Feb 03 00:27:53 2016
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 5.00 ng
 RT: 6.87 min Scan# 626
 Delta R.T. -0.01 min
 Lab File: BE091406.D
 Acq: 17 Feb 2016 16:15




Instrument :
 BNA_E
 ClientSampled :
 PB88398BS


Tgt Ion:152 Resp: 42022
 Ion Ratio Lower Upper
 152 100
 150 153.6 128.9 193.3
 115 61.9 50.9 76.3



#2
 2-Fluorophenol
 Concen: 8.11 ng
 RT: 4.90 min Scan# 340
 Delta R.T. -0.04 min
 Lab File: BE091406.D
 Acq: 17 Feb 2016 16:15

Tgt Ion:112 Resp: 80925
 Ion Ratio Lower Upper
 112 100
 64 75.0 60.5 90.7
 63 37.9 29.8 44.8





#3

Phenol-d6

Concen: 7.99 ng

RT: 6.52 min Scan# 575

Delta R.T. -0.05 min

Lab File: BE091406.D

Acq: 17 Feb 2016 16:15

Instrument :

BNA_E

ClientSampleId :

PB88398BS


Tgt Ion: 99 Resp: 112896

Ion Ratio Lower Upper

99 100

42 22.8 13.3 19.9#




71 39.2 25.6 38.4#



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#4

Naphthalene-d8

Concen: 5.00 ng

RT: 9.54 min Scan# 1148

Delta R.T. -0.01 min

Lab File: BE091406.D

Acq: 17 Feb 2016 16:15

Tgt Ion: 136 Resp: 210610


Ion Ratio Lower Upper

136 100

137 11.1 8.7 13.1

54 11.4 9.3 13.9

68 8.2 6.7 10.1






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0





#5

Nitrobenzene-d5

Concen: 4.80 ng

RT: 8.13 min Scan# 854

Delta R.T. -0.04 min

Lab File: BE091406.D

Acq: 17 Feb 2016 16:15

Instrument :

BNA_E

ClientSampleId :

PB88398BS


Tgt Ion: 82 Resp: 66746

Ion Ratio Lower Upper

82 100

128 31.7 25.0 37.4




54 59.1 48.1 72.1



Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): BE0

Ion 54.00 (53.70 to 54.70): BE0



#6

Naphthalene

Concen: 4.15 ng

RT: 9.58 min Scan# 1153

Delta R.T. -0.02 min

Lab File: BE091406.D

Acq: 17 Feb 2016 16:15


Tgt Ion: 128 Resp: 197002

Ion Ratio Lower Upper

128 100

129 11.0 9.1 13.7



127 13.3 10.5 15.7




Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E





#7

2-Methylnaphthalene

Concen: 4.66 ng

RT: 11.10 min Scan# 1404

Delta R.T. -0.02 min

Lab File: BE091406.D

Acq: 17 Feb 2016 16:15

Instrument :

BNA_E

ClientSampleId :

PB88398BS


Tgt Ion:142 Resp: 137701

Ion Ratio Lower Upper

142 100

141 88.7 72.3 108.5




115 36.2 30.5 45.7



Abundance Ion 142.00 (141.70 to 142.70): E

Ion 141.00 (140.70 to 141.70): E

Ion 115.00 (114.70 to 115.70): E



#8

Acenaphthene-d10

Concen: 5.00 ng

RT: 13.34 min Scan# 1836

Delta R.T. -0.01 min

Lab File: BE091406.D

Acq: 17 Feb 2016 16:15


Tgt Ion:164 Resp: 137925

Ion Ratio Lower Upper

164 100

162 103.7 82.2 123.2



160 45.2 37.8 56.8




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E





#9

2,4,6-Tribromophenol

Concen: 8.32 ng

RT: 14.89 min Scan# 2002

Delta R.T. -0.01 min

Lab File: BE091406.D

Acq: 17 Feb 2016 16:15

Instrument :

BNA_E

ClientSampleId :

PB88398BS


Tgt Ion:330 Resp: 56260

Ion Ratio Lower Upper

330 100

332 96.1 78.8 118.2




141 146.5 105.1 157.7



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#10

2-Fluorobiphenyl

Concen: 5.05 ng

RT: 11.99 min Scan# 1599

Delta R.T. -0.02 min

Lab File: BE091406.D

Acq: 17 Feb 2016 16:15


Tgt Ion:172 Resp: 181316

Ion Ratio Lower Upper

172 100

171 33.7 27.8 41.8



170 22.2 18.6 28.0




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#11
Acenaphthylene
Concen: 4.20 ng
RT: 13.09 min Scan# 1807
Delta R.T. -0.01 min
Lab File: BE091406.D
Acq: 17 Feb 2016 16:15




Instrument :
BNA_E
ClientSampleId :
PB88398BS


Tgt Ion:152 Resp: 1003521
Ion Ratio Lower Upper
152 100
151 4.8 3.8 5.8
153 13.0 10.2 15.4



#12
Acenaphthene
Concen: 4.11 ng
RT: 13.41 min Scan# 1843
Delta R.T. -0.01 min
Lab File: BE091406.D
Acq: 17 Feb 2016 16:15

Tgt Ion:154 Resp: 155729
Ion Ratio Lower Upper
154 100
153 457.8 369.8 554.8
152 228.7 194.4 291.6





#13

Fluorene

Concen: 4.43 ng

RT: 14.39 min Scan# 1956

Delta R.T. -0.01 min

Lab File: BE091406.D

Acq: 17 Feb 2016 16:15

Instrument :

BNA_E

ClientSampleId :

PB88398BS





Tgt Ion:166 Resp: 216818

Ion Ratio Lower Upper

166 100

165 98.0 79.3 118.9

167 13.6 10.6 16.0



#14

Phenanthrene-d10

Concen: 5.00 ng

RT: 16.08 min Scan# 2091

Delta R.T. -0.01 min

Lab File: BE091406.D

Acq: 17 Feb 2016 16:15




Tgt Ion:188 Resp: 336971


Ion Ratio Lower Upper

188 100

94 12.2 6.6 10.0#

80 13.3 7.0 10.6#









#15
Phenanthrene
Concen: 4.20 ng
RT: 16.12 min Scan# 2094
Delta R.T. -0.00 min
Lab File: BE091406.D
Acq: 17 Feb 2016 16:15




Instrument :
BNA_E
ClientSampleId :
PB88398BS


Tgt Ion:178 Resp: 371246
Ion Ratio Lower Upper
178 100
176 19.2 15.4 23.2
179 15.5 12.7 19.1



#16
Anthracene
Concen: 4.90 ng
RT: 16.20 min Scan# 2100
Delta R.T. -0.01 min
Lab File: BE091406.D
Acq: 17 Feb 2016 16:15

Tgt Ion:178 Resp: 363390
Ion Ratio Lower Upper
178 100
176 18.6 14.8 22.2
179 15.5 12.1 18.1





#17

Fluoranthene

Concen: 4.25 ng

RT: 18.08 min Scan# 2301

Delta R.T. -0.01 min

Lab File: BE091406.D

Acq: 17 Feb 2016 16:15

Instrument :

BNA_E

ClientSampleId :

PB88398BS


Tgt Ion:202 Resp: 392443

Ion Ratio Lower Upper

202 100

101 14.1 10.5 15.7




203 17.3 13.9 20.9



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E



#18

Chrysene-d12

Concen: 5.00 ng

RT: 20.21 min Scan# 2559

Delta R.T. -0.01 min

Lab File: BE091406.D

Acq: 17 Feb 2016 16:15


Tgt Ion:240 Resp: 406493

Ion Ratio Lower Upper

240 100

120 13.9 8.9 13.3#



236 26.3 21.0 31.4




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#19

Pyrene

Concen: 4.86 ng

RT: 18.46 min Scan# 2352

Delta R.T. -0.01 min

Lab File: BE091406.D

Acq: 17 Feb 2016 16:15





Instrument :

BNA_E

ClientSampleId :

PB88398BS

Tgt Ion:	202	Resp:	428219
Ion	Ratio	Lower	Upper
202	100		
200	21.5	16.8	25.2
203	18.0	14.0	21.0



#20

Terphenyl-d14

Concen: 4.76 ng




RT: 18.61 min Scan# 2371


Delta R.T. -0.01 min

Lab File: BE091406.D

Acq: 17 Feb 2016 16:15

Tgt Ion:	244	Resp:	286371
Ion	Ratio	Lower	Upper
244	100		
212	7.5	6.1	9.1
122	10.7	11.0	16.6#









#21
Benzo(a)anthracene
Concen: 4.26 ng
RT: 20.18 min Scan# 2556
Delta R.T. -0.01 min
Lab File: BE091406.D
Acq: 17 Feb 2016 16:15




Instrument :
BNA_E
ClientSampleId :
PB88398BS


Tgt Ion:228 Resp: 383887
Ion Ratio Lower Upper
228 100
226 26.8 21.7 32.5
229 20.1 16.1 24.1



#22
Chrysene
Concen: 4.19 ng
RT: 20.24 min Scan# 2563
Delta R.T. -0.01 min
Lab File: BE091406.D
Acq: 17 Feb 2016 16:15

Tgt Ion:228 Resp: 423617
Ion Ratio Lower Upper
228 100
226 30.1 23.4 35.0
229 19.6 15.7 23.5





#23

Indeno(1,2,3-cd)pyrene

Concen: 3.74 ng

RT: 23.69 min Scan# 3229

Delta R.T. -0.01 min

Lab File: BE091406.D

Acq: 17 Feb 2016 16:15

Instrument :

BNA_E

ClientSampleId :

PB88398BS


Tgt Ion:276 Resp: 341766

Ion Ratio Lower Upper

276 100

138 21.7 16.6 25.0




277 23.6 19.0 28.6



Abundance Ion 276.00 (275.70 to 276.70): E

Ion 138.00 (137.70 to 138.70): E

Ion 277.00 (276.70 to 277.70): E



#24

Perylene-d12

Concen: 5.00 ng

RT: 22.09 min Scan# 2882

Delta R.T. -0.00 min

Lab File: BE091406.D

Acq: 17 Feb 2016 16:15


Tgt Ion:264 Resp: 391595

Ion Ratio Lower Upper

264 100

260 25.6 20.7 31.1



265 21.3 17.2 25.8




Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E









#25
Benzo(b)fluoranthene
Concen: 4.08 ng
RT: 21.54 min Scan# 2761
Delta R.T. -0.01 min
Lab File: BE091406.D
Acq: 17 Feb 2016 16:15




Instrument :
BNA_E
ClientSampleId :
PB88398BS


Tgt Ion:252 Resp: 394859
Ion Ratio Lower Upper
252 100
253 22.2 18.2 27.2
125 11.3 8.3 12.5



#26
Benzo(k)fluoranthene
Concen: 4.34 ng
RT: 21.57 min Scan# 2767
Delta R.T. -0.01 min
Lab File: BE091406.D
Acq: 17 Feb 2016 16:15

Tgt Ion:252 Resp: 423924
Ion Ratio Lower Upper
252 100
253 21.8 18.1 27.1
125 11.4 8.2 12.4









#27
Benzo(a)pyrene
Concen: 4.02 ng
RT: 21.99 min Scan# 2861
Delta R.T. -0.01 min
Lab File: BE091406.D
Acq: 17 Feb 2016 16:15




Instrument :
BNA_E
ClientSampleId :
PB88398BS


Tgt Ion: 252 Resp: 358818
Ion Ratio Lower Upper
252 100
253 21.8 17.5 26.3
125 12.3 9.4 14.0



#28
Dibenzo(a,h)anthracene
Concen: 3.24 ng
RT: 23.64 min Scan# 3218
Delta R.T. -0.01 min
Lab File: BE091406.D
Acq: 17 Feb 2016 16:15

Tgt Ion: 278 Resp: 281358
Ion Ratio Lower Upper
278 100
139 17.0 13.0 19.4
279 23.6 19.2 28.8





#29

Benzo(g,h,i)perylene

Concen: 3.82 ng

RT: 24.24 min Scan# 3350

Delta R.T. -0.01 min

Lab File: BE091406.D


Acq: 17 Feb 2016 16:15

Instrument :

BNA_E

ClientSampleId :

PB88398BS



Tgt Ion: 276 Resp: 368408

Ion Ratio Lower Upper

276 100

277 24.0 18.9 28.3

138 22.7 17.0 25.6

Abundance Ion 276.00 (275.70 to 276.70): E
Ion 277.00 (276.70 to 277.70): E
Ion 138.00 (137.70 to 138.70): E

