

Data Path : Z:\HPCHEM1\BNA E\DATA\BE022318\
 Data File : BE095681.D
 Acq On : 23 Feb 2018 13:55
 Operator : SJ/JU
 Sample : J1627-04
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 KY038PS036-180219

Quant Time: Feb 23 18:28:20 2018
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE022318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Feb 23 12:12:42 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.43	152	551	0.40	ng	0.00
7) Naphthalene-d8	11.28	136	2154	0.40	ng	0.00
13) Acenaphthene-d10	15.00	164	1277	0.40	ng	0.00
19) Phenanthrene-d10	17.71	188	2956	0.40	ng	0.01
27) Chrysene-d12	21.79	240	3001	0.40	ng	0.00
34) Perylene-d12	24.42	264	2746	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.92	112	636	0.44	ng	0.00
5) Phenol-d6	7.57	99	518	0.26	ng	0.01
8) Nitrobenzene-d5	9.61	82	2105	0.95	ng	0.00
11) 2-Methylnaphthalene-d10	12.80	152	3614	1.00	ng	0.00
14) 2,4,6-Tribromophenol	16.47	330	425	0.81	ng	0.00
15) 2-Fluorobiphenyl	13.64	172	6651	1.17	ng	0.00
25) Fluoranthene-d10	19.69	212	38546	1.00	ng	0.00
29) Terphenyl-d14	20.25	244	6415	1.07	ng	0.00
Target Compounds						Qvalue
32) Bis(2-ethylhexyl)phthalate	21.65	149	2099	0.12	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE022318\
Data File : BE095681.D
Acq On : 23 Feb 2018 13:55
Operator : SJ/JU
Sample : J1627-04
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
KY038PS036-180219

Quant Time: Feb 23 18:28:20 2018
Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE022318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Feb 23 12:12:42 2018
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.40 ng

RT: 8.43 min Scan# 443

Delta R.T. 0.00 min

Lab File: BE095681.D

Acq: 23 Feb 2018 13:55

Instrument :

BNA_E

ClientSampleId :

KY038PS036-180219


Tot Ion:152 Resp: 551

Ion Ratio Lower Upper

152 100

150 130.1 117.2 175.8




115 65.6 57.0 85.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 0.44 ng

RT: 5.92 min Scan# 243

Delta R.T. 0.00 min

Lab File: BE095681.D

Acq: 23 Feb 2018 13:55


Tgt Ion:112 Resp: 636

Ion Ratio Lower Upper

112 100

64 77.2 60.1 90.1



63 163.2 116.8 175.2




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.26 ng

RT: 7.57 min Scan# 374

Delta R.T. 0.01 min

Lab File: BE095681.D

Acq: 23 Feb 2018 13:55

Instrument :

BNA_E

ClientSampleId :

KY038PS036-180219


Tot Ion: 99 Resp: 518

Ion Ratio Lower Upper

99 100

42 23.9 20.2 30.2


71 42.1 28.4 42.6





Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



Time-->



#7

Naphthalene-d8

Concen: 0.40 ng

RT: 11.28 min Scan# 610

Delta R.T. 0.00 min

Lab File: BE095681.D

Acq: 23 Feb 2018 13:55

Tgt Ion: 136 Resp: 2154


Ion Ratio Lower Upper

136 100

137 15.6 9.5 14.3#

54 33.8 29.1 43.7

68 7.7 6.2 9.2




Abundance Ion 136.00 (135.70 to 136.70): E


Ion 137.00 (136.70 to 137.70): E


Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0



Time-->





#8

Nitrobenzene-d5

Concen: 0.95 ng

RT: 9.61 min Scan# 511

Delta R.T. 0.00 min

Lab File: BE095681.D

Acq: 23 Feb 2018 13:55

Instrument :

BNA_E

ClientSampleId :

KY038PS036-180219


Tot Ion: 82 Resp: 2105

Ion Ratio Lower Upper

82 100

128 170.4 150.0 225.0




54 181.3 154.2 231.4



Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): BE0

Ion 54.00 (53.70 to 54.70): BE0



#11

2-Methylnaphthalene-d10

Concen: 1.00 ng

RT: 12.80 min Scan# 835

Delta R.T. 0.00 min

Lab File: BE095681.D


Acq: 23 Feb 2018 13:55

Tgt Ion: 152 Resp: 3614

Ion Ratio Lower Upper



152 100


151 19.5 15.4 23.0



Abundance Ion 152.00 (151.70 to 152.70): BE0

Ion 151.00 (150.70 to 151.70): BE0





#13

Acenaphthene-d10

Concen: 0.40 ng

RT: 15.00 min Scan# 1000

Delta R.T. 0.00 min

Lab File: BE095681.D

Acq: 23 Feb 2018 13:55

Instrument :

BNA_E

ClientSampleId :

KY038PS036-180219


Tot Ion:164 Resp: 1277

Ion Ratio Lower Upper

164 100

162 111.3 83.1 124.7




160 52.0 37.1 55.7



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.81 ng

RT: 16.47 min Scan# 1096

Delta R.T. 0.00 min

Lab File: BE095681.D

Acq: 23 Feb 2018 13:55


Tgt Ion:330 Resp: 425

Ion Ratio Lower Upper

330 100

332 93.9 152.7 229.1#



141 45.2 33.7 50.5




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E





#15

2-Fluorobiphenyl

Concen: 1.17 ng

RT: 13.64 min Scan# 908

Delta R.T. 0.00 min

Lab File: BE095681.D

Acq: 23 Feb 2018 13:55

Instrument :

BNA_E

ClientSampleId :

KY038PS036-180219


Tot Ion:172 Resp: 6651

Ion Ratio Lower Upper

172 100

171 36.2 29.9 44.9




170 24.7 21.8 32.8



Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E



#19

Phenanthrene-d10

Concen: 0.40 ng

RT: 17.71 min Scan# 1179

Delta R.T. 0.01 min

Lab File: BE095681.D

Acq: 23 Feb 2018 13:55


Tgt Ion:188 Resp: 2956

Ion Ratio Lower Upper

188 100

94 0.0 3.9 5.9#



80 8.1 3.6 5.4#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0









#25
Fluoranthene-d10
Concen: 1.00 ng
RT: 19.69 min Scan# 1422
Delta R.T. -0.00 min
Lab File: BE095681.D
Acq: 23 Feb 2018 13:55




Instrument :
BNA_E
ClientSampleId :
KY038PS036-180219


Tot Ion:212 Resp: 38546
Ion Ratio Lower Upper
212 100
106 2.9 2.8 4.2
104 1.6 1.6 2.4



#27
Chrysene-d12
Concen: 0.40 ng
RT: 21.79 min Scan# 1577
Delta R.T. -0.00 min
Lab File: BE095681.D
Acq: 23 Feb 2018 13:55

Tgt Ion:240 Resp: 3001
Ion Ratio Lower Upper
240 100
120 13.6 5.5 8.3#
236 30.0 20.7 31.1





#29

Terphenyl-d14

Concen: 1.07 ng

RT: 20.25 min Scan# 1478

Delta R.T. -0.00 min

Lab File: BE095681.D

Acq: 23 Feb 2018 13:55

Instrument :

BNA_E

ClientSampleId :

KY038PS036-180219


Tot Ion:244 Resp: 6415

Ion Ratio Lower Upper

244 100

212 6.6 25.4 38.0#




122 2.8 8.1 12.1#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.12 ng

RT: 21.65 min Scan# 1568

Delta R.T. -0.00 min

Lab File: BE095681.D

Acq: 23 Feb 2018 13:55


Tgt Ion:149 Resp: 2099

Ion Ratio Lower Upper

149 100

167 6.2 5.4 8.0



279 0.8 0.7 1.1






Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#34

Pervlene-d12

Concen: 0.40 ng

RT: 24.42 min Scan# 2116

Delta R.T. 0.00 min

Lab File: BE095681.D

Acq: 23 Feb 2018 13:55

Instrument :

BNA_E

ClientSampleId :

KY038PS036-180219

Tot Ion: 264 Resp: 2746

Ion Ratio Lower Upper

264 100

260 27.3 20.5 30.7

265 35.1 22.8 34.2#

