

Data Path : Z:\HPCHEM1\BNA E\DATA\BE022618\
 Data File : BE095689.D
 Acq On : 26 Feb 2018 15:19
 Operator : SJ/JU
 Sample : J1627-04
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 KY038PS036-180219

Quant Time: Feb 26 17:52:24 2018
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE022318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Feb 23 12:12:42 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.42	152	1291	0.40	ng	0.00
7) Naphthalene-d8	11.26	136	4999	0.40	ng	-0.02
13) Acenaphthene-d10	15.00	164	2878	0.40	ng	0.00
19) Phenanthrene-d10	17.70	188	6643	0.40	ng	0.00
27) Chrysene-d12	21.79	240	7174	0.40	ng	0.00
34) Perylene-d12	24.43	264	6610	0.40	ng	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
4) 2-Fluorophenol	5.92	112	611	0.18	ng	0.00
5) Phenol-d6	7.56	99	462	0.10	ng	0.00
8) Nitrobenzene-d5	9.61	82	2022	0.39	ng	0.00
11) 2-Methylnaphthalene-d10	12.80	152	3377	0.40	ng	0.00
14) 2,4,6-Tribromophenol	16.47	330	345	0.37	ng	0.00
15) 2-Fluorobiphenyl	13.64	172	6249	0.49	ng	0.00
25) Fluoranthene-d10	19.69	212	37717	0.43	ng	0.00
29) Terphenyl-d14	20.25	244	6335	0.44	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE022618\
Data File : BE095689.D
Acq On : 26 Feb 2018 15:19
Operator : SJ/JU
Sample : J1627-04
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
KY038PS036-180219

Quant Time: Feb 26 17:52:24 2018
Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE022318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Feb 23 12:12:42 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 8.42 min Scan# 442
Delta R.T. -0.01 min
Lab File: BE095689.D
Acq: 26 Feb 2018 15:19

Instrument :
BNA_E
ClientSampleId :
KY038PS036-180219

Tot Ion:152 Resp: 1291
Ion Ratio Lower Upper
152 100
150 143.1 117.2 175.8
115 69.8 57.0 85.6




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#4


2-Fluorophenol
Concen: 0.179 ng
RT: 5.92 min Scan# 243
Delta R.T. 0.00 min
Lab File: BE095689.D
Acq: 26 Feb 2018 15:19

Tgt Ion:112 Resp: 611
Ion Ratio Lower Upper
112 100
64 71.5 60.1 90.1
63 154.5 116.8 175.2



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BE0
Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.098 ng

RT: 7.56 min Scan# 373

Delta R.T. 0.00 min

Lab File: BE095689.D

Acq: 26 Feb 2018 15:19

Instrument :

BNA_E

ClientSampleId :

KY038PS036-180219


Tot Ion: 99 Resp: 462

Ion Ratio Lower Upper

99 100

42 26.2 20.2 30.2

71 46.3 28.4 42.6#




Abundance



Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



Time-->



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 11.26 min Scan# 609

Delta R.T. -0.02 min

Lab File: BE095689.D

Acq: 26 Feb 2018 15:19

Tgt Ion: 136 Resp: 4999


Ion Ratio Lower Upper

136 100

137 12.1 9.5 14.3

54 63.2 29.1 43.7#

68 11.9 6.2 9.2#




Abundance

Ion 136.00 (135.70 to 136.70): E


Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0



Time-->





#8

Nitrobenzene-d5

Concen: 0.393 ng

RT: 9.61 min Scan# 511

Delta R.T. 0.00 min

Lab File: BE095689.D

Acq: 26 Feb 2018 15:19

Instrument :

BNA_E

ClientSampleId :

KY038PS036-180219


Tot Ion: 82 Resp: 2022

Ion Ratio Lower Upper

82 100

128 170.8 150.0 225.0




54 185.8 154.2 231.4



Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): BE0

Ion 54.00 (53.70 to 54.70): BE0



#11

2-Methylnaphthalene-d10

Concen: 0.404 ng

RT: 12.80 min Scan# 835

Delta R.T. -0.00 min

Lab File: BE095689.D


Acq: 26 Feb 2018 15:19

Tgt Ion: 152 Resp: 3377

Ion Ratio Lower Upper



152 100


151 19.4 15.4 23.0



Abundance Ion 152.00 (151.70 to 152.70): BE0

Ion 151.00 (150.70 to 151.70): BE0





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 15.00 min Scan# 1000

Delta R.T. -0.00 min

Lab File: BE095689.D

Acq: 26 Feb 2018 15:19

Instrument :

BNA_E

ClientSampleId :

KY038PS036-180219





Tot Ion:164 Resp: 2878

Ion Ratio Lower Upper

164 100

162 105.9 83.1 124.7

160 48.6 37.1 55.7



#14

2,4,6-Tribromophenol

Concen: 0.366 ng

RT: 16.47 min Scan# 1096

Delta R.T. 0.00 min

Lab File: BE095689.D

Acq: 26 Feb 2018 15:19




Tgt Ion:330 Resp: 345




Ion Ratio Lower Upper

330 100

332 99.4 152.7 229.1#

141 49.3 33.7 50.5









#15
2-Fluorobiphenyl
Concen: 0.486 ng
RT: 13.64 min Scan# 908
Delta R.T. -0.00 min
Lab File: BE095689.D
Acq: 26 Feb 2018 15:19


Instrument :
BNA_E
ClientSampleId :
KY038PS036-180219


Tot Ion:172 Resp: 6249
Ion Ratio Lower Upper
172 100
171 37.1 29.9 44.9
170 24.7 21.8 32.8



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.70 min Scan# 1178
Delta R.T. -0.00 min
Lab File: BE095689.D
Acq: 26 Feb 2018 15:19

Tgt Ion:188 Resp: 6643
Ion Ratio Lower Upper
188 100
94 0.0 3.9 5.9#
80 17.5 3.6 5.4#





#25

Fluoranthene-d10

Concen: 0.435 ng

RT: 19.69 min Scan# 1422

Delta R.T. -0.00 min

Lab File: BE095689.D

Acq: 26 Feb 2018 15:19





Instrument :

BNA_E

ClientSampleId :

KY038PS036-180219

Tot Ion:212	Resp:	37717
Ion Ratio	Lower	Upper
212	100	
106	2.8	2.8 4.2
104	1.6	1.6 2.4



#27

Chrysene-d12

Concen: 0.400 ng




RT: 21.79 min Scan# 1577


Delta R.T. -0.00 min

Lab File: BE095689.D

Acq: 26 Feb 2018 15:19

Tgt Ion:240	Resp:	7174
Ion Ratio	Lower	Upper
240	100	
120	12.9	5.5 8.3#
236	28.2	20.7 31.1





#29

Terphenyl-d14

Concen: 0.443 ng

RT: 20.25 min Scan# 1478

Delta R.T. -0.00 min

Lab File: BE095689.D

Acq: 26 Feb 2018 15:19

Instrument :

BNA_E

ClientSampleId :

KY038PS036-180219





Tot Ion:244 Resp: 6335

Ion Ratio Lower Upper

244 100

212 6.7 25.4 38.0#

122 3.0 8.1 12.1#



#34

Perylene-d12

Concen: 0.400 ng

RT: 24.43 min Scan# 2117

Delta R.T. 0.00 min

Lab File: BE095689.D

Acq: 26 Feb 2018 15:19

Tgt Ion:264 Resp: 6610

Ion Ratio Lower Upper

264 100

260 26.2 20.5 30.7

265 27.0 22.8 34.2

