

Data Path : Z:\HPCHEM1\BNA E\DATA\BE022618\
 Data File : BE095694.D
 Acq On : 26 Feb 2018 18:18
 Operator : SJ/JU
 Sample : PB106832BL
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 PB106832BL

Quant Time: Feb 27 00:47:44 2018
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE022318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Feb 23 12:12:42 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.43	152	1488	0.40	ng	0.00
7) Naphthalene-d8	11.26	136	5433	0.40	ng	-0.02
13) Acenaphthene-d10	15.00	164	2834	0.40	ng	0.00
19) Phenanthrene-d10	17.71	188	6566	0.40	ng	0.01
27) Chrysene-d12	21.79	240	6833	0.40	ng	0.00
34) Perylene-d12	24.43	264	6460	0.40	ng	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
4) 2-Fluorophenol	5.92	112	1348	0.34	ng	0.00
5) Phenol-d6	7.55	99	1735	0.32	ng	0.00
8) Nitrobenzene-d5	9.60	82	1734	0.31	ng	-0.02
11) 2-Methylnaphthalene-d10	12.80	152	2792	0.31	ng	0.00
14) 2,4,6-Tribromophenol	16.47	330	211	0.27	ng	0.00
15) 2-Fluorobiphenyl	13.64	172	4004	0.32	ng	0.00
25) Fluoranthene-d10	19.69	212	28379	0.33	ng	0.00
29) Terphenyl-d14	20.25	244	4401	0.32	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE022618\
Data File : BE095694.D
Acq On : 26 Feb 2018 18:18
Operator : SJ/JU
Sample : PB106832BL
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
PB106832BL

Quant Time: Feb 27 00:47:44 2018
Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE022318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Feb 23 12:12:42 2018
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 8.43 min Scan# 443

Delta R.T. 0.00 min

Lab File: BE095694.D

Acq: 26 Feb 2018 18:18

Instrument :

BNA_E

ClientSampleId :

PB106832BL


Tot Ion:152 Resp: 1488

Ion Ratio Lower Upper

152 100

150 136.1 117.2 175.8




115 62.0 57.0 85.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 0.343 ng

RT: 5.92 min Scan# 243

Delta R.T. 0.00 min

Lab File: BE095694.D

Acq: 26 Feb 2018 18:18


Tgt Ion:112 Resp: 1348

Ion Ratio Lower Upper

112 100

64 74.3 60.1 90.1



63 157.8 116.8 175.2




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.319 ng

RT: 7.55 min Scan# 373

Delta R.T. 0.00 min

Lab File: BE095694.D

Acq: 26 Feb 2018 18:18

Instrument :

BNA_E

ClientSampled :

PB106832BL


Tot Ion: 99 Resp: 1735

Ion Ratio Lower Upper

99 100

42 24.0 20.2 30.2




71 42.1 28.4 42.6



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 11.26 min Scan# 609

Delta R.T. -0.02 min

Lab File: BE095694.D

Acq: 26 Feb 2018 18:18

Tgt Ion: 136 Resp: 5433


Ion Ratio Lower Upper

136 100

137 12.6 9.5 14.3

54 60.7 29.1 43.7#

68 11.8 6.2 9.2#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0





#8

Nitrobenzene-d5

Concen: 0.310 ng

RT: 9.60 min Scan# 510

Delta R.T. -0.02 min

Lab File: BE095694.D

Acq: 26 Feb 2018 18:18

Instrument :

BNA_E

ClientSampleId :

PB106832BL


Tot Ion: 82 Resp: 1734

Ion Ratio Lower Upper

82 100

128 97.0 150.0 225.0#




54 284.2 154.2 231.4#



Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): BE0

Ion 54.00 (53.70 to 54.70): BE0



#11

2-Methylnaphthalene-d10

Concen: 0.307 ng

RT: 12.80 min Scan# 835

Delta R.T. -0.00 min

Lab File: BE095694.D


Acq: 26 Feb 2018 18:18

Tgt Ion: 152 Resp: 2792

Ion Ratio Lower Upper



152 100


151 19.4 15.4 23.0



Abundance Ion 152.00 (151.70 to 152.70): BE0

Ion 151.00 (150.70 to 151.70): BE0





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 15.00 min Scan# 1000

Delta R.T. -0.00 min

Lab File: BE095694.D

Acq: 26 Feb 2018 18:18

Instrument :

BNA_E

ClientSampleId :

PB106832BL


Tot Ion:164 Resp: 2834

Ion Ratio Lower Upper

164 100

162 110.5 83.1 124.7

160 50.2 37.1 55.7




Abundance Ion 164.00 (163.70 to 164.70): E


Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E

Time-->



Time-->



#14

2,4,6-Tribromophenol

Concen: 0.271 ng

RT: 16.47 min Scan# 1096

Delta R.T. -0.00 min

Lab File: BE095694.D

Acq: 26 Feb 2018 18:18


Tgt Ion:330 Resp: 211

Ion Ratio Lower Upper

330 100

332 99.1 152.7 229.1#

141 65.4 33.7 50.5#




Abundance Ion 330.00 (329.70 to 330.70): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E

Time-->



Time-->



#15

2-Fluorobiphenyl

Concen: 0.316 ng

RT: 13.64 min Scan# 908

Delta R.T. -0.00 min

Lab File: BE095694.D

Acq: 26 Feb 2018 18:18

Instrument :

BNA_E

ClientSampled :

PB106832BL


Tot Ion:172 Resp: 4004

Ion Ratio Lower Upper

172 100

171 37.7 29.9 44.9




170 26.2 21.8 32.8



Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E



#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.71 min Scan# 1179

Delta R.T. 0.01 min

Lab File: BE095694.D

Acq: 26 Feb 2018 18:18


Tgt Ion:188 Resp: 6566

Ion Ratio Lower Upper

188 100

94 0.0 3.9 5.9#



80 6.6 3.6 5.4#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0





#25

Fluoranthene-d10

Concen: 0.331 ng

RT: 19.69 min Scan# 1422

Delta R.T. 0.00 min

Lab File: BE095694.D

Acq: 26 Feb 2018 18:18

Instrument :

BNA_E

ClientSampleId :

PB106832BL


Tot Ion:212 Resp: 28379

Ion Ratio Lower Upper

212 100

106 2.8 2.8 4.2




104 1.6 1.6 2.4



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.79 min Scan# 1577

Delta R.T. 0.00 min

Lab File: BE095694.D

Acq: 26 Feb 2018 18:18


Tgt Ion:240 Resp: 6833

Ion Ratio Lower Upper

240 100

120 11.0 5.5 8.3#



236 28.8 20.7 31.1




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.323 ng

RT: 20.25 min Scan# 1478

Delta R.T. 0.00 min

Lab File: BE095694.D

Acq: 26 Feb 2018 18:18

Instrument :

BNA_E

ClientSampleId :

PB106832BL


Tot Ion:244 Resp: 4401

Ion Ratio Lower Upper

244 100

212 6.8 25.4 38.0#




122 3.3 8.1 12.1#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#34

Perylene-d12

Concen: 0.400 ng

RT: 24.43 min Scan# 2117

Delta R.T. 0.00 min

Lab File: BE095694.D

Acq: 26 Feb 2018 18:18


Tgt Ion:264 Resp: 6460

Ion Ratio Lower Upper

264 100

260 25.9 20.5 30.7

265 26.7 22.8 34.2



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

