

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE031319\
 Data File : BE098927.D
 Acq On : 14 Mar 2019 1:52
 Operator : JU/SJ
 Sample : K1860-02
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 FB01-20190311

Quant Time: Mar 14 07:33:00 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE030619.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 06 15:33:24 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.79	152	471	0.40	ng	0.00
7) Naphthalene-d8	10.60	136	2038	0.40	ng	0.01
13) Acenaphthene-d10	14.46	164	1500	0.40	ng	0.00
19) Phenanthrene-d10	17.22	188	3525	0.40	ng	0.00
27) Chrysene-d12	21.40	240	4168	0.40	ng	0.00
34) Perylene-d12	23.90	264	4000	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.40	112	565	0.40	ng	0.01
5) Phenol-d6	7.02	99	528	0.27	ng	0.04
8) Nitrobenzene-d5	8.98	82	1769	0.83	ng	0.01
11) 2-Methylnaphthalene-d10	12.19	152	2149	0.57	ng	0.00
14) 2,4,6-Tribromophenol	15.96	330	1203	1.59	ng	-0.01
15) 2-Fluorobiphenyl	13.07	172	7738	1.25	ng	-0.01
25) Fluoranthene-d10	19.25	212	31254	0.56	ng	0.00
29) Terphenyl-d14	19.84	244	19064	1.88	ng	0.00
Target Compounds						
32) Bis(2-ethylhexyl)phthalate	21.29	149	2419	0.087	ng	Qvalue # 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE031319\
Data File : BE098927.D
Acq On : 14 Mar 2019 1:52
Operator : JU/SJ
Sample : K1860-02
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
FB01-20190311

Quant Time: Mar 14 07:33:00 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE030619.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 06 15:33:24 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.79 min Scan# 428
Delta R.T. 0.00 min
Lab File: BE098927.D
Acq: 14 Mar 2019 1:52

Instrument :
BNA_E
ClientSampleId :
FB01-20190311

Tot Ion:152 Resp: 471
Ion Ratio Lower Upper
152 100
150 130.7 122.5 183.7
115 81.0 57.4 86.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#4


2-Fluorophenol
Concen: 0.401 ng
RT: 5.40 min Scan# 220
Delta R.T. 0.01 min
Lab File: BE098927.D
Acq: 14 Mar 2019 1:52

Tgt Ion:112 Resp: 565
Ion Ratio Lower Upper
112 100
64 83.2 57.9 86.9
63 219.6 158.3 237.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BE0
Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.265 ng

RT: 7.02 min Scan# 361

Delta R.T. 0.04 min

Lab File: BE098927.D

Acq: 14 Mar 2019 1:52

Instrument :

BNA_E

ClientSampleId :

FB01-20190311


Tot Ion: 99 Resp: 528

Ion Ratio Lower Upper

99 100

42 29.5 24.2 36.2

71 29.7 35.7 53.5#



Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0

7.02

150



100

50

0

6.90 7.00 7.10 7.20

Time-->



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.60 min Scan# 649

Delta R.T. 0.01 min

Lab File: BE098927.D

Acq: 14 Mar 2019 1:52

Tgt Ion: 136 Resp: 2038


Ion Ratio Lower Upper

136 100

137 16.3 11.4 17.0

54 71.5 39.3 58.9#

68 14.4 6.7 10.1#



Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0

10.60

1000

800

600


400

200

0

10.40 10.60 10.80

Time-->





#8

Nitrobenzene-d5

Concen: 0.828 ng

RT: 8.98 min Scan# 524

Delta R.T. 0.01 min

Lab File: BE098927.D

Acq: 14 Mar 2019 1:52

Instrument :

BNA_E

ClientSampleId :

FB01-20190311


Tot Ion: 82 Resp: 1769

Ion Ratio Lower Upper


82 100

128 165.1 123.8 185.8



54 305.9 203.4 305.2#



Abundance Ion 82.00 (81.70 to 82.70): BE0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BE0



Time-->



#11

2-Methylnaphthalene-d10

Concen: 0.570 ng

RT: 12.19 min Scan# 762

Delta R.T. -0.00 min

Lab File: BE098927.D


Acq: 14 Mar 2019 1:52

Tgt Ion:152 Resp: 2149


Ion Ratio Lower Upper

152 100


151 19.8 16.5 24.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 151.00 (150.70 to 151.70): E



Time-->





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.46 min Scan# 919

Delta R.T. -0.00 min

Lab File: BE098927.D

Acq: 14 Mar 2019 1:52

Instrument :

BNA_E

ClientSampleId :

FB01-20190311


Tot Ion:164 Resp: 1500

Ion Ratio Lower Upper

164 100

162 93.5 80.2 120.2

160 47.0 37.8 56.8






Abundance

Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 1.589 ng

RT: 15.96 min Scan# 1025

Delta R.T. -0.01 min

Lab File: BE098927.D

Acq: 14 Mar 2019 1:52


Tgt Ion:330 Resp: 1203

Ion Ratio Lower Upper

330 100

332 97.5 77.6 116.4

141 42.0 31.0 46.4






Abundance

Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 1.246 ng
RT: 13.07 min Scan# 823
Delta R.T. -0.01 min
Lab File: BE098927.D
Acq: 14 Mar 2019 1:52




Instrument :
BNA_E
ClientSampleId :
FB01-20190311


Tot Ion:172 Resp: 7738
Ion Ratio Lower Upper
172 100
171 33.6 28.0 42.0
170 24.7 17.7 26.5



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.22 min Scan# 1119
Delta R.T. -0.00 min
Lab File: BE098927.D
Acq: 14 Mar 2019 1:52

Tgt Ion:188 Resp: 3525
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 11.7 6.3 9.5#





#25

Fluoranthene-d10

Concen: 0.555 ng

RT: 19.25 min Scan# 1389

Delta R.T. 0.00 min

Lab File: BE098927.D

Acq: 14 Mar 2019 1:52

Instrument :

BNA_E

ClientSampleId :

FB01-20190311


Tot Ion:212 Resp: 31254

Ion Ratio Lower Upper




212 100

106 2.2 1.8 2.8

104 1.3 1.0 1.6



Abundance Ion 212.00 (211.70 to 212.70): E
Ion 106.00 (105.70 to 106.70): E
Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.40 min Scan# 1633

Delta R.T. 0.00 min

Lab File: BE098927.D

Acq: 14 Mar 2019 1:52


Tgt Ion:240 Resp: 4168

Ion Ratio Lower Upper



240 100


120 7.8 5.0 7.4#

236 28.4 22.7 34.1



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 1.882 ng

RT: 19.84 min Scan# 1492

Delta R.T. -0.01 min

Lab File: BE098927.D

Acq: 14 Mar 2019 1:52

Instrument :

BNA_E

ClientSampleId :

FB01-20190311


Tot Ion:244 Resp: 19064

Ion Ratio Lower Upper

244 100

212 34.2 29.4 44.2




122 8.3 7.1 10.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.087 ng

RT: 21.29 min Scan# 1624

Delta R.T. -0.01 min

Lab File: BE098927.D

Acq: 14 Mar 2019 1:52


Tgt Ion:149 Resp: 2419

Ion Ratio Lower Upper

149 100

167 6.2 5.4 8.0



279 2.6 1.0 1.4#





Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#34
 Pervlene-d12
 Concen: 0.400 ng
 RT: 23.90 min Scan# 2208
 Delta R.T. -0.01 min
 Lab File: BE098927.D
 Acq: 14 Mar 2019 1:52

Instrument :
 BNA_E
 ClientSampleId :
 FB01-20190311

Tot Ion:264	Resp:	4000
Ion Ratio	Lower	Upper
264	100	
260	27.9	21.2 31.8
265	33.4	24.6 36.8

