

Data Path : Z:\HPCHEM1\BNA E\DATA\BE031418\  
 Data File : BE095765.D  
 Acq On : 14 Mar 2018 15:46  
 Operator : SJ/JU  
 Sample : J1813-15  
 Misc :  
 ALS Vial : 11 Sample Multiplier: 1

Instrument :  
 BNA\_E  
 ClientSampleId :  
 F6F33

Manual Integrations  
 APPROVED

Sohil  
 3/15/2018 6:54:01 PM

Quant Time: Mar 15 02:56:21 2018  
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM-EPA-SIM-BE031318.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Thu Mar 15 01:35:18 2018  
 Response via : Initial Calibration

| Internal Standards          | R.T.  | QIon | Response | Conc   | Units  | Dev(Min) |
|-----------------------------|-------|------|----------|--------|--------|----------|
| 1) 1,4-Dichlorobenzene-d4   | 8.43  | 152  | 1907     | 0.40   | ng/ul  | 0.00     |
| 2) Naphthalene-d8           | 11.25 | 136  | 5513     | 0.40   | ng/ul  | 0.00     |
| 6) Acenaphthene-d10         | 15.01 | 164  | 3362     | 0.40   | ng/ul  | 0.00     |
| 10) Phenanthrene-d10        | 17.71 | 188  | 7516m    | 0.40   | ng/ul  | 0.00     |
| 16) Chrysene-d12            | 21.79 | 240  | 7131m    | 0.40   | ng/ul  | 0.00     |
| 20) Perylene-d12            | 24.42 | 264  | 8241     | 0.40   | ng/ul  | 0.00     |
| System Monitoring Compounds |       |      |          |        |        |          |
| 4) 2-Methylnaphthalene-d10  | 12.80 | 152  | 1699     | 0.18   | ng/ul  | 0.00     |
| 14) Fluoranthene-d10        | 19.69 | 212  | 4728m    | 0.20   | ng/ul  | 0.00     |
| Target Compounds            |       |      |          | Ovalue |        |          |
| 12) Phenanthrene            | 17.75 | 178  | 849m     | 0.038  | ng/ul  |          |
| 15) Fluoranthene            | 19.72 | 202  | 2323m    | 0.085  | ng/ul  |          |
| 17) Pyrene                  | 20.07 | 202  | 2227m    | 0.082  | ng/ul  |          |
| 18) Benzo(a)anthracene      | 21.78 | 228  | 1671     | 0.073  | ng/ul# | 88       |
| 19) Chrysene                | 21.84 | 228  | 1367m    | 0.058  | ng/ul  |          |
| 21) Benzo(b)fluoranthene    | 23.61 | 252  | 1783m    | 0.062  | ng/ul  |          |
| 23) Benzo(a)pyrene          | 24.30 | 252  | 1029     | 0.039  | ng/ul# | 85       |
| 24) Indeno(1,2,3-cd)pyrene  | 27.23 | 276  | 691      | 0.024  | ng/ul# | 64       |
| 26) Benzo(g,h,i)perylene    | 28.11 | 276  | 557      | 0.022  | ng/ul# | 67       |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE031418\  
Data File : BE095765.D  
Acq On : 14 Mar 2018 15:46  
Operator : SJ/JU  
Sample : J1813-15  
Misc :  
ALS Vial : 11 Sample Multiplier: 1

Instrument :  
BNA\_E  
ClientSampleId :  
F6F33

Manual Integrations  
APPROVED

Sohil  
3/15/2018 6:54:01 PM

Quant Time: Mar 15 02:56:21 2018  
Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM-EPA-SIM-BE031318.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
QLast Update : Thu Mar 15 01:35:18 2018  
Response via : Initial Calibration

