

Data Path : Z:\SVOASRV\HPCHEM1\BNA_E\DATA\BE031419\
 Data File : BE098944.D
 Acq On : 14 Mar 2019 13:50
 Operator : JU/SJ
 Sample : K1860-09DL 5X
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 DUP04-20190311DL

Quant Time: Mar 15 05:31:35 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_E\METHODS\8270-SIM-BE030619.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 06 15:33:24 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.82	152	504	0.40	ng	0.02
7) Naphthalene-d8	10.61	136	2788	0.40	ng	0.03
13) Acenaphthene-d10	14.47	164	2256	0.40	ng	0.01
19) Phenanthrene-d10	17.22	188	5579	0.40	ng	0.00
27) Chrysene-d12	21.40	240	6040	0.40	ng	0.00
34) Perylene-d12	23.91	264	5765	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.47	112	21	0.01	ng	0.08
5) Phenol-d6	7.00	99	2	0.00	ng	0.01
8) Nitrobenzene-d5	8.98	82	9	0.00	ng	0.01
11) 2-Methylnaphthalene-d10	12.25	152	397	0.08	ng	0.06
14) 2,4,6-Tribromophenol	16.00	330	70	0.06	ng	0.03
15) 2-Fluorobiphenyl	13.12	172	697	0.07	ng	0.03
25) Fluoranthene-d10	19.26	212	5889	0.07	ng	0.01
29) Terphenyl-d14	19.85	244	1483	0.10	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.28	88	1874	2.311	ng	95
22) Pentachlorophenol	16.88	266	6	0.269	ng	87


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_E\DATA\BE031419\
Data File : BE098944.D
Acq On : 14 Mar 2019 13:50
Operator : JU/SJ
Sample : K1860-09DL 5X
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
DUP04-20190311DL

Quant Time: Mar 15 05:31:35 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_E\METHODS\8270-SIM-BE030619.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 06 15:33:24 2019
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 7.82 min Scan# 430

Delta R.T. 0.02 min

Lab File: BE098944.D

Acq: 14 Mar 2019 13:50

Instrument :

BNA_E

ClientSampleId :

DUP04-20190311DL


Tgt Ion:152 Resp: 504

Ion Ratio Lower Upper

152 100

150 137.7 122.5 183.7




115 80.8 57.4 86.2



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#2

1,4-Dioxane

Concen: 2.311 ng

RT: 3.28 min Scan# 36

Delta R.T. -0.01 min

Lab File: BE098944.D

Acq: 14 Mar 2019 13:50


Tgt Ion: 88 Resp: 1874

Ion Ratio Lower Upper

88 100

58 95.9 75.8 113.6



43 60.2 41.8 62.8




Abundance Ion 88.00 (87.70 to 88.70): BE0

Ion 58.00 (57.70 to 58.70): BE0

Ion 43.00 (42.70 to 43.70): BE0





#4

2-Fluorophenol

Concen: 0.014 ng

RT: 5.47 min Scan# 226

Delta R.T. 0.08 min

Lab File: BE098944.D

Acq: 14 Mar 2019 13:50

Instrument :

BNA_E

ClientSampleId :

DUP04-20190311DL


Tgt Ion: 112 Resp: 21

Ion Ratio Lower Upper

112 100

64 90.5 57.9 86.9#




63 0.0 158.3 237.5#



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0



#5

Phenol-d6

Concen: 0.001 ng

RT: 7.00 min Scan# 359

Delta R.T. 0.01 min

Lab File: BE098944.D

Acq: 14 Mar 2019 13:50


Tgt Ion: 99 Resp: 2

Ion Ratio Lower Upper

99 100

42 450.0 24.2 36.2#



71 0.0 35.7 53.5#




Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.61 min Scan# 650

Delta R.T. 0.03 min

Lab File: BE098944.D

Acq: 14 Mar 2019 13:50

Instrument :

BNA_E

ClientSampleId :

DUP04-20190311DL

Tgt Ion: 136 Resp: 2788


Ion Ratio Lower Upper

136 100

137 17.7 11.4 17.0#

54 85.0 39.3 58.9#

68 13.7 6.7 10.1#




Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0

Time-->



Abundance


Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0

Time-->



#8

Nitrobenzene-d5

Concen: 0.003 ng

RT: 8.98 min Scan# 524

Delta R.T. 0.01 min

Lab File: BE098944.D

Acq: 14 Mar 2019 13:50


Tgt Ion: 82 Resp: 9

Ion Ratio Lower Upper

82 100

128 365.4 123.8 185.8#

54 388.5 203.4 305.2#




Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BE0

Time-->




Abundance

Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BE0





Time-->



#11
 2-Methylnaphthalene-d10
 Concen: 0.077 ng
 RT: 12.25 min Scan# 766
 Delta R.T. 0.06 min
 Lab File: BE098944.D
 Acq: 14 Mar 2019 13:50




Instrument :
 BNA_E
 ClientSampleId :
 DUP04-20190311DL


Tgt Ion:152 Resp: 397
 Ion Ratio Lower Upper
 152 100
 151 0.0 16.5 24.7#



#13
 Acenaphthene-d10
 Concen: 0.400 ng
 RT: 14.47 min Scan# 920
 Delta R.T. 0.01 min
 Lab File: BE098944.D
 Acq: 14 Mar 2019 13:50

Tgt Ion:164 Resp: 2256
 Ion Ratio Lower Upper
 164 100
 162 103.9 80.2 120.2
 160 51.1 37.8 56.8





#14

2,4,6-Tribromophenol

Concen: 0.061 ng

RT: 16.00 min Scan# 1028

Delta R.T. 0.03 min

Lab File: BE098944.D

Acq: 14 Mar 2019 13:50

Instrument :

BNA_E

ClientSampleId :

DUP04-20190311DL


Tgt Ion: 330 Resp: 70

Ion Ratio Lower Upper

330 100

332 72.9 77.6 116.4#




141 40.0 31.0 46.4



Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#15

2-Fluorobiphenyl

Concen: 0.075 ng

RT: 13.12 min Scan# 826

Delta R.T. 0.03 min

Lab File: BE098944.D

Acq: 14 Mar 2019 13:50


Tgt Ion: 172 Resp: 697

Ion Ratio Lower Upper

172 100

171 58.5 28.0 42.0#



170 46.9 17.7 26.5#




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.22 min Scan# 1119

Delta R.T. -0.00 min

Lab File: BE098944.D

Acq: 14 Mar 2019 13:50

Instrument :

BNA_E

ClientSampleId :

DUP04-20190311DL


Tgt Ion:188 Resp: 5579

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0




80 13.5 6.3 9.5#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#22

Pentachlorophenol

Concen: 0.269 ng

RT: 16.88 min Scan# 1094

Delta R.T. -0.01 min

Lab File: BE098944.D

Acq: 14 Mar 2019 13:50


Tgt Ion:266 Resp: 6

Ion Ratio Lower Upper

266 100

264 95.8 66.6 100.0



268 97.9 69.8 104.8




Abundance Ion 266.00 (265.70 to 266.70): E

Ion 264.00 (263.70 to 264.70): E

Ion 268.00 (267.70 to 268.70): E









#25
 Fluoranthene-d10
 Concen: 0.066 ng
 RT: 19.26 min Scan# 1391
 Delta R.T. 0.01 min
 Lab File: BE098944.D
 Acq: 14 Mar 2019 13:50




Instrument :
 BNA_E
 ClientSampleId :
 DUP04-20190311DL


Tgt Ion: 212 Resp: 5889
 Ion Ratio Lower Upper
 212 100
 106 2.8 1.8 2.8#
 104 1.0 1.0 1.6#



#27
 Chrysene-d12
 Concen: 0.400 ng
 RT: 21.40 min Scan# 1632
 Delta R.T. -0.00 min
 Lab File: BE098944.D
 Acq: 14 Mar 2019 13:50

Tgt Ion: 240 Resp: 6040
 Ion Ratio Lower Upper
 240 100
 120 9.9 5.0 7.4#
 236 27.8 22.7 34.1





#29

Terphenyl-d14

Concen: 0.101 ng

RT: 19.85 min Scan# 1494

Delta R.T. 0.01 min

Lab File: BE098944.D

Acq: 14 Mar 2019 13:50

Instrument :

BNA_E

ClientSampleId :

DUP04-20190311DL


Tgt Ion:244 Resp: 1483

Ion Ratio Lower Upper

244 100

212 61.9 29.4 44.2#


122 16.1 7.1 10.7#





Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



Time-->



#34

Perylene-d12

Concen: 0.400 ng

RT: 23.91 min Scan# 2210

Delta R.T. 0.00 min

Lab File: BE098944.D

Acq: 14 Mar 2019 13:50


Tgt Ion:264 Resp: 5765

Ion Ratio Lower Upper

264 100

260 24.2 21.2 31.8


265 29.1 24.6 36.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E



Time-->

