

Data Path : Z:\SVOASRV\HPCHEM1\BNA_E\DATA\BE031919\
 Data File : BE099035.D
 Acq On : 19 Mar 2019 14:57
 Operator : JU/SJ
 Sample : K1945-01DL 5X
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 M4-T0-OZ(PRE)DL

Quant Time: Mar 20 05:16:26 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_E\METHODS\8270-SIM-BE030619.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 15 05:31:33 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.82	152	540	0.40	ng	0.02
7) Naphthalene-d8	10.61	136	3034	0.40	ng	0.02
13) Acenaphthene-d10	14.46	164	2416	0.40	ng	0.00
19) Phenanthrene-d10	17.23	188	5854	0.40	ng	0.01
27) Chrysene-d12	21.40	240	6188	0.40	ng	0.00
34) Perylene-d12	23.90	264	5611	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.47	112	46	0.03	ng	0.08
5) Phenol-d6	7.02	99	6	0.00	ng	0.04
8) Nitrobenzene-d5	8.99	82	42	0.01	ng	0.02
11) 2-Methylnaphthalene-d10	12.27	152	435	0.08	ng	0.07
14) 2,4,6-Tribromophenol	16.01	330	63	0.05	ng	0.04
15) 2-Fluorobiphenyl	13.13	172	982	0.10	ng	0.04
25) Fluoranthene-d10	19.26	212	6492	0.07	ng	0.01
29) Terphenyl-d14	19.85	244	1342	0.09	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.28	88	1662	1.895	ng	99
32) Bis(2-ethylhexyl)phthalate	21.29	149	1015	0.025	ng	# 93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_E\DATA\BE031919\
Data File : BE099035.D
Acq On : 19 Mar 2019 14:57
Operator : JU/SJ
Sample : K1945-01DL 5X
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
M4-T0-OZ(PRE)DL

Quant Time: Mar 20 05:16:26 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_E\METHODS\8270-SIM-BE030619.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 15 05:31:33 2019
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 7.82 min Scan# 430

Delta R.T. 0.02 min

Lab File: BE099035.D

Acq: 19 Mar 2019 14:57

Instrument :

BNA_E

ClientSampleId :

M4-T0-OZ(PRE)DL


Tgt Ion:152 Resp: 540

Ion Ratio Lower Upper

152 100

150 138.5 122.5 183.7




115 87.6 57.4 86.2#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#2

1,4-Dioxane

Concen: 1.895 ng

RT: 3.28 min Scan# 36

Delta R.T. -0.01 min

Lab File: BE099035.D

Acq: 19 Mar 2019 14:57


Tgt Ion: 88 Resp: 1662

Ion Ratio Lower Upper

88 100

58 95.5 75.8 113.6



43 52.2 41.8 62.8




Abundance Ion 88.00 (87.70 to 88.70): BE0

Ion 58.00 (57.70 to 58.70): BE0

Ion 43.00 (42.70 to 43.70): BE0





#4

2-Fluorophenol

Concen: 0.028 ng

RT: 5.47 min Scan# 226

Delta R.T. 0.08 min

Lab File: BE099035.D

Acq: 19 Mar 2019 14:57

Instrument :

BNA_E

ClientSampleId :

M4-T0-OZ(PRE)DL


Tgt Ion: 112 Resp: 46

Ion Ratio Lower Upper

112 100

64 0.0 57.9 86.9#




63 0.0 158.3 237.5#



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0



#5

Phenol-d6

Concen: 0.003 ng

RT: 7.02 min Scan# 361

Delta R.T. 0.04 min

Lab File: BE099035.D

Acq: 19 Mar 2019 14:57


Tgt Ion: 99 Resp: 6

Ion Ratio Lower Upper

99 100

42 0.0 24.2 36.2#



71 166.7 35.7 53.5#




Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.61 min Scan# 650

Delta R.T. 0.02 min

Lab File: BE099035.D

Acq: 19 Mar 2019 14:57

Instrument :

BNA_E

ClientSampleId :

M4-T0-OZ(PRE)DL

Tgt Ion:136 Resp: 3034


Ion Ratio Lower Upper

136 100

137 18.5 11.4 17.0#

54 80.2 39.3 58.9#

68 13.2 6.7 10.1#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0



#8

Nitrobenzene-d5

Concen: 0.013 ng

RT: 8.99 min Scan# 525

Delta R.T. 0.02 min

Lab File: BE099035.D

Acq: 19 Mar 2019 14:57


Tgt Ion: 82 Resp: 42

Ion Ratio Lower Upper

82 100

128 356.4 123.8 185.8#



54 367.3 203.4 305.2#




Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BE0





#11

2-Methylnaphthalene-d10

Concen: 0.078 ng

RT: 12.27 min Scan# 767

Delta R.T. 0.07 min

Lab File: BE099035.D

Acq: 19 Mar 2019 14:57

Instrument :

BNA_E

ClientSampleId :





M4-T0-OZ(PRE)DL

Tgt Ion:152 Resp: 435

Ion Ratio Lower Upper

152 100

151 4.4 16.5 24.7#



#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.46 min Scan# 919

Delta R.T. 0.00 min

Lab File: BE099035.D

Acq: 19 Mar 2019 14:57




Tgt Ion:164 Resp: 2416


Ion Ratio Lower Upper

164 100

162 98.1 80.2 120.2

160 50.9 37.8 56.8









#14
 2,4,6-Tribromophenol
 Concen: 0.052 ng
 RT: 16.01 min Scan# 1029
 Delta R.T. 0.04 min
 Lab File: BE099035.D
 Acq: 19 Mar 2019 14:57




Instrument :
 BNA_E
 ClientSampleId :
 M4-T0-OZ(PRE)DL


Tgt Ion: 330 Resp: 63
 Ion Ratio Lower Upper
 330 100
 332 103.2 77.6 116.4
 141 52.4 31.0 46.4#



#15
 2-Fluorobiphenyl
 Concen: 0.098 ng
 RT: 13.13 min Scan# 827
 Delta R.T. 0.04 min
 Lab File: BE099035.D
 Acq: 19 Mar 2019 14:57

Tgt Ion: 172 Resp: 982
 Ion Ratio Lower Upper
 172 100
 171 48.4 28.0 42.0#
 170 38.5 17.7 26.5#





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.23 min Scan# 1120

Delta R.T. 0.01 min

Lab File: BE099035.D

Acq: 19 Mar 2019 14:57

Instrument :

BNA_E

ClientSampleId :

M4-T0-OZ(PRE)DL

Tgt Ion:188 Resp: 5854

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0




80 10.9 6.3 9.5#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#25

Fluoranthene-d10

Concen: 0.069 ng

RT: 19.26 min Scan# 1391

Delta R.T. 0.01 min

Lab File: BE099035.D

Acq: 19 Mar 2019 14:57


Tgt Ion:212 Resp: 6492

Ion Ratio Lower Upper

212 100

106 2.3 1.8 2.8



104 1.4 1.0 1.6




Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E





#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.40 min Scan# 1633

Delta R.T. 0.00 min

Lab File: BE099035.D

Acq: 19 Mar 2019 14:57

Instrument :

BNA_E

ClientSampleId :

M4-T0-OZ(PRE)DL


Tgt Ion:240 Resp: 6188

Ion Ratio Lower Upper

240 100

120 10.7 5.0 7.4#




236 28.1 22.7 34.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#29

Terphenyl-d14

Concen: 0.089 ng

RT: 19.85 min Scan# 1494

Delta R.T. 0.01 min

Lab File: BE099035.D

Acq: 19 Mar 2019 14:57


Tgt Ion:244 Resp: 1342

Ion Ratio Lower Upper

244 100

212 65.6 29.4 44.2#



122 18.9 7.1 10.7#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E









#32
 Bis(2-ethylhexyl)phthalate
 Concen: 0.025 ng
 RT: 21.29 min Scan# 1624
 Delta R.T. -0.01 min
 Lab File: BE099035.D
 Acq: 19 Mar 2019 14:57

Instrument :
 BNA_E
 ClientSampleId :
 M4-T0-OZ(PRE)DL

Tgt Ion:149 Resp: 1015
 Ion Ratio Lower Upper
 149 100
 167 9.5 5.4 8.0#
 279 2.5 1.0 1.4#



#34
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.90 min Scan# 2209
 Delta R.T. -0.00 min
 Lab File: BE099035.D
 Acq: 19 Mar 2019 14:57

Tgt Ion:264 Resp: 5611
 Ion Ratio Lower Upper
 264 100
 260 27.8 21.2 31.8
 265 31.7 24.6 36.8

