

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA E\DATA\BE032318\
 Data File : BE095822.D
 Acq On : 23 Mar 2018 13:24
 Operator : SJ/JU
 Sample : J1888-21
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :

Quant Time: Mar 23 23:22:12 2018
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE032318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 23 12:41:11 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.41	152	1095	0.40	ng	-0.02
7) Naphthalene-d8	11.26	136	3950	0.40	ng	0.00
13) Acenaphthene-d10	15.00	164	2222	0.40	ng	0.00
19) Phenanthrene-d10	17.71	188	5424	0.40	ng	0.00
27) Chrysene-d12	21.80	240	6755	0.40	ng	0.00
34) Perylene-d12	24.43	264	6790	0.40	ng	0.00

System Monitoring Compounds						
4) 2-Fluorophenol	5.91	112	1451	0.40	ng	0.00
5) Phenol-d6	7.56	99	1935	0.39	ng	0.00
8) Nitrobenzene-d5	9.59	82	2129	0.46	ng	0.00
11) 2-Methylnaphthalene-d10	12.79	152	2349	0.36	ng	-0.01
14) 2,4,6-Tribromophenol	16.47	330	473	0.37	ng	0.00
15) 2-Fluorobiphenyl	13.63	172	4477	0.48	ng	-0.01
25) Fluoranthene-d10	19.69	212	29898	0.37	ng	0.00
29) Terphenyl-d14	20.24	244	7334	0.51	ng	0.00


Target Compounds				Qvalue		
9) Naphthalene	11.31	128	177540	3.935	ng	99
16) Acenaphthylene	14.73	152	213040	16.764	ng	99
17) Acenaphthene	15.06	154	116702	15.056	ng	95
18) Fluorene	16.03	166	60590	5.943	ng	# 79
22) Pentachlorophenol	17.38	266	41	0.164	ng	88
23) Phenanthrene	17.74	178	63292	3.898	ng	99
24) Anthracene	17.84	178	25488	1.570	ng	95
26) Fluoranthene	19.72	202	55014	2.439	ng	# 97
28) Pyrene	20.07	202	81033	2.945	ng	99
30) Benzo(a)anthracene	21.78	228	62867	2.684	ng	98
31) Chrysene	21.84	228	71757	3.357	ng	99
33) Indeno(1,2,3-cd)pyrene	27.25	276	97176	4.219	ng	# 92
35) Benzo(b)fluoranthene	23.61	252	45701	2.035	ng	# 88
36) Benzo(k)fluoranthene	23.67	252	38783	1.726	ng	96
37) Benzo(a)pyrene	24.31	252	86297	4.099	ng	# 93
38) Dibenzo(a,h)anthracene	27.26	278	53811	2.690	ng	# 94
39) Benzo(a,h,i)perylene	28.12	276	67651	3.367	ng	# 89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA E\DATA\BE032318\
Data File : BE095822.D
Acq On : 23 Mar 2018 13:24
Operator : SJ/JU
Sample : J1888-21
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :

Quant Time: Mar 23 23:22:12 2018
Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE032318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 23 12:41:11 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 8.41 min Scan# 567
Delta R.T. -0.02 min
Lab File: BE095822.D
Acq: 23 Mar 2018 13:24

Instrument :
BNA_E
ClientSampleId :

Tot Ion:152 Resp: 1095
Ion Ratio Lower Upper
152 100
150 143.0 117.2 175.8
115 72.6 57.0 85.6




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#4


2-Fluorophenol
Concen: 0.402 ng
RT: 5.91 min Scan# 312
Delta R.T. -0.01 min
Lab File: BE095822.D
Acq: 23 Mar 2018 13:24

Tgt Ion:112 Resp: 1451
Ion Ratio Lower Upper
112 100
64 74.5 60.1 90.1
63 169.3 116.8 175.2



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BE0
Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.390 ng

RT: 7.56 min Scan# 480

Delta R.T. -0.01 min

Lab File: BE095822.D

Acq: 23 Mar 2018 13:24

Instrument :

BNA_E

ClientSampleId :


Tot Ion: 99 Resp: 1935

Ion Ratio Lower Upper




99 100

42 25.6 20.2 30.2

71 45.2 28.4 42.6#



Abundance Ion 99.00 (98.70 to 99.70): BE0
Ion 42.00 (41.70 to 42.70): BE0
Ion 71.00 (70.70 to 71.70): BE0



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 11.26 min Scan# 784

Delta R.T. -0.00 min

Lab File: BE095822.D

Acq: 23 Mar 2018 13:24

Tgt Ion:136 Resp: 3950


Ion Ratio Lower Upper

136 100



137 12.3 9.5 14.3


54 34.1 29.1 43.7

68 6.5 6.2 9.2



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BE0
Ion 68.00 (67.70 to 68.70): BE0





#8

Nitrobenzene-d5

Concen: 0.456 ng

RT: 9.59 min Scan# 656

Delta R.T. -0.00 min

Lab File: BE095822.D

Acq: 23 Mar 2018 13:24

Instrument :

BNA_E

ClientSampleId :


Tot Ion: 82 Resp: 2129

Ion Ratio Lower Upper




82 100

128 132.5 150.0 225.0#

54 243.2 154.2 231.4#



Abundance Ion 82.00 (81.70 to 82.70): BE0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BE0



#9

Naphthalene

Concen: 3.935 ng

RT: 11.31 min Scan# 788

Delta R.T. -0.00 min

Lab File: BE095822.D

Acq: 23 Mar 2018 13:24


Tgt Ion:128 Resp: 177540

Ion Ratio Lower Upper



128 100


129 2.9 2.6 3.8

127 3.3 2.8 4.2



Abundance Ion 128.00 (127.70 to 128.70): E
Ion 129.00 (128.70 to 129.70): E
Ion 127.00 (126.70 to 127.70): E









#11
2-Methylnaphthalene-d10
Concen: 0.356 ng
RT: 12.79 min Scan# 1071
Delta R.T. -0.01 min
Lab File: BE095822.D
Acq: 23 Mar 2018 13:24




Instrument :
BNA_E
ClientSampleId :


Tot Ion:152 Resp: 2349
Ion Ratio Lower Upper
152 100
151 20.3 15.4 23.0



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 15.00 min Scan# 1286
Delta R.T. -0.00 min
Lab File: BE095822.D
Acq: 23 Mar 2018 13:24

Tgt Ion:164 Resp: 2222
Ion Ratio Lower Upper
164 100
162 101.4 83.1 124.7
160 46.5 37.1 55.7









#14
 2,4,6-Tribromophenol
 Concen: 0.369 ng
 RT: 16.47 min Scan# 1409
 Delta R.T. -0.00 min
 Lab File: BE095822.D
 Acq: 23 Mar 2018 13:24




Instrument :
 BNA_E
 ClientSampleId :


Tot Ion:330 Resp: 473
 Ion Ratio Lower Upper
 330 100
 332 95.6 152.7 229.1#
 141 46.1 33.7 50.5



#15
 2-Fluorobiphenyl
 Concen: 0.478 ng
 RT: 13.63 min Scan# 1167
 Delta R.T. -0.01 min
 Lab File: BE095822.D
 Acq: 23 Mar 2018 13:24

Tgt Ion:172 Resp: 4477
 Ion Ratio Lower Upper
 172 100
 171 36.5 29.9 44.9
 170 23.2 21.8 32.8





#16

Acenaphthylene

Concen: 16.764 ng

RT: 14.73 min Scan# 1262

Delta R.T. -0.00 min

Lab File: BE095822.D

Acq: 23 Mar 2018 13:24

Instrument :

BNA_E

ClientSampleId :


Tot Ion:152 Resp: 213040

Ion Ratio Lower Upper

152 100

151 20.2 15.7 23.5




153 13.1 10.5 15.7



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E

Ion 153.00 (152.70 to 153.70): E



#17

Acenaphthene

Concen: 15.056 ng

RT: 15.06 min Scan# 1291

Delta R.T. -0.00 min

Lab File: BE095822.D

Acq: 23 Mar 2018 13:24


Tgt Ion:154 Resp: 116702

Ion Ratio Lower Upper

154 100

153 116.1 89.2 133.8



152 56.4 42.0 63.0




Abundance Ion 154.00 (153.70 to 154.70): E

Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E





#18

Fluorene

Concen: 5.943 ng

RT: 16.03 min Scan# 1371

Delta R.T. -0.00 min

Lab File: BE095822.D

Acq: 23 Mar 2018 13:24

Instrument :

BNA_E

ClientSampleId :





Tot Ion:166 Resp: 60590

Ion Ratio Lower Upper

166 100

165 99.7 77.8 116.6

167 13.1 42.4 63.6#



#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.71 min Scan# 1515

Delta R.T. -0.00 min

Lab File: BE095822.D

Acq: 23 Mar 2018 13:24




Tgt Ion:188 Resp: 5424


Ion Ratio Lower Upper

188 100

94 0.0 3.9 5.9#

80 9.6 3.6 5.4#









#22
 Pentachlorophenol
 Concen: 0.164 ng
 RT: 17.38 min Scan# 1487
 Delta R.T. 0.01 min
 Lab File: BE095822.D
 Acq: 23 Mar 2018 13:24




Instrument :
 BNA_E
 ClientSampleId :


Tot Ion:266	Resp:	41	
Ion Ratio	Lower	Upper	
266	100		
264	79.4	72.5	108.7
268	81.0	73.8	110.6



#23
 Phenanthrene
 Concen: 3.898 ng
 RT: 17.74 min Scan# 1518
 Delta R.T. -0.00 min
 Lab File: BE095822.D
 Acq: 23 Mar 2018 13:24

Tgt Ion:178	Resp: 63292
Ion Ratio	Lower Upper
178 100	
176 19.7	15.1 22.7
179 15.1	11.8 17.6





#24

Anthracene

Concen: 1.570 ng

RT: 17.84 min Scan# 1526

Delta R.T. -0.00 min

Lab File: BE095822.D

Acq: 23 Mar 2018 13:24

Instrument :

BNA_E

ClientSampleId :





Tot Ion:178 Resp: 25488

Ion Ratio Lower Upper

178 100

176 19.0 12.8 19.2

179 15.2 13.0 19.6



#25

Fluoranthene-d10

Concen: 0.371 ng

RT: 19.69 min Scan# 1829

Delta R.T. -0.00 min

Lab File: BE095822.D

Acq: 23 Mar 2018 13:24




Tgt Ion:212 Resp: 29898


Ion Ratio Lower Upper

212 100

106 2.8 2.8 4.2

104 1.7 1.6 2.4









#26
 Fluoranthene
 Concen: 2.439 ng
 RT: 19.72 min Scan# 1834
 Delta R.T. -0.00 min
 Lab File: BE095822.D
 Acq: 23 Mar 2018 13:24




Instrument :
 BNA_E
 ClientSampleId :


Tot Ion:202 Resp: 55014
 Ion Ratio Lower Upper
 202 100
 101 9.6 9.8 14.8#
 203 17.1 13.7 20.5



#27
 Chrysene-d12
 Concen: 0.400 ng
 RT: 21.80 min Scan# 2029
 Delta R.T. 0.00 min
 Lab File: BE095822.D
 Acq: 23 Mar 2018 13:24

Tgt Ion:240 Resp: 6755
 Ion Ratio Lower Upper
 240 100
 120 8.5 5.5 8.3#
 236 27.3 20.7 31.1









#28
Pvrene
Concen: 2.945 ng
RT: 20.07 min Scan# 1886
Delta R.T. 0.00 min
Lab File: BE095822.D
Acq: 23 Mar 2018 13:24




Instrument :
BNA_E
ClientSampled :


Tot Ion:202 Resp: 81033
Ion Ratio Lower Upper
202 100
200 19.7 16.6 25.0
203 17.3 13.8 20.8



#29
Terphenyl-d14
Concen: 0.511 ng
RT: 20.24 min Scan# 1900
Delta R.T. 0.00 min
Lab File: BE095822.D
Acq: 23 Mar 2018 13:24

Tgt Ion:244 Resp: 7334
Ion Ratio Lower Upper
244 100
212 10.0 25.4 38.0#
122 10.1 8.1 12.1





#30

Benzo(a)anthracene

Concen: 2.684 ng

RT: 21.78 min Scan# 2027

Delta R.T. 0.00 min

Lab File: BE095822.D

Acq: 23 Mar 2018 13:24


Instrument :

BNA_E

ClientSampleId :

Tot Ion:228 Resp: 62867




Ion	Ratio	Lower	Upper
228	100		
226	28.2	24.0	36.0
229	19.7	16.0	24.0



Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E



#31

Chrysene

Concen: 3.357 ng

RT: 21.84 min Scan# 2032


Delta R.T. 0.00 min

Lab File: BE095822.D

Acq: 23 Mar 2018 13:24

Tgt Ion:228 Resp: 71757



Ion	Ratio	Lower	Upper
228	100		
226	30.4	24.0	36.0
229	19.7	16.0	24.0




Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E





#33

Indeno(1,2,3-cd)pyrene

Concen: 4.219 ng

RT: 27.25 min Scan# 3506

Delta R.T. -0.00 min

Lab File: BE095822.D

Acq: 23 Mar 2018 13:24

Instrument :

BNA_E

ClientSampleId :


Tot Ion:276 Resp: 97176

Ion Ratio Lower Upper

276 100

138 20.0 22.5 33.7#




277 24.8 19.9 29.9



Abundance Ion 276.00 (275.70 to 276.70): E

Ion 138.00 (137.70 to 138.70): E

Ion 277.00 (276.70 to 277.70): E



#34

Perylene-d12

Concen: 0.400 ng

RT: 24.43 min Scan# 2720

Delta R.T. -0.00 min

Lab File: BE095822.D

Acq: 23 Mar 2018 13:24


Tgt Ion:264 Resp: 6790

Ion Ratio Lower Upper

264 100

260 28.0 20.5 30.7



265 31.5 22.8 34.2




Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E









#35
Benzo(b)fluoranthene
Concen: 2.035 ng
RT: 23.61 min Scan# 2491
Delta R.T. -0.00 min
Lab File: BE095822.D
Acq: 23 Mar 2018 13:24




Instrument :
BNA_E
ClientSampleId :


Tot Ion:252 Resp: 45701
Ion Ratio Lower Upper
252 100
253 22.4 20.0 30.0
125 10.2 16.0 24.0#



#36
Benzo(k)fluoranthene
Concen: 1.726 ng
RT: 23.67 min Scan# 2506
Delta R.T. -0.00 min
Lab File: BE095822.D
Acq: 23 Mar 2018 13:24

Tgt Ion:252 Resp: 38783
Ion Ratio Lower Upper
252 100
253 22.7 16.0 24.0
125 10.5 8.0 12.0









#37
Benzo(a)pyrene
Concen: 4.099 ng
RT: 24.31 min Scan# 2686
Delta R.T. -0.00 min
Lab File: BE095822.D
Acq: 23 Mar 2018 13:24




Instrument :
BNA_E
ClientSampleId :


Tot Ion:252 Resp: 86297
Ion Ratio Lower Upper
252 100
253 22.1 16.0 24.0
125 10.3 12.0 18.0#



#38
Dibenzo(a,h)anthracene
Concen: 2.690 ng
RT: 27.26 min Scan# 3509
Delta R.T. -0.00 min
Lab File: BE095822.D
Acq: 23 Mar 2018 13:24

Tgt Ion:278 Resp: 53811
Ion Ratio Lower Upper
278 100
139 14.6 16.0 24.0#
279 24.5 20.0 30.0





#39

Benzo(a,h,i)perylene

Concen: 3.367 ng

RT: 28.12 min Scan# 3751

Delta R.T. -0.00 min

Lab File: BE095822.D

Acq: 23 Mar 2018 13:24

Instrument :

BNA_E

ClientSampleId :


Tot Ion:276 Resp: 67651

Ion Ratio Lower Upper

276 100

277 24.2 16.0 24.0#

138 18.6 20.0 30.0#



Abundance Ion 276.00 (275.70 to 276.70): E

Ion 277.00 (276.70 to 277.70): E

Ion 138.00 (137.70 to 138.70): E

