

Data Path : Z:\HPCHEM1\BNA\_E\DATA\BE032615\  
 Data File : BE089857.D  
 Acq On : 26 Mar 2015 13:23  
 Operator : TP/JJ  
 Sample : SSTDCCC001  
 Misc :  
 ALS Vial : 6 Sample Multiplier: 1

Instrument :  
 BNA\_E  
 ClientSampleId :  
 SSTDCCC001

Quant Time: Mar 27 03:17:38 2015  
 Quant Method : Z:\HPCHEM1\BNA\_E\METHODS\SIMPAH-BE032415.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Wed Mar 25 16:20:31 2015  
 Response via : Initial Calibration


| Internal Standards          | R.T.  | QIon | Response | Conc | Units | Dev(Min) |
|-----------------------------|-------|------|----------|------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4   | 7.50  | 152  | 141938   | 5.00 | ng    | 0.00     |
| 4) Naphthalene-d8           | 10.26 | 136  | 509786   | 5.00 | ng    | 0.00     |
| 8) Acenaphthene-d10         | 14.40 | 164  | 220705   | 5.00 | ng    | 0.00     |
| 13) Phenanthrene-d10        | 17.93 | 188  | 338059   | 5.00 | ng    | 0.00     |
| 19) Chrysene-d12            | 24.26 | 240  | 253908   | 5.00 | ng    | 0.00     |
| 25) Perylene-d12            | 27.42 | 264  | 235376   | 5.00 | ng    | 0.00     |
| System Monitoring Compounds |       |      |          |      |       |          |
| 5) Nitrobenzene-d5          | 8.68  | 82   | 30394    | 1.05 | ng    | 0.00     |
| 9) 2-Fluorobiphenyl         | 12.85 | 172  | 58906    | 1.14 | ng    | 0.00     |
| 21) Terphenyl-d14           | 21.87 | 244  | 40999    | 1.09 | ng    | 0.00     |
| Target Compounds            |       |      |          |      |       | Qvalue   |
| 2) 1,4-Dioxane              | 2.51  | 88   | 20213    | 1.10 | ng    | 92       |
| 3) n-Nitrosodimethylamine   | 2.95  | 42   | 23715    | 0.88 | ng    | # 72     |
| 6) Naphthalene              | 10.31 | 128  | 105879   | 1.05 | ng    | 95       |
| 7) 2-Methylnaphthalene      | 11.93 | 142  | 60975    | 1.09 | ng    | 99       |
| 10) Acenaphthylene          | 14.04 | 152  | 353527   | 1.12 | ng    | 98       |
| 11) Acenaphthene            | 14.46 | 154  | 51869    | 1.07 | ng    | 87       |
| 12) Fluorene                | 15.71 | 166  | 61176    | 1.04 | ng    | 93       |
| 14) Hexachlorobenzene       | 16.99 | 284  | 12456    | 1.11 | ng    | 96       |
| 15) Pentachlorophenol       | 17.51 | 266  | 4749     | 1.71 | ng    | 96       |
| 16) Phenanthrene            | 17.98 | 178  | 77251    | 1.04 | ng    | 99       |
| 17) Anthracene              | 18.10 | 178  | 70641    | 1.06 | ng    | 100      |
| 18) Fluoranthene            | 20.83 | 202  | 64100    | 0.96 | ng    | 98       |
| 20) Pyrene                  | 21.35 | 202  | 64621    | 1.00 | ng    | 98       |
| 22) Benzo(a)anthracene      | 24.25 | 228  | 51571    | 1.09 | ng    | 97       |
| 23) Chrysene                | 24.32 | 228  | 55060    | 1.06 | ng    | 98       |
| 24) Indeno(1,2,3-cd)pyrene  | 29.39 | 276  | 40622m   | 1.16 | ng    |          |
| 26) Benzo(b)fluoranthene    | 26.64 | 252  | 42460    | 1.12 | ng    | 98       |
| 27) Benzo(k)fluoranthene    | 26.70 | 252  | 55456    | 1.15 | ng    | # 94     |
| 28) Benzo(a)pyrene          | 27.30 | 252  | 40838    | 1.12 | ng    | # 89     |
| 29) Dibenzo(a,h)anthracene  | 29.45 | 278  | 32218    | 1.17 | ng    | # 79     |
| 30) Benzo(g,h,i)perylene    | 29.84 | 276  | 46251    | 1.15 | ng    | # 88     |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA\_E\DATA\BE032615\  
Data File : BE089857.D  
Acq On : 26 Mar 2015 13:23  
Operator : TP/JJ  
Sample : SSTDCCC001  
Misc :  
ALS Vial : 6 Sample Multiplier: 1

Instrument :  
BNA\_E  
ClientSampleId :  
SSTDCCC001

Quant Time: Mar 27 03:17:38 2015  
Quant Method : Z:\HPCHEM1\BNA\_E\METHODS\SIMPAH-BE032415.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
QLast Update : Wed Mar 25 16:20:31 2015  
Response via : Initial Calibration









#1  
 1,4-Dichlorobenzene-d4  
 Concen: 5.00 ng  
 RT: 7.50 min Scan# 1004  
 Delta R.T. 0.00 min  
 Lab File: BE089857.D  
 Acq: 26 Mar 2015 13:23

Instrument :  
 BNA\_E  
 ClientSampleId :  
 SSTDCCC001

Tgt Ion: 152 Resp: 141938  
 Ion Ratio Lower Upper  
 152 100  
 150 152.2 125.5 188.3  
 115 67.3 58.0 87.0




Abundance Ion 152.00 (151.70 to 152.70): E  
 Ion 150.00 (149.70 to 150.70): E  
 Ion 115.00 (114.70 to 115.70): E






#2  
 1,4-Dioxane  
 Concen: 1.10 ng  
 RT: 2.51 min Scan# 164  
 Delta R.T. -0.01 min  
 Lab File: BE089857.D  
 Acq: 26 Mar 2015 13:23

Tgt Ion: 88 Resp: 20213  
 Ion Ratio Lower Upper  
 88 100  
 58 66.2 48.6 72.8  
 43 30.4 28.6 43.0



Abundance Ion 88.00 (87.70 to 88.70): BE0  
 Ion 58.00 (57.70 to 58.70): BE0  
 Ion 43.00 (42.70 to 43.70): BE0






#3




n-Nitrosodimethylamine  
 Concen: 0.88 ng  
 RT: 2.95 min Scan# 228  
 Delta R.T. -0.05 min  
 Lab File: BE089857.D  
 Acq: 26 Mar 2015 13:23

Instrument :  
 BNA\_E  
 ClientSampleId :  
 SSTDCCC001

Tgt Ion: 42 Resp: 23715  
 Ion Ratio Lower Upper  
 42 100  
 74 114.1 68.7 103.1#  
 44 7.7 6.2 9.4




Abundance Ion 42.00 (41.70 to 42.70): BE0  
 Ion 74.00 (73.70 to 74.70): BE0  
 Ion 44.00 (43.70 to 44.70): BE0





#4


Naphthalene-d8  
 Concen: 5.00 ng  
 RT: 10.26 min Scan# 1869  
 Delta R.T. 0.01 min  
 Lab File: BE089857.D  
 Acq: 26 Mar 2015 13:23

Tgt Ion: 136 Resp: 509786  
 Ion Ratio Lower Upper  
 136 100  
 137 11.0 8.8 13.2  
 54 6.7 7.0 10.4#



Abundance Ion 136.00 (135.70 to 136.70): E  
 Ion 137.00 (136.70 to 137.70): E  
 Ion 54.00 (53.70 to 54.70): BE0





#5

Nitrobenzene-d5

Concen: 1.05 ng

RT: 8.68 min Scan# 1411

Delta R.T. -0.00 min

Lab File: BE089857.D

Acq: 26 Mar 2015 13:23

Instrument :

BNA\_E

ClientSampleId :

SSTDCCC001


Tgt Ion: 82 Resp: 30394

Ion Ratio Lower Upper

82 100

128 30.9 24.6 37.0




54 51.7 43.0 64.6



Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): BE0

Ion 54.00 (53.70 to 54.70): BE0



#6

Naphthalene

Concen: 1.05 ng

RT: 10.31 min Scan# 1877

Delta R.T. 0.00 min

Lab File: BE089857.D

Acq: 26 Mar 2015 13:23


Tgt Ion: 128 Resp: 105879

Ion Ratio Lower Upper

128 100

129 10.6 10.0 15.0



127 13.1 12.5 18.7




Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E





#7

2-Methylnaphthalene

Concen: 1.09 ng

RT: 11.93 min Scan# 2206

Delta R.T. -0.00 min

Lab File: BE089857.D

Acq: 26 Mar 2015 13:23

Instrument :

BNA\_E

ClientSampleId :

SSTDCCC001


Tgt Ion:142 Resp: 60975

Ion Ratio Lower Upper

142 100

141 92.0 72.8 109.2




115 42.1 32.9 49.3



Abundance Ion 142.00 (141.70 to 142.70): E

Ion 141.00 (140.70 to 141.70): E

Ion 115.00 (114.70 to 115.70): E



#8

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.40 min Scan# 2622

Delta R.T. 0.01 min

Lab File: BE089857.D

Acq: 26 Mar 2015 13:23


Tgt Ion:164 Resp: 220705

Ion Ratio Lower Upper

164 100

162 105.3 87.6 131.4



160 41.8 36.7 55.1




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#9  
 2-Fluorobiphenyl  
 Concen: 1.14 ng  
 RT: 12.85 min Scan# 2408  
 Delta R.T. 0.00 min  
 Lab File: BE089857.D  
 Acq: 26 Mar 2015 13:23




Instrument :  
 BNA\_E  
 ClientSampleId :  
 SSTDCCC001


Tgt Ion:172 Resp: 58906  
 Ion Ratio Lower Upper  
 172 100  
 171 36.2 30.8 46.2  
 170 23.7 21.0 31.4



#10  
 Acenaphthylene  
 Concen: 1.12 ng  
 RT: 14.04 min Scan# 2590  
 Delta R.T. -0.00 min  
 Lab File: BE089857.D  
 Acq: 26 Mar 2015 13:23

Tgt Ion:152 Resp: 353527  
 Ion Ratio Lower Upper  
 152 100  
 151 5.0 3.9 5.9  
 153 12.7 11.0 16.4





#11

Acenaphthene

Concen: 1.07 ng

RT: 14.46 min Scan# 2628

Delta R.T. -0.00 min

Lab File: BE089857.D

Acq: 26 Mar 2015 13:23

Instrument :

BNA\_E

ClientSampleId :

SSTDCCC001





Tgt Ion:154 Resp: 51869

Ion Ratio Lower Upper

154 100

153 469.3 401.5 602.3

152 222.8 198.6 298.0



#12

Fluorene

Concen: 1.04 ng

RT: 15.71 min Scan# 2742

Delta R.T. -0.00 min

Lab File: BE089857.D

Acq: 26 Mar 2015 13:23




Tgt Ion:166 Resp: 61176


Ion Ratio Lower Upper

166 100

165 98.9 85.1 127.7

167 13.4 12.2 18.4









#13  
Phenanthrene-d10  
Concen: 5.00 ng  
RT: 17.93 min Scan# 2973  
Delta R.T. 0.01 min  
Lab File: BE089857.D  
Acq: 26 Mar 2015 13:23

Instrument :  
BNA\_E  
ClientSampleId :  
SSTDCCC001

Tgt Ion:188 Resp: 338059  
Ion Ratio Lower Upper  
188 100  
94 9.0 8.5 12.7  
80 9.6 10.0 15.0#




Abundance Ion 188.00 (187.70 to 188.70): E  
Ion 94.00 (93.70 to 94.70): BE0  
Ion 80.00 (79.70 to 80.70): BE0






#14  
Hexachlorobenzene  
Concen: 1.11 ng  
RT: 16.99 min Scan# 2869  
Delta R.T. 0.01 min  
Lab File: BE089857.D  
Acq: 26 Mar 2015 13:23

Tgt Ion:284 Resp: 12456  
Ion Ratio Lower Upper  
284 100  
142 63.6 53.3 79.9  
249 35.6 31.1 46.7



Abundance Ion 283.80 (283.50 to 284.50): E  
Ion 142.00 (141.70 to 142.70): E  
Ion 249.00 (248.70 to 249.70): E









#15  
 Pentachlorophenol  
 Concen: 1.71 ng  
 RT: 17.51 min Scan# 2927  
 Delta R.T. 0.01 min  
 Lab File: BE089857.D  
 Acq: 26 Mar 2015 13:23

Instrument :  
 BNA\_E  
 ClientSampleId :  
 SSTDCCC001

Tgt Ion: 266 Resp: 4749  
 Ion Ratio Lower Upper  
 266 100  
 268 67.2 51.6 77.4  
 264 66.1 50.2 75.2




Abundance Ion 265.70 (265.40 to 266.40): E  
 Ion 268.00 (267.70 to 268.70): E  
 Ion 264.00 (263.70 to 264.70): E






#16  
 Phenanthrene  
 Concen: 1.04 ng  
 RT: 17.98 min Scan# 2979  
 Delta R.T. 0.01 min  
 Lab File: BE089857.D  
 Acq: 26 Mar 2015 13:23

Tgt Ion: 178 Resp: 77251  
 Ion Ratio Lower Upper  
 178 100  
 176 19.4 15.4 23.0  
 179 15.8 12.2 18.4



Abundance Ion 178.00 (177.70 to 178.70): E  
 Ion 176.00 (175.70 to 176.70): E  
 Ion 179.00 (178.70 to 179.70): E





#17

Anthracene

Concen: 1.06 ng

RT: 18.10 min Scan# 2992

Delta R.T. -0.00 min

Lab File: BE089857.D

Acq: 26 Mar 2015 13:23

Instrument :

BNA\_E

ClientSampleId :

SSTDCCC001





Tgt Ion:178 Resp: 70641

Ion Ratio Lower Upper

178 100

176 18.5 14.6 21.8

179 15.0 12.1 18.1



#18

Fluoranthene

Concen: 0.96 ng

RT: 20.83 min Scan# 3433

Delta R.T. 0.01 min

Lab File: BE089857.D

Acq: 26 Mar 2015 13:23




Tgt Ion:202 Resp: 64100


Ion Ratio Lower Upper

202 100

101 9.1 8.2 12.2

203 17.1 14.2 21.4





#19

Chrysene-d12

Concen: 5.00 ng

RT: 24.26 min Scan# 4129

Delta R.T. 0.00 min

Lab File: BE089857.D

Acq: 26 Mar 2015 13:23

Instrument :

BNA\_E

ClientSampleId :

SSTDCCC001


Tgt Ion:240 Resp: 253908

Ion Ratio Lower Upper

240 100

120 9.8 7.5 11.3




236 25.8 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#20

Pyrene

Concen: 1.00 ng

RT: 21.35 min Scan# 3531

Delta R.T. 0.00 min

Lab File: BE089857.D

Acq: 26 Mar 2015 13:23


Tgt Ion:202 Resp: 64621

Ion Ratio Lower Upper

202 100

200 21.0 15.9 23.9



203 17.3 13.6 20.4




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 200.00 (199.70 to 200.70): E

Ion 203.00 (202.70 to 203.70): E









#21  
 Terphenyl-d14  
 Concen: 1.09 ng  
 RT: 21.87 min Scan# 3629  
 Delta R.T. 0.01 min  
 Lab File: BE089857.D  
 Acq: 26 Mar 2015 13:23




Instrument :  
 BNA\_E  
 ClientSampleId :  
 SSTDCCC001


Tgt Ion: 244 Resp: 40999  
 Ion Ratio Lower Upper  
 244 100  
 212 6.7 7.3 10.9#  
 122 9.6 10.5 15.7#



#22  
 Benzo(a)anthracene  
 Concen: 1.09 ng  
 RT: 24.25 min Scan# 4125  
 Delta R.T. -0.00 min  
 Lab File: BE089857.D  
 Acq: 26 Mar 2015 13:23

Tgt Ion: 228 Resp: 51571  
 Ion Ratio Lower Upper  
 228 100  
 226 26.8 19.8 29.8  
 229 19.4 16.3 24.5





#23

Chrysene

Concen: 1.06 ng

RT: 24.32 min Scan# 4142

Delta R.T. 0.01 min

Lab File: BE089857.D

Acq: 26 Mar 2015 13:23

Instrument :

BNA\_E

ClientSampleId :

SSTDCCC001


Tgt Ion:228 Resp: 55060

Ion Ratio Lower Upper

228 100

226 30.6 23.0 34.4




229 19.4 15.8 23.6



Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E



#24

Indeno(1,2,3-cd)pyrene

Concen: 1.16 ng m

RT: 29.39 min Scan# 5247

Delta R.T. 0.01 min

Lab File: BE089857.D

Acq: 26 Mar 2015 13:23


Tgt Ion:276 Resp: 40622

Ion Ratio Lower Upper

276 100

138 9.9 4.3 6.5#



277 14.3 9.0 13.4#




Abundance Ion 276.00 (275.70 to 276.70): E

Ion 138.00 (137.70 to 138.70): E

Ion 277.00 (276.70 to 277.70): E









#25  
 Perylene-d12  
 Concen: 5.00 ng  
 RT: 27.42 min Scan# 4819  
 Delta R.T. 0.01 min  
 Lab File: BE089857.D  
 Acq: 26 Mar 2015 13:23




Instrument :  
 BNA\_E  
 ClientSampleId :  
 SSTDCCC001


Tgt Ion: 264 Resp: 235376  
 Ion Ratio Lower Upper  
 264 100  
 260 23.2 18.2 27.2  
 265 22.4 17.3 25.9



#26  
 Benzo(b)fluoranthene  
 Concen: 1.12 ng  
 RT: 26.64 min Scan# 4648  
 Delta R.T. 0.01 min  
 Lab File: BE089857.D  
 Acq: 26 Mar 2015 13:23

Tgt Ion: 252 Resp: 42460  
 Ion Ratio Lower Upper  
 252 100  
 253 22.0 17.8 26.6  
 125 9.6 8.7 13.1





#27

Benzo(k)fluoranthene

Concen: 1.15 ng

RT: 26.70 min Scan# 4661

Delta R.T. 0.00 min

Lab File: BE089857.D

Acq: 26 Mar 2015 13:23

Instrument :

BNA\_E

ClientSampleId :

SSTDCCC001


Tgt Ion:252 Resp: 55456

Ion Ratio Lower Upper




252 100

253 22.3 18.6 28.0

125 8.7 10.8 16.2#



Abundance Ion 252.00 (251.70 to 252.70): E  
Ion 253.00 (252.70 to 253.70): E  
Ion 125.00 (124.70 to 125.70): E



#28

Benzo(a)pyrene

Concen: 1.12 ng

RT: 27.30 min Scan# 4793

Delta R.T. 0.00 min

Lab File: BE089857.D

Acq: 26 Mar 2015 13:23


Tgt Ion:252 Resp: 40838

Ion Ratio Lower Upper



252 100


253 22.3 21.0 31.4

125 9.3 13.3 19.9#



Abundance Ion 252.00 (251.70 to 252.70): E  
Ion 253.00 (252.70 to 253.70): E  
Ion 125.00 (124.70 to 125.70): E





#29

Dibenzo(a,h)anthracene

Concen: 1.17 ng

RT: 29.45 min Scan# 5261

Delta R.T. 0.01 min

Lab File: BE089857.D

Acq: 26 Mar 2015 13:23

Instrument :

BNA\_E

ClientSampleId :

SSTDCCC001





Tgt Ion: 278 Resp: 32218

Ion Ratio Lower Upper

278 100

139 13.6 20.0 30.0#

279 24.6 28.9 43.3#



#30

Benzo(g,h,i)perylene

Concen: 1.15 ng

RT: 29.84 min Scan# 5345

Delta R.T. 0.02 min

Lab File: BE089857.D

Acq: 26 Mar 2015 13:23

Tgt Ion: 276 Resp: 46251

Ion Ratio Lower Upper

276 100

277 24.5 19.2 28.8

138 17.3 22.9 34.3#

