

Data Path : Z:\HPCHEM1\BNA E\DATA\BE032618\
 Data File : BE095841.D
 Acq On : 26 Mar 2018 15:38
 Operator : SJ/JU
 Sample : J1985-03
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :

Quant Time: Mar 27 05:41:06 2018
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE032318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 23 12:41:11 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.42	152	1212	0.40	ng	0.00
7) Naphthalene-d8	11.26	136	4696	0.40	ng	0.00
13) Acenaphthene-d10	14.99	164	2694	0.40	ng	-0.01
19) Phenanthrene-d10	17.70	188	6517	0.40	ng	-0.01
27) Chrysene-d12	21.79	240	7683	0.40	ng	-0.01
34) Perylene-d12	24.42	264	7377	0.40	ng	-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.92	112	608	0.15	ng	0.00
5) Phenol-d6	7.56	99	477	0.09	ng	0.00
8) Nitrobenzene-d5	9.59	82	2567	0.46	ng	0.00
11) 2-Methylnaphthalene-d10	12.79	152	2836	0.36	ng	-0.01
14) 2,4,6-Tribromophenol	16.46	330	643	0.41	ng	-0.01
15) 2-Fluorobiphenyl	13.63	172	5654	0.50	ng	-0.01
25) Fluoranthene-d10	19.68	212	35505	0.37	ng	0.00
29) Terphenyl-d14	20.24	244	8202	0.50	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.63	88	124	0.062	ng	# 1
22) Pentachlorophenol	17.36	266	140	0.226	ng	92
32) Bis(2-ethylhexyl)phthalate	21.64	149	15576	0.191	ng	# 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE032618\
Data File : BE095841.D
Acq On : 26 Mar 2018 15:38
Operator : SJ/JU
Sample : J1985-03
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :

Quant Time: Mar 27 05:41:06 2018
Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE032318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 23 12:41:11 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 8.42 min Scan# 568
Delta R.T. -0.01 min
Lab File: BE095841.D
Acq: 26 Mar 2018 15:38

Instrument :
BNA_E
ClientSampleId :

Tot Ion:152 Resp: 1212
Ion Ratio Lower Upper
152 100
150 141.0 117.2 175.8
115 66.4 57.0 85.6




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#2


1,4-Dioxane
Concen: 0.062 ng
RT: 3.63 min Scan# 78
Delta R.T. -0.01 min
Lab File: BE095841.D
Acq: 26 Mar 2018 15:38

Tgt Ion: 88 Resp: 124
Ion Ratio Lower Upper
88 100
58 96.0 63.2 94.8#
43 575.8 41.2 61.8#



Abundance Ion 88.00 (87.70 to 88.70): BE0
Ion 58.00 (57.70 to 58.70): BE0
Ion 43.00 (42.70 to 43.70): BE0





#4

2-Fluorophenol

Concen: 0.152 ng

RT: 5.92 min Scan# 312

Delta R.T. -0.01 min

Lab File: BE095841.D

Acq: 26 Mar 2018 15:38

Instrument :

BNA_E

ClientSampleId :


Tot Ion: 112 Resp: 608

Ion Ratio Lower Upper

112 100

64 70.6 60.1 90.1




63 153.9 116.8 175.2



Abundance Ion 112.00 (111.70 to 112.70): BE0

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0



#5

Phenol-d6

Concen: 0.087 ng

RT: 7.56 min Scan# 480

Delta R.T. -0.01 min

Lab File: BE095841.D

Acq: 26 Mar 2018 15:38


Tgt Ion: 99 Resp: 477

Ion Ratio Lower Upper

99 100

42 37.9 20.2 30.2#



71 61.2 28.4 42.6#




Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 11.26 min Scan# 784

Delta R.T. -0.00 min

Lab File: BE095841.D

Acq: 26 Mar 2018 15:38

Instrument :

BNA_E

ClientSampleId :

Tot Ion:136 Resp: 4696


Ion Ratio Lower Upper

136 100

137 12.2 9.5 14.3

54 38.0 29.1 43.7

68 8.0 6.2 9.2






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0



#8

Nitrobenzene-d5

Concen: 0.463 ng

RT: 9.59 min Scan# 656

Delta R.T. -0.00 min

Lab File: BE095841.D

Acq: 26 Mar 2018 15:38


Tgt Ion: 82 Resp: 2567

Ion Ratio Lower Upper

82 100

128 132.2 150.0 225.0#



54 240.0 154.2 231.4#




Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BE0









#11
2-Methylnaphthalene-d10
Concen: 0.362 ng
RT: 12.79 min Scan# 1071
Delta R.T. -0.01 min
Lab File: BE095841.D
Acq: 26 Mar 2018 15:38




Instrument :
BNA_E
ClientSampleId :


Tot Ion:152 Resp: 2836
Ion Ratio Lower Upper
152 100
151 19.5 15.4 23.0



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.99 min Scan# 1285
Delta R.T. -0.01 min
Lab File: BE095841.D
Acq: 26 Mar 2018 15:38

Tgt Ion:164 Resp: 2694
Ion Ratio Lower Upper
164 100
162 109.6 83.1 124.7
160 50.1 37.1 55.7







#14
 2,4,6-Tribromophenol
 Concen: 0.414 ng
 RT: 16.46 min Scan# 1408
 Delta R.T. -0.01 min
 Lab File: BE095841.D
 Acq: 26 Mar 2018 15:38

Instrument :
 BNA_E
 ClientSampleId :



Tot Ion:330 Resp: 643
 Ion Ratio Lower Upper
 330 100
 332 95.0 152.7 229.1#
 141 46.5 33.7 50.5



Abundance Ion 330.00 (329.70 to 330.70): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E




Time-->




#15
 2-Fluorobiphenyl
 Concen: 0.498 ng
 RT: 13.63 min Scan# 1167
 Delta R.T. -0.01 min
 Lab File: BE095841.D
 Acq: 26 Mar 2018 15:38


Tgt Ion:172 Resp: 5654
 Ion Ratio Lower Upper
 172 100
 171 35.0 29.9 44.9
 170 22.6 21.8 32.8




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E



Time-->





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.70 min Scan# 1514

Delta R.T. -0.01 min

Lab File: BE095841.D

Acq: 26 Mar 2018 15:38

Instrument :

BNA_E

ClientSampleId :


Tot Ion:188 Resp: 6517

Ion Ratio Lower Upper

188 100

94 0.0 3.9 5.9#




80 17.2 3.6 5.4#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#22

Pentachlorophenol

Concen: 0.226 ng

RT: 17.36 min Scan# 1485

Delta R.T. -0.01 min

Lab File: BE095841.D

Acq: 26 Mar 2018 15:38


Tgt Ion:266 Resp: 140

Ion Ratio Lower Upper

266 100

264 84.1 72.5 108.7



268 84.1 73.8 110.6




Abundance Ion 266.00 (265.70 to 266.70): E

Ion 264.00 (263.70 to 264.70): E

Ion 268.00 (267.70 to 268.70): E





#25

Fluoranthene-d10

Concen: 0.367 ng

RT: 19.68 min Scan# 1828

Delta R.T. -0.01 min

Lab File: BE095841.D

Acq: 26 Mar 2018 15:38

Instrument :

BNA_E

ClientSampleId :


Tot Ion:212 Resp: 35505

Ion Ratio Lower Upper

212 100

106 2.9 2.8 4.2




104 1.7 1.6 2.4



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.79 min Scan# 2028

Delta R.T. -0.01 min

Lab File: BE095841.D

Acq: 26 Mar 2018 15:38


Tgt Ion:240 Resp: 7683

Ion Ratio Lower Upper

240 100

120 13.8 5.5 8.3#



236 29.2 20.7 31.1




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.503 ng

RT: 20.24 min Scan# 1900

Delta R.T. -0.00 min

Lab File: BE095841.D

Acq: 26 Mar 2018 15:38

Instrument :

BNA_E

ClientSampleId :


Tot Ion:244 Resp: 8202

Ion Ratio Lower Upper

244 100

212 8.5 25.4 38.0#




122 7.3 8.1 12.1#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.191 ng

RT: 21.64 min Scan# 2016

Delta R.T. -0.00 min

Lab File: BE095841.D

Acq: 26 Mar 2018 15:38


Tgt Ion:149 Resp: 15576

Ion Ratio Lower Upper

149 100

167 7.0 5.4 8.0



279 1.2 0.7 1.1#






Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#34

Pervlene-d12

Concen: 0.400 ng

RT: 24.42 min Scan# 2717

Delta R.T. -0.01 min

Lab File: BE095841.D

Acq: 26 Mar 2018 15:38

Instrument :

BNA_E

ClientSampleId :

Tot Ion:264 Resp: 7377

Ion Ratio Lower Upper

264 100

260 27.1 20.5 30.7

265 29.5 22.8 34.2

Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

