

Data Path : Z:\HPCHEM1\BNA E\DATA\BE032618\
 Data File : BE095850.D
 Acq On : 26 Mar 2018 22:12
 Operator : SJ/JU
 Sample : J1980-02
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 GW-2

Quant Time: Mar 27 06:45:28 2018
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE032318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 23 12:41:11 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.42	152	1194	0.40	ng	0.00
7) Naphthalene-d8	11.26	136	4498	0.40	ng	0.00
13) Acenaphthene-d10	14.99	164	2736	0.40	ng	-0.01
19) Phenanthrene-d10	17.70	188	6248	0.40	ng	-0.01
27) Chrysene-d12	21.79	240	7293	0.40	ng	-0.01
34) Perylene-d12	24.42	264	7130	0.40	ng	-0.02
System Monitoring Compounds						
4) 2-Fluorophenol	5.91	112	614	0.16	ng	0.00
5) Phenol-d6	7.56	99	532	0.10	ng	0.00
8) Nitrobenzene-d5	9.59	82	2542	0.48	ng	0.00
11) 2-Methylnaphthalene-d10	12.79	152	2712	0.36	ng	-0.01
14) 2,4,6-Tribromophenol	16.46	330	631	0.40	ng	-0.01
15) 2-Fluorobiphenyl	13.63	172	5919	0.51	ng	-0.01
25) Fluoranthene-d10	19.68	212	33903	0.37	ng	0.00
29) Terphenyl-d14	20.24	244	8877	0.57	ng	0.00
Target Compounds						
17) Acenaphthene	15.06	154	2284	0.239	ng	Qvalue 96
22) Pentachlorophenol	17.36	266	208	0.278	ng	# 81
32) Bis(2-ethylhexyl)phthalate	21.64	149	10947	0.142	ng	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE032618\
Data File : BE095850.D
Acq On : 26 Mar 2018 22:12
Operator : SJ/JU
Sample : J1980-02
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
GW-2

Quant Time: Mar 27 06:45:28 2018
Quant Method : Z:\HPCHEM1\BNA E\METHODS\8270-SIM-BE032318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 23 12:41:11 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 8.42 min Scan# 568
 Delta R.T. -0.01 min
 Lab File: BE095850.D
 Acq: 26 Mar 2018 22:12

Instrument :
 BNA_E
 ClientSampled :
 GW-2

Tot Ion:152 Resp: 1194
 Ion Ratio Lower Upper
 152 100
 150 141.8 117.2 175.8
 115 67.8 57.0 85.6




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#4


2-Fluorophenol
 Concen: 0.156 ng
 RT: 5.91 min Scan# 312
 Delta R.T. -0.01 min
 Lab File: BE095850.D
 Acq: 26 Mar 2018 22:12

Tgt Ion:112 Resp: 614
 Ion Ratio Lower Upper
 112 100
 64 75.4 60.1 90.1
 63 166.1 116.8 175.2



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BE0
 Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.098 ng

RT: 7.56 min Scan# 480

Delta R.T. -0.01 min

Lab File: BE095850.D

Acq: 26 Mar 2018 22:12

Instrument :

BNA_E

ClientSampled :

GW-2


Tot Ion: 99 Resp: 532

Ion Ratio Lower Upper




99 100

42 73.9 20.2 30.2#

71 61.7 28.4 42.6#



Abundance Ion 99.00 (98.70 to 99.70): BE0
Ion 42.00 (41.70 to 42.70): BE0
Ion 71.00 (70.70 to 71.70): BE0



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 11.26 min Scan# 784

Delta R.T. 0.00 min

Lab File: BE095850.D

Acq: 26 Mar 2018 22:12

Tgt Ion: 136 Resp: 4498


Ion Ratio Lower Upper

136 100



137 12.5 9.5 14.3

54 35.8 29.1 43.7

68 7.7 6.2 9.2



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BE0
Ion 68.00 (67.70 to 68.70): BE0





#8

Nitrobenzene-d5

Concen: 0.478 ng

RT: 9.59 min Scan# 656

Delta R.T. 0.00 min

Lab File: BE095850.D

Acq: 26 Mar 2018 22:12

Instrument :

BNA_E

ClientSampleId :

GW-2


Tot Ion: 82 Resp: 2542

Ion Ratio Lower Upper

82 100

128 125.5 150.0 225.0#




54 229.6 154.2 231.4



Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): BE0

Ion 54.00 (53.70 to 54.70): BE0



#11

2-Methylnaphthalene-d10

Concen: 0.361 ng

RT: 12.79 min Scan# 1071

Delta R.T. -0.01 min

Lab File: BE095850.D


Acq: 26 Mar 2018 22:12

Tgt Ion: 152 Resp: 2712

Ion Ratio Lower Upper



152 100


151 20.2 15.4 23.0



Abundance Ion 152.00 (151.70 to 152.70): BE0

Ion 151.00 (150.70 to 151.70): BE0





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.99 min Scan# 1285

Delta R.T. -0.01 min

Lab File: BE095850.D

Acq: 26 Mar 2018 22:12

Instrument :

BNA_E

ClientSampleId :

GW-2


Tot Ion:164 Resp: 2736

Ion Ratio Lower Upper

164 100

162 115.3 83.1 124.7

160 60.1 37.1 55.7#



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E

2500

2000

1500

1000

500

0



14.99

14.90

15.00

15.10

Time-->



#14

2,4,6-Tribromophenol

Concen: 0.400 ng

RT: 16.46 min Scan# 1408

Delta R.T. -0.01 min

Lab File: BE095850.D

Acq: 26 Mar 2018 22:12


Tgt Ion:330 Resp: 631

Ion Ratio Lower Upper

330 100

332 100.3 152.7 229.1#

141 52.8 33.7 50.5#



Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E

600

500

400

300

200

100

0

16.46


16.35


16.40

16.45

16.50

Time-->





#15

2-Fluorobiphenyl

Concen: 0.513 ng

RT: 13.63 min Scan# 1167

Delta R.T. -0.01 min

Lab File: BE095850.D

Acq: 26 Mar 2018 22:12

Instrument :

BNA_E

ClientSampled :

GW-2


Tot Ion:172 Resp: 5919

Ion Ratio Lower Upper

172 100

171 34.9 29.9 44.9




170 23.4 21.8 32.8



Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E



#17

Acenaphthene

Concen: 0.239 ng

RT: 15.06 min Scan# 1291

Delta R.T. -0.00 min

Lab File: BE095850.D

Acq: 26 Mar 2018 22:12


Tgt Ion:154 Resp: 2284

Ion Ratio Lower Upper

154 100

153 114.4 89.2 133.8



152 56.4 42.0 63.0




Abundance Ion 154.00 (153.70 to 154.70): E

Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.70 min Scan# 1514

Delta R.T. -0.01 min

Lab File: BE095850.D

Acq: 26 Mar 2018 22:12

Instrument :

BNA_E

ClientSampled :

GW-2


Tot Ion:188 Resp: 6248

Ion Ratio Lower Upper

188 100

94 0.0 3.9 5.9#




80 16.8 3.6 5.4#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#22

Pentachlorophenol

Concen: 0.278 ng

RT: 17.36 min Scan# 1485

Delta R.T. -0.01 min

Lab File: BE095850.D

Acq: 26 Mar 2018 22:12


Tgt Ion:266 Resp: 208

Ion Ratio Lower Upper

266 100

264 75.4 72.5 108.7



268 71.1 73.8 110.6#




Abundance Ion 266.00 (265.70 to 266.70): E

Ion 264.00 (263.70 to 264.70): E

Ion 268.00 (267.70 to 268.70): E





#25

Fluoranthene-d10

Concen: 0.365 ng

RT: 19.68 min Scan# 1828

Delta R.T. -0.01 min

Lab File: BE095850.D

Acq: 26 Mar 2018 22:12

Instrument :

BNA_E

ClientSampleId :

GW-2


Tot Ion:212 Resp: 33903

Ion Ratio Lower Upper

212 100

106 2.9 2.8 4.2




104 1.7 1.6 2.4



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.79 min Scan# 2028

Delta R.T. -0.01 min

Lab File: BE095850.D

Acq: 26 Mar 2018 22:12


Tgt Ion:240 Resp: 7293

Ion Ratio Lower Upper

240 100

120 13.8 5.5 8.3#



236 28.9 20.7 31.1




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.573 ng

RT: 20.24 min Scan# 1900

Delta R.T. -0.00 min

Lab File: BE095850.D

Acq: 26 Mar 2018 22:12

Instrument :

BNA_E

ClientSampleId :

GW-2


Tot Ion:244 Resp: 8877

Ion Ratio Lower Upper

244 100

212 8.7 25.4 38.0#




122 7.2 8.1 12.1#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.142 ng

RT: 21.64 min Scan# 2016

Delta R.T. -0.00 min

Lab File: BE095850.D

Acq: 26 Mar 2018 22:12


Tgt Ion:149 Resp: 10947

Ion Ratio Lower Upper

149 100

167 7.9 5.4 8.0



279 1.0 0.7 1.1






Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#34

Pervlene-d12

Concen: 0.400 ng

RT: 24.42 min Scan# 2717

Delta R.T. -0.02 min

Lab File: BE095850.D

Acq: 26 Mar 2018 22:12

Instrument :

BNA_E

ClientSampleId :

GW-2

Tot Ion:264 Resp: 7130

Ion Ratio Lower Upper

264 100

260 26.2 20.5 30.7

265 29.0 22.8 34.2

