

Data Path : Z:\HPCHEM1\BNA E\DATA\BE040618\  
 Data File : BE095953.D  
 Acq On : 6 Apr 2018 13:04  
 Operator : SJ/JU  
 Sample : SST00.129  
 Misc :  
 ALS Vial : 2 Sample Multiplier: 1

Instrument :  
 BNA\_E  
 ClientSampleId :  
 SST00.129

Quant Time: Apr 06 17:35:30 2018  
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM-EPA-SIM-BE040618.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Fri Apr 06 15:00:12 2018  
 Response via : Initial Calibration

| Internal Standards          | R.T.  | QIon | Response | Conc   | Units  | Dev(Min) |
|-----------------------------|-------|------|----------|--------|--------|----------|
| 1) 1,4-Dichlorobenzene-d4   | 8.39  | 152  | 1789     | 0.40   | ng/ul  | 0.00     |
| 2) Naphthalene-d8           | 11.21 | 136  | 4504     | 0.40   | ng/ul  | 0.00     |
| 6) Acenaphthene-d10         | 14.98 | 164  | 2570     | 0.40   | ng/ul  | 0.00     |
| 10) Phenanthrene-d10        | 17.68 | 188  | 6252     | 0.40   | ng/ul  | 0.00     |
| 16) Chrysene-d12            | 21.78 | 240  | 7232     | 0.40   | ng/ul  | 0.00     |
| 20) Perylene-d12            | 24.40 | 264  | 6988     | 0.40   | ng/ul  | 0.00     |
| System Monitoring Compounds |       |      |          |        |        |          |
| 4) 2-Methylnaphthalene-d10  | 12.77 | 152  | 866      | 0.11   | ng/ul  | 0.00     |
| 14) Fluoranthene-d10        | 19.67 | 212  | 2633     | 0.13   | ng/ul  | 0.00     |
| Target Compounds            |       |      |          | Ovalue |        |          |
| 3) Naphthalene              | 11.27 | 128  | 1320     | 0.105  | ng/ul# | 85       |
| 5) 2-Methylnaphthalene      | 12.84 | 142  | 880      | 0.101  | ng/ul  | 99       |
| 7) Acenaphthylene           | 14.70 | 152  | 1346     | 0.104  | ng/ul  | 95       |
| 8) Acenaphthene             | 15.04 | 153  | 989      | 0.101  | ng/ul  | 92       |
| 9) Fluorene                 | 16.00 | 166  | 1116     | 0.105  | ng/ul  | 91       |
| 12) Phenanthrene            | 17.73 | 178  | 1916     | 0.102  | ng/ul# | 89       |
| 13) Anthracene              | 17.82 | 178  | 1841     | 0.105  | ng/ul  | 94       |
| 15) Fluoranthene            | 19.70 | 202  | 2586     | 0.114  | ng/ul  | 86       |
| 17) Pyrene                  | 20.05 | 202  | 2982     | 0.109  | ng/ul# | 83       |
| 18) Benzo(a)anthracene      | 21.76 | 228  | 3376     | 0.145  | ng/ul# | 87       |
| 19) Chrysene                | 21.82 | 228  | 2447     | 0.103  | ng/ul  | 93       |
| 21) Benzo(b)fluoranthene    | 23.59 | 252  | 2324     | 0.096  | ng/ul  | 94       |
| 22) Benzo(k)fluoranthene    | 23.64 | 252  | 2399     | 0.104  | ng/ul# | 91       |
| 23) Benzo(a)pyrene          | 24.28 | 252  | 2322     | 0.105  | ng/ul# | 92       |
| 24) Indeno(1,2,3-cd)pyrene  | 27.21 | 276  | 2445     | 0.100  | ng/ul# | 77       |
| 25) Dibenzo(a,h)anthracene  | 27.22 | 278  | 1942     | 0.099  | ng/ul# | 93       |
| 26) Benzo(a,h,i)perylene    | 28.07 | 276  | 2052     | 0.097  | ng/ul# | 91       |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE040618\  
Data File : BE095953.D  
Acq On : 6 Apr 2018 13:04  
Operator : SJ/JU  
Sample : SST0.129  
Misc :  
ALS Vial : 2 Sample Multiplier: 1

Instrument :  
BNA\_E  
ClientSampleID :  
SSTD0.129

Quant Time: Apr 06 17:35:30 2018  
Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM-EPA-SIM-BE040618.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
QLast Update : Fri Apr 06 15:00:12 2018  
Response via : Initial Calibration

