

Data Path : Z:\HPCHEM1\BNA E\DATA\BE042318\
 Data File : BE096091.D
 Acq On : 23 Apr 2018 18:48
 Operator : SJ/JU
 Sample : J2355-10
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 A3Y24

Manual Integrations
 APPROVED

Sohil
 4/24/2018 7:10:37 PM

Quant Time: Apr 24 10:44:24 2018
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM-EPA-SIM-BE040618.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 24 06:59:54 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.38	152	2000	0.40	ng/ul	0.00
2) Naphthalene-d8	11.20	136	5572	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.97	164	3510	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.68	188	7223m	0.40	ng/ul	0.00
16) Chrysene-d12	21.77	240	6759m	0.40	ng/ul	0.00
20) Perylene-d12	24.37	264	8132m	0.40	ng/ul	0.00
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.76	152	3289	0.32	ng/ul	0.00
14) Fluoranthene-d10	19.66	212	7933m	0.27	ng/ul	0.00
Target Compounds				Ovalue		
12) Phenanthrene	17.72	178	1073m	0.050	ng/ul	
15) Fluoranthene	19.69	202	2834m	0.098	ng/ul	
17) Pyrene	20.04	202	2976	0.130	ng/ul#	86
18) Benzo(a)anthracene	21.74	228	1214m	0.044	ng/ul	
19) Chrysene	21.80	228	1470m	0.075	ng/ul	
21) Benzo(b)fluoranthene	23.57	252	1583m	0.060	ng/ul	
22) Benzo(k)fluoranthene	23.62	252	613m	0.023	ng/ul	
26) Benzo(g,h,i)perylene	28.04	276	745	0.032	ng/ul#	57

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE042318\
Data File : BE096091.D
Acq On : 23 Apr 2018 18:48
Operator : SJ/JU
Sample : J2355-10
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
A3Y24

Manual Integrations
APPROVED

Sohil
4/24/2018 7:10:37 PM

Quant Time: Apr 24 10:44:24 2018
Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM-EPA-SIM-BE040618.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Apr 24 06:59:54 2018
Response via : Initial Calibration

