

Data Path : Z:\HPCHEM1\BNA E\DATA\BE042318\  
 Data File : BE096109.D  
 Acq On : 24 Apr 2018 5:36  
 Operator : SJ/JU  
 Sample : J2434-18DL 10X  
 Misc :  
 ALS Vial : 33 Sample Multiplier: 1

Instrument :  
 BNA\_E  
 ClientSampleId :  
 C0AD3DL

Manual Integrations  
 APPROVED

Sohil  
 4/24/2018 7:11:30 PM

Quant Time: Apr 24 17:12:16 2018  
 Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM-EPA-SIM-BE040618.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Tue Apr 24 06:59:54 2018  
 Response via : Initial Calibration

| Internal Standards          | R.T.  | QIon | Response | Conc   | Units  | Dev(Min) |
|-----------------------------|-------|------|----------|--------|--------|----------|
| 1) 1,4-Dichlorobenzene-d4   | 8.38  | 152  | 2147     | 0.40   | ng/ul  | 0.00     |
| 2) Naphthalene-d8           | 11.20 | 136  | 6170     | 0.40   | ng/ul  | 0.00     |
| 6) Acenaphthene-d10         | 14.97 | 164  | 3411     | 0.40   | ng/ul  | 0.00     |
| 10) Phenanthrene-d10        | 17.68 | 188  | 7476     | 0.40   | ng/ul  | 0.00     |
| 16) Chrysene-d12            | 21.77 | 240  | 8882     | 0.40   | ng/ul  | 0.00     |
| 20) Perylene-d12            | 24.38 | 264  | 7511     | 0.40   | ng/ul  | 0.00     |
| System Monitoring Compounds |       |      |          |        |        |          |
| 4) 2-Methylnaphthalene-d10  | 12.76 | 152  | 183      | 0.02   | ng/ul  | 0.00     |
| 14) Fluoranthene-d10        | 19.66 | 212  | 496      | 0.02   | ng/ul  | 0.00     |
| Target Compounds            |       |      |          | Ovalue |        |          |
| 7) Acenaphthylene           | 14.70 | 152  | 374      | 0.021  | ng/ul# | 71       |
| 8) Acenaphthene             | 15.03 | 153  | 306      | 0.024  | ng/ul# | 91       |
| 12) Phenanthrene            | 17.72 | 178  | 4373     | 0.198  | ng/ul# | 89       |
| 13) Anthracene              | 17.80 | 178  | 645      | 0.029  | ng/ul# | 85       |
| 15) Fluoranthene            | 19.69 | 202  | 24279    | 0.810  | ng/ul  | 83       |
| 17) Pyrene                  | 20.04 | 202  | 28125    | 0.932  | ng/ul# | 79       |
| 18) Benzo(a)anthracene      | 21.75 | 228  | 23652    | 0.659  | ng/ul# | 86       |
| 19) Chrysene                | 21.81 | 228  | 23810    | 0.922  | ng/ul  | 98       |
| 21) Benzo(b)fluoranthene    | 23.57 | 252  | 43931m   | 1.808  | ng/ul  |          |
| 22) Benzo(k)fluoranthene    | 23.62 | 252  | 14430m   | 0.596  | ng/ul  |          |
| 23) Benzo(a)pyrene          | 24.26 | 252  | 31831    | 1.357  | ng/ul# | 78       |
| 24) Indeno(1,2,3-cd)pyrene  | 27.18 | 276  | 23254    | 0.892  | ng/ul# | 74       |
| 25) Dibenzo(a,h)anthracene  | 27.18 | 278  | 5791     | 0.276  | ng/ul  | 98       |
| 26) Benzo(g,h,i)perylene    | 28.05 | 276  | 24545    | 1.127  | ng/ul# | 93       |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA E\DATA\BE042318\  
Data File : BE096109.D  
Acq On : 24 Apr 2018 5:36  
Operator : SJ/JU  
Sample : J2434-18DL 10X  
Misc :  
ALS Vial : 33 Sample Multiplier: 1

Instrument :  
BNA\_E  
ClientSampleId :  
C0AD3DL

Manual Integrations  
APPROVED

Sohil  
4/24/2018 7:11:30 PM

Quant Time: Apr 24 17:12:16 2018  
Quant Method : Z:\HPCHEM1\BNA E\METHODS\SOM-EPA-SIM-BE040618.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
QLast Update : Tue Apr 24 06:59:54 2018  
Response via : Initial Calibration

